

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:24:30	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:31	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:33	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:36	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:38	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:41	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:44	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:45	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:46	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:47	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:24:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:50	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:51	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:51	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:53	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:55	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:56	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:57	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:24:59	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:00	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:01	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:03	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:03	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:05	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:25:06	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:07	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:10	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:13	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:14	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:15	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:16	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:17	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:18	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:19	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:25:21	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:22	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:23	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:24	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:25	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:26	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:28	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:29	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:31	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:32	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:33	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:36	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:38	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:25:39	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:41	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:43	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:45	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:46	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:48	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:50	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:51	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:52	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:53	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:54	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:55	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE:  
22/02/2026  
TIME: 02:17 AM

SOLID WASTE MANAGEMENT SYSTEM

	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:25:57	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:25:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:00	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:01	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:02	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:04	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:05	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:07	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:08	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

<b>PRINT DATE:</b> 22/02/2026 <b>TIME: 02:17 AM</b>	<b>SOLID WASTE MANAGEMENT SYSTEM</b>											
	1	2	3	4	5	6	7	8	9	10	11	12
<b>FLOW METER</b>	<b>FM-101</b>	<b>FM-102</b>	<b>FM-103</b>	<b>FM-104</b>	<b>FM-105</b>	<b>FM-106</b>	<b>FM-101 TOTALIZER</b>	<b>FM-102 TOTALIZER</b>	<b>FM-103 TOTALIZER</b>	<b>FM-104 TOTALIZER</b>	<b>FM-105 TOTALIZER</b>	<b>FM-106 TOTALIZER</b>
20-02-2026 09:26:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:13	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:15	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:16	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:17	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:18	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:20	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:21	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:22	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:23	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:24	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:26	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:26	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:27	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:29	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:26:30	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:31	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:32	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:35	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:39	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:41	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:44	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:45	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:46	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:47	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00



PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:26:48	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:50	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:51	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:53	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:54	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:55	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:56	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:57	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:26:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:00	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:02	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

<b>PRINT DATE:</b> 22/02/2026 <b>TIME: 02:17 AM</b>	<b>SOLID WASTE MANAGEMENT SYSTEM</b>											
	1	2	3	4	5	6	7	8	9	10	11	12
<b>FLOW METER</b>	<b>FM-101</b>	<b>FM-102</b>	<b>FM-103</b>	<b>FM-104</b>	<b>FM-105</b>	<b>FM-106</b>	<b>FM-101 TOTALIZER</b>	<b>FM-102 TOTALIZER</b>	<b>FM-103 TOTALIZER</b>	<b>FM-104 TOTALIZER</b>	<b>FM-105 TOTALIZER</b>	<b>FM-106 TOTALIZER</b>
20-02-2026 09:27:03	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:04	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:06	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:07	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:07	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:10	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:13	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:14	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:15	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:16	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:17	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:18	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

<b>PRINT DATE:</b> 22/02/2026 <b>TIME: 02:17 AM</b>	<b>SOLID WASTE MANAGEMENT SYSTEM</b>											
	1	2	3	4	5	6	7	8	9	10	11	12
<b>FLOW METER</b>	<b>FM-101</b>	<b>FM-102</b>	<b>FM-103</b>	<b>FM-104</b>	<b>FM-105</b>	<b>FM-106</b>	<b>FM-101 TOTALIZER</b>	<b>FM-102 TOTALIZER</b>	<b>FM-103 TOTALIZER</b>	<b>FM-104 TOTALIZER</b>	<b>FM-105 TOTALIZER</b>	<b>FM-106 TOTALIZER</b>
20-02-2026 09:27:22	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:23	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:24	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:27	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:29	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:30	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:32	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:33	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:41	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:46	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:27:47	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:48	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:50	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:53	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:55	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:56	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:27:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:00	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:01	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:02	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:04	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:06	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:28:07	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:14	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:15	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:18	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:19	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:24	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:32	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:41	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:28:56	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:03	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:29:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:19	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:26	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:35	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:29:56	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:04	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:20	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:27	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:36	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:50	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:30:57	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:31:05	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:31:13	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:31:20	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:31:29	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:31:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:31:45	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:31:53	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:01	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:19	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:26	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:32:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:32:55	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:02	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:16	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:22	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:28	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:35	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:48	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:52	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:33:57	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:04	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00



PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:34:18	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:26	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:31	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:36	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:43	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:46	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:52	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:54	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:34:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:01	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:03	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:04	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:06	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE:  
22/02/2026  
TIME: 02:17 AM

SOLID WASTE MANAGEMENT SYSTEM

	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:35:10	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:13	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:16	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:17	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:19	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:20	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:22	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:23	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:25	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:27	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:28	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:31	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:35:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:37	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:38	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:40	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:42	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:43	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:45	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:46	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:48	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:49	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:51	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:54	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:56	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:35:58	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:36:00	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:03	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:05	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:09	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:11	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:12	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:13	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:16	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:18	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:20	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:23	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:25	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:29	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:31	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:33	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

PRINT DATE: 22/02/2026 TIME: 02:17 AM	SOLID WASTE MANAGEMENT SYSTEM											
	1	2	3	4	5	6	7	8	9	10	11	12
FLOW METER	FM-101	FM-102	FM-103	FM-104	FM-105	FM-106	FM-101 TOTALIZER	FM-102 TOTALIZER	FM-103 TOTALIZER	FM-104 TOTALIZER	FM-105 TOTALIZER	FM-106 TOTALIZER
20-02-2026 09:36:34	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:39	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
20-02-2026 09:36:41	-0.21	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00