

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:24:30	-29.875	5.500	6.94	0.14	-20.375	8.42	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:30	-29.875	5.500	6.94	0.14	-20.875	8.42	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:32	-29.875	5.500	6.94	0.14	-20.500	8.42	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:33	-29.875	5.500	6.94	0.14	-20.625	8.43	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:34	-29.875	5.500	6.94	0.14	-20.625	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:35	-29.875	5.500	6.94	0.14	-20.500	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:36	-29.875	5.500	6.94	0.14	-20.500	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:37	-29.875	5.500	6.94	0.14	-20.500	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:38	-29.875	5.500	6.94	0.14	-20.750	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:39	-29.875	5.500	6.94	0.14	-20.375	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:40	-29.875	5.500	6.94	0.14	-20.875	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:41	-29.875	5.500	6.94	0.15	-20.625	8.44	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:42	-29.875	5.500	6.94	0.15	-20.625	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:44	-29.875	5.500	6.94	0.16	-21.000	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:45	-29.875	5.500	6.94	0.16	-20.500	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:47	-29.875	5.500	6.94	0.16	-20.125	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:47	-29.875	5.500	6.94	0.16	-20.500	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:48	-29.875	5.500	6.94	0.16	-20.375	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:49	-29.875	5.500	6.94	0.16	-20.625	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:50	-29.875	5.500	6.94	0.16	-20.750	8.45	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:51	-29.875	5.500	6.94	0.16	-20.375	8.46	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:52	-29.875	5.500	6.95	0.16	-20.500	8.46	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:54	-29.875	5.500	6.95	0.16	-20.750	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:55	-29.875	5.500	6.95	0.16	-20.375	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:56	-29.875	5.500	6.95	0.16	-20.750	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:57	-29.875	5.500	6.95	0.16	-20.500	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:59	-29.875	5.500	6.95	0.16	-20.625	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:24:59	-29.875	5.500	6.95	0.16	-20.625	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:00	-29.875	5.500	6.95	0.16	-20.500	8.47	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:01	-29.750	5.500	6.95	0.16	-20.500	8.48	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:03	-29.875	5.500	6.95	0.16	-20.625	8.48	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:03	-29.875	5.500	6.95	0.16	-20.375	8.49	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:04	-29.875	5.500	6.95	0.16	-20.500	8.49	0.000	7.09	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:25:06	-29.875	5.500	6.95	0.16	-20.625	8.49	0.000	7.09	-3.063	0.00
20-02-2026 09:25:07	-29.750	5.500	6.95	0.16	-20.750	8.49	0.000	7.09	-3.063	0.00
20-02-2026 09:25:08	-29.750	5.500	6.95	0.16	-21.000	8.49	0.000	7.09	-3.063	0.00
20-02-2026 09:25:09	-29.750	5.625	6.95	0.16	-20.625	8.49	0.000	7.09	-3.063	0.00
20-02-2026 09:25:10	-29.750	5.625	6.95	0.16	-20.750	8.49	0.000	7.09	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:25:11	-29.875	5.625	6.95	0.15	-20.625	8.49	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:12	-29.875	5.625	6.95	0.15	-20.500	8.49	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:13	-29.750	5.625	6.95	0.14	-20.750	8.50	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:14	-29.750	5.625	6.95	0.14	-20.500	8.50	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:15	-29.750	5.625	6.95	0.14	-20.500	8.50	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:16	-29.750	5.625	6.95	0.14	-20.625	8.50	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:17	-29.750	5.500	6.95	0.15	-20.625	8.50	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:18	-29.750	5.500	6.95	0.15	-20.625	8.50	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:19	-29.750	5.500	6.95	0.15	-20.625	8.50	0.000	7.10	-3.063	0.00	
20-02-2026 09:25:20	-29.750	5.625	6.95	0.14	-20.625	8.50	0.000	7.10	-3.063	0.00	
20-02-2026 09:25:21	-29.875	5.625	6.95	0.14	-20.750	8.51	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:23	-29.875	5.625	6.95	0.14	-20.625	8.51	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:23	-29.750	5.625	6.95	0.14	-20.625	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:24	-29.750	5.625	6.95	0.14	-20.750	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:26	-29.750	5.625	6.95	0.14	-20.375	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:27	-29.750	5.625	6.95	0.14	-20.500	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:28	-29.750	5.625	6.95	0.14	-20.750	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:29	-29.750	5.625	6.95	0.14	-20.500	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:30	-29.750	5.625	6.95	0.14	-20.625	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:31	-29.750	5.625	6.95	0.14	-20.625	8.52	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:33	-29.750	5.625	6.95	0.14	-20.500	8.53	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:34	-29.750	5.625	6.95	0.14	-20.750	8.53	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:35	-29.750	5.625	6.95	0.14	-20.625	8.53	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:36	-29.750	5.625	6.95	0.14	-20.750	8.53	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:37	-29.750	5.625	6.95	0.14	-20.625	8.53	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:38	-29.750	5.625	6.95	0.14	-20.625	8.53	0.000	7.11	-3.063	0.00	
20-02-2026 09:25:40	-29.750	5.625	6.95	0.14	-20.625	8.53	0.000	7.10	-3.063	0.00	
20-02-2026 09:25:41	-29.750	5.625	6.95	0.14	-20.750	8.54	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:41	-29.750	5.625	6.95	0.14	-20.750	8.54	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:42	-29.750	5.625	6.95	0.14	-20.750	8.55	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:43	-29.750	5.625	6.95	0.14	-20.750	8.55	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:44	-29.750	5.625	6.95	0.14	-20.750	8.55	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:46	-29.750	5.625	6.95	0.14	-20.625	8.55	0.000	7.09	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:25:48	-29.750	5.625	6.95	0.14	-20.750	8.55	0.000	7.09	-3.063	0.00
20-02-2026 09:25:49	-29.750	5.625	6.95	0.14	-20.625	8.55	0.000	7.09	-3.063	0.00
20-02-2026 09:25:49	-29.750	5.625	6.95	0.14	-20.750	8.55	0.000	7.09	-3.063	0.00
20-02-2026 09:25:50	-29.750	5.625	6.95	0.14	-20.750	8.55	0.000	7.09	-3.063	0.00
20-02-2026 09:25:51	-29.750	5.625	6.95	0.14	-20.625	8.56	0.000	7.09	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:25:52	-29.750	5.625	6.95	0.14	-20.875	8.56	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:53	-29.750	5.625	6.95	0.14	-20.625	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:55	-29.750	5.625	6.95	0.14	-20.500	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:56	-29.750	5.625	6.95	0.14	-20.750	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:57	-29.750	5.625	6.95	0.14	-20.625	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:58	-29.750	5.625	6.95	0.14	-20.500	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:25:59	-29.750	5.625	6.95	0.14	-20.750	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:00	-29.750	5.625	6.95	0.14	-20.625	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:01	-29.750	5.625	6.95	0.14	-20.625	8.57	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:04	-29.750	5.625	6.95	0.14	-20.625	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:05	-29.750	5.625	6.95	0.14	-20.375	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:05	-29.750	5.625	6.95	0.14	-20.625	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:06	-29.750	5.625	6.95	0.14	-20.625	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:07	-29.750	5.625	6.95	0.14	-20.625	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:09	-29.750	5.625	6.95	0.15	-20.625	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:10	-29.750	5.625	6.95	0.15	-20.625	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:11	-29.750	5.625	6.95	0.16	-20.500	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:12	-29.750	5.625	6.95	0.16	-20.750	8.58	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:12	-29.750	5.625	6.95	0.16	-20.625	8.59	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:13	-29.750	5.625	6.95	0.16	-20.750	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:14	-29.750	5.625	6.95	0.16	-20.625	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:16	-29.750	5.625	6.95	0.16	-20.625	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:17	-29.750	5.625	6.95	0.16	-20.625	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:18	-29.750	5.625	6.95	0.16	-20.625	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:19	-29.750	5.625	6.95	0.16	-20.750	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:20	-29.750	5.625	6.95	0.16	-20.750	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:21	-29.750	5.625	6.95	0.16	-20.875	8.60	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:22	-29.750	5.625	6.95	0.16	-20.750	8.61	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:24	-29.750	5.625	6.95	0.16	-20.500	8.61	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:25	-29.750	5.625	6.95	0.16	-20.500	8.61	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:26	-29.750	5.625	6.95	0.16	-20.750	8.61	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:27	-29.750	5.625	6.95	0.16	-20.625	8.61	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:27	-29.750	5.625	6.95	0.16	-20.750	8.61	0.000	7.09	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:26:28	-29.750	5.625	6.95	0.16	-21.000	8.61	0.000	7.09	-3.063	0.00
20-02-2026 09:26:30	-29.750	5.625	6.95	0.16	-20.625	8.61	0.000	7.09	-3.063	0.00
20-02-2026 09:26:31	-29.750	5.625	6.95	0.16	-20.750	8.61	0.000	7.09	-3.063	0.00
20-02-2026 09:26:32	-29.750	5.625	6.95	0.16	-20.750	8.62	0.000	7.09	-3.063	0.00
20-02-2026 09:26:33	-29.750	5.625	6.95	0.16	-20.750	8.63	0.000	7.09	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:26:35	-29.750	5.625	6.95	0.16	-20.875	8.63	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:35	-29.750	5.625	6.95	0.16	-20.875	8.63	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:36	-29.750	5.625	6.95	0.16	-20.875	8.63	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:37	-29.750	5.625	6.95	0.16	-20.625	8.63	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:38	-29.750	5.625	6.95	0.16	-20.625	8.63	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:39	-29.750	5.625	6.95	0.16	-20.625	8.63	0.000	7.09	-3.063	0.00	
20-02-2026 09:26:41	-29.750	5.625	6.95	0.16	-20.750	8.63	0.000	7.10	-3.063	0.00	
20-02-2026 09:26:42	-29.750	5.625	6.95	0.16	-20.750	8.63	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:42	-29.750	5.625	6.95	0.16	-20.750	8.64	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:43	-29.750	5.625	6.95	0.16	-20.750	8.64	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:44	-29.750	5.625	6.95	0.16	-20.625	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:45	-29.750	5.625	6.95	0.16	-20.750	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:47	-29.750	5.625	6.95	0.16	-20.750	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:48	-29.750	5.625	6.95	0.16	-20.625	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:49	-29.750	5.625	6.95	0.16	-20.625	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:49	-29.750	5.625	6.95	0.16	-20.625	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:50	-29.750	5.625	6.95	0.16	-20.625	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:51	-29.750	5.625	6.95	0.16	-20.750	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:52	-29.750	5.625	6.95	0.16	-20.750	8.65	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:54	-29.750	5.625	6.95	0.16	-20.750	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:55	-29.750	5.625	6.95	0.16	-20.500	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:56	-29.750	5.625	6.95	0.16	-20.875	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:57	-29.750	5.625	6.95	0.16	-20.625	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:58	-29.750	5.625	6.95	0.16	-20.875	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:26:58	-29.750	5.625	6.95	0.16	-20.750	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:00	-29.750	5.625	6.95	0.16	-20.750	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:01	-29.750	5.625	6.95	0.16	-20.750	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:02	-29.750	5.625	6.95	0.16	-20.375	8.66	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:03	-29.750	5.625	6.95	0.16	-20.750	8.67	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:04	-29.750	5.625	6.95	0.16	-20.875	8.68	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:05	-29.750	5.625	6.95	0.16	-20.625	8.68	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:06	-29.750	5.625	6.95	0.16	-20.875	8.68	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:07	-29.750	5.625	6.95	0.16	-20.750	8.68	0.000	7.11	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:27:08	-29.750	5.625	6.95	0.16	-20.750	8.68	0.000	7.11	-3.063	0.00
20-02-2026 09:27:09	-29.750	5.625	6.95	0.16	-20.875	8.68	0.000	7.11	-3.063	0.00
20-02-2026 09:27:11	-29.750	5.625	6.95	0.16	-20.625	8.68	0.000	7.11	-3.063	0.00
20-02-2026 09:27:11	-29.750	5.625	6.95	0.16	-20.625	8.68	0.000	7.11	-3.063	0.00
20-02-2026 09:27:12	-29.750	5.625	6.95	0.16	-20.875	8.68	0.000	7.11	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:27:13	-29.750	5.625	6.95	0.16	-20.875	8.68	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:15	-29.750	5.625	6.95	0.16	-20.750	8.69	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:15	-29.750	5.625	6.95	0.16	-20.750	8.69	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:16	-29.750	5.625	6.95	0.16	-20.875	8.69	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:17	-29.750	5.625	6.95	0.16	-20.625	8.69	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:19	-29.750	5.625	6.95	0.16	-20.750	8.69	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:22	-29.750	5.625	6.95	0.16	-20.875	8.69	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:23	-29.750	5.625	6.95	0.16	-20.875	8.70	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:24	-29.750	5.625	6.95	0.16	-20.750	8.70	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:27	-29.750	5.625	6.95	0.16	-20.625	8.71	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:28	-29.750	5.625	6.95	0.16	-20.875	8.71	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:30	-29.750	5.625	6.95	0.16	-20.875	8.71	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:31	-29.750	5.625	6.95	0.16	-20.625	8.71	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:33	-29.750	5.625	6.95	0.16	-20.875	8.71	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:34	-29.750	5.625	6.95	0.16	-20.750	8.71	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:35	-29.750	5.625	6.95	0.16	-20.750	8.72	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:37	-29.750	5.625	6.95	0.16	-20.625	8.73	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:39	-29.750	5.625	6.95	0.16	-20.625	8.73	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:40	-29.750	5.625	6.95	0.16	-20.625	8.73	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:41	-29.750	5.625	6.95	0.16	-20.750	8.73	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:42	-29.750	5.625	6.95	0.16	-20.750	8.73	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:46	-29.750	5.625	6.95	0.16	-20.625	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:47	-29.750	5.625	6.95	0.16	-20.750	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:48	-29.750	5.625	6.95	0.16	-20.750	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:50	-29.750	5.625	6.95	0.16	-20.625	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:52	-29.750	5.625	6.95	0.16	-20.750	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:53	-29.750	5.625	6.95	0.16	-20.750	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:55	-29.750	5.625	6.95	0.16	-20.625	8.74	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:57	-31.625	5.625	6.95	0.16	-20.625	8.75	0.000	7.11	-3.063	0.00	
20-02-2026 09:27:58	-33.875	5.625	6.95	0.16	-20.500	8.76	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:00	-34.125	5.625	6.95	0.16	-20.625	8.76	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:00	-34.125	5.625	6.95	0.16	-20.625	8.76	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:01	-34.250	5.625	6.95	0.16	-20.625	8.76	0.000	7.11	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:28:03	-34.250	5.625	6.95	0.16	-20.750	8.76	0.000	7.11	-3.063	0.00
20-02-2026 09:28:04	-34.250	5.625	6.95	0.16	-20.750	8.76	0.000	7.11	-3.063	0.00
20-02-2026 09:28:07	-34.250	5.625	6.95	0.16	-20.750	8.77	0.000	7.11	-3.063	0.00
20-02-2026 09:28:07	-34.250	5.625	6.95	0.16	-20.750	8.77	0.000	7.11	-3.063	0.00
20-02-2026 09:28:09	-34.250	5.625	6.95	0.16	-20.875	8.77	0.000	7.11	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:28:10	-34.250	5.625	6.95	0.16	-20.625	8.77	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:11	-34.250	5.625	6.95	0.16	-19.750	8.77	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:12	-34.250	5.625	6.95	0.16	-17.625	8.77	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:13	-34.250	5.625	6.95	0.16	-16.875	8.77	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:15	-34.250	5.625	6.95	0.16	-16.375	8.77	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:16	-34.125	5.625	6.95	0.16	-16.375	8.78	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:18	-34.250	5.625	6.95	0.16	-16.375	8.79	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:19	-34.125	5.625	6.95	0.16	-16.500	8.79	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:26	-34.125	5.625	6.95	0.16	-16.500	8.79	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:33	-34.250	5.625	6.95	0.16	-16.375	8.81	0.000	7.11	-3.063	0.00	
20-02-2026 09:28:40	-34.250	5.625	6.95	0.16	-16.625	8.81	0.000	7.09	-3.063	0.00	
20-02-2026 09:28:47	-34.250	5.625	6.95	0.17	-16.375	8.82	0.000	7.09	-3.063	0.00	
20-02-2026 09:28:53	-34.250	5.625	6.95	0.17	-16.500	8.84	0.000	7.09	-3.063	0.00	
20-02-2026 09:28:58	-34.250	5.625	6.95	0.17	-16.250	8.84	0.000	7.09	-3.063	0.00	
20-02-2026 09:29:05	-34.250	5.625	6.95	0.17	-16.250	8.85	0.000	7.09	-3.063	0.00	
20-02-2026 09:29:11	-34.125	5.625	6.95	0.17	-16.500	8.85	0.000	7.10	-3.063	0.00	
20-02-2026 09:29:17	-34.250	5.625	6.95	0.17	-16.500	8.87	0.000	7.11	-3.063	0.00	
20-02-2026 09:29:23	-34.250	5.625	6.95	0.17	-16.375	8.88	0.000	7.11	-3.063	0.00	
20-02-2026 09:29:30	-34.250	5.625	6.95	0.17	-16.500	8.89	0.000	7.11	-3.063	0.00	
20-02-2026 09:29:37	-34.125	5.625	6.95	0.17	-16.500	8.90	0.000	7.11	-3.063	0.00	
20-02-2026 09:29:43	-34.125	5.625	6.95	0.17	-16.375	8.90	0.000	7.11	-3.063	0.00	
20-02-2026 09:29:49	-34.250	5.625	6.95	0.17	-16.375	8.92	0.000	7.11	-3.063	0.00	
20-02-2026 09:29:55	-34.250	5.625	6.95	0.17	-16.375	8.92	0.000	7.11	-3.063	0.00	
20-02-2026 09:30:02	-34.250	5.625	6.95	0.17	-16.500	8.93	0.000	7.11	-3.063	0.00	
20-02-2026 09:30:08	-34.250	5.625	6.95	0.17	-16.375	8.95	0.000	7.11	-3.063	0.00	
20-02-2026 09:30:15	-34.250	5.625	6.95	0.17	-16.500	8.95	0.000	7.12	-3.063	0.00	
20-02-2026 09:30:22	-34.250	5.625	6.95	0.17	-16.375	8.97	0.000	7.13	-3.063	0.00	
20-02-2026 09:30:28	-34.250	5.625	6.95	0.17	-16.500	8.97	0.000	7.13	-3.063	0.00	
20-02-2026 09:30:35	-34.250	5.625	6.95	0.17	-16.500	8.98	0.000	7.13	-3.063	0.00	
20-02-2026 09:30:41	-34.250	5.625	6.97	0.17	-16.500	9.00	0.000	7.13	-3.063	0.00	
20-02-2026 09:30:48	-34.125	5.625	6.95	0.17	-16.375	9.00	0.000	7.13	-3.063	0.00	
20-02-2026 09:30:54	-34.250	5.625	6.95	0.17	-16.500	9.01	0.000	7.13	-3.063	0.00	
20-02-2026 09:31:01	-34.125	5.625	6.97	0.17	-16.500	9.02	0.000	7.11	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:31:08	-34.250	5.625	6.97	0.19	-16.500	9.03	0.000	7.11	-3.063	0.00
20-02-2026 09:31:14	-34.250	5.625	6.97	0.19	-16.375	9.05	0.000	7.11	-3.063	0.00
20-02-2026 09:31:20	-34.250	5.625	6.97	0.19	-16.500	9.05	0.000	7.11	-3.063	0.00
20-02-2026 09:31:26	-34.250	5.625	6.97	0.19	-16.500	9.06	0.000	7.11	-3.063	0.00
20-02-2026 09:31:34	-34.250	5.625	6.97	0.19	-16.500	9.06	0.000	7.11	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:31:40	-34.125	5.625	6.97	0.19	-16.500	9.08	0.000	7.11	-3.063	0.00	
20-02-2026 09:31:47	-34.250	5.625	6.97	0.19	-16.375	9.09	0.000	7.11	-3.063	0.00	
20-02-2026 09:31:54	-34.250	5.625	6.97	0.19	-16.375	9.09	0.000	7.11	-3.063	0.00	
20-02-2026 09:32:00	-34.250	5.625	6.97	0.19	-16.500	9.11	0.000	7.11	-3.063	0.00	
20-02-2026 09:32:07	-34.250	5.625	6.97	0.19	-16.375	9.12	0.000	7.11	-3.063	0.00	
20-02-2026 09:32:13	-34.250	5.625	6.97	0.19	-16.375	9.13	0.000	7.11	-3.063	0.00	
20-02-2026 09:32:21	-34.250	5.625	6.97	0.19	-20.750	9.14	0.000	7.12	-3.063	0.00	
20-02-2026 09:32:28	-34.250	5.625	6.97	0.19	-20.875	9.15	0.000	7.13	-3.063	0.00	
20-02-2026 09:32:34	-34.250	5.625	6.97	0.19	-20.750	9.16	0.000	7.13	-3.063	0.00	
20-02-2026 09:32:40	-34.250	5.625	6.97	0.19	-20.875	9.17	0.000	7.13	-3.063	0.00	
20-02-2026 09:32:47	-34.250	5.625	6.97	0.19	-20.750	9.17	0.000	7.13	-3.063	0.00	
20-02-2026 09:32:52	-34.250	5.625	6.97	0.19	-20.750	9.19	0.000	7.13	-3.063	0.00	
20-02-2026 09:32:58	-34.250	5.625	6.97	0.19	-20.750	9.19	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:03	-38.250	2.250	6.97	0.19	-20.875	9.21	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:08	-38.625	1.125	6.97	0.19	-20.875	9.21	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:14	-38.625	1.125	6.97	0.19	-20.750	9.22	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:19	-38.625	1.125	6.97	0.19	-20.875	9.22	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:25	-38.625	1.125	6.97	0.19	-20.750	9.24	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:30	-38.625	1.125	6.97	0.19	-20.875	9.24	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:35	-38.625	1.125	6.97	0.19	-20.750	9.25	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:40	-38.625	1.125	6.97	0.19	-20.750	9.25	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:46	-38.625	1.125	6.97	0.19	-20.875	9.27	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:51	-38.625	1.125	6.97	0.19	-20.875	9.27	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:53	-38.625	1.125	6.97	0.19	-20.875	9.28	0.000	7.13	-3.063	0.00	
20-02-2026 09:33:58	-38.625	1.125	6.97	0.19	-20.875	9.29	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:04	-38.625	1.125	6.97	0.19	-20.875	9.29	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:10	-38.625	1.125	6.97	0.19	-20.750	9.30	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:16	-38.625	1.125	6.97	0.19	-20.750	9.31	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:22	-38.625	1.125	6.97	0.19	-21.000	9.32	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:27	-38.625	1.125	6.97	0.19	-20.750	9.33	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:32	-38.625	1.125	6.97	0.20	-20.750	9.33	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:34	-38.625	1.125	6.97	0.20	-20.750	9.33	0.000	7.13	-3.063	0.00	
20-02-2026 09:34:36	-38.625	1.125	6.97	0.20	-20.875	9.33	0.219	7.13	-3.063	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:34:37	-38.750	1.000	6.97	0.20	-20.750	9.35	0.000	7.13	-2.844	0.00
20-02-2026 09:34:42	-38.625	1.000	6.97	0.20	-20.875	9.35	0.219	7.13	-3.063	0.00
20-02-2026 09:34:44	-38.750	1.125	6.97	0.20	-20.875	9.35	0.219	7.13	-3.063	0.00
20-02-2026 09:34:45	-38.750	1.000	6.97	0.20	-20.875	9.35	0.000	7.13	-3.063	0.00
20-02-2026 09:34:50	-38.750	1.125	6.97	0.20	-20.750	9.37	0.219	7.13	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:34:53	-38.750	1.125	6.97	0.20	-20.875	9.37	0.219	7.13	-2.844	0.00	
20-02-2026 09:34:55	-38.750	1.125	6.97	0.20	-20.875	9.37	0.000	7.13	-3.063	0.00	
20-02-2026 09:35:00	-38.750	1.125	6.97	0.20	-20.875	9.38	0.000	7.13	-2.844	0.00	
20-02-2026 09:35:02	-38.750	1.000	6.97	0.20	-20.875	9.38	0.000	7.13	-3.063	0.00	
20-02-2026 09:35:03	-38.625	1.125	6.97	0.20	-20.750	9.38	0.000	7.13	-3.063	0.00	
20-02-2026 09:35:04	-38.625	1.000	6.97	0.20	-20.750	9.38	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:06	-38.625	1.000	6.97	0.20	-20.875	9.38	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:07	-38.625	1.000	6.97	0.20	-20.750	9.38	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:12	-38.625	1.000	6.97	0.20	-20.875	9.40	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:14	-38.625	1.125	6.97	0.20	-20.875	9.40	0.000	7.13	-3.063	0.00	
20-02-2026 09:35:16	-38.750	1.125	6.97	0.20	-20.875	9.40	0.000	7.13	-3.063	0.00	
20-02-2026 09:35:17	-38.750	1.125	6.97	0.20	-20.750	9.40	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:19	-38.625	1.000	6.97	0.20	-20.875	9.40	0.000	7.13	-2.844	0.00	
20-02-2026 09:35:20	-38.625	1.000	6.97	0.20	-20.875	9.40	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:22	-38.625	1.000	6.97	0.20	-20.750	9.41	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:23	-38.625	1.000	6.97	0.20	-20.750	9.41	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:25	-38.750	1.000	6.97	0.20	-20.750	9.41	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:26	-38.750	1.000	6.97	0.20	-20.875	9.41	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:28	-38.750	1.125	6.97	0.20	-20.875	9.41	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:28	-38.750	1.125	6.97	0.20	-20.750	9.41	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:31	-38.750	1.000	6.97	0.20	-20.750	9.43	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:34	-38.750	1.125	6.97	0.20	-20.875	9.43	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:36	-38.750	1.125	6.97	0.20	-20.875	9.43	0.219	7.13	-3.063	0.00	
20-02-2026 09:35:37	-38.750	1.125	6.97	0.20	-20.875	9.43	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:39	-38.750	1.000	6.97	0.20	-20.875	9.43	0.219	7.13	-2.844	0.00	
20-02-2026 09:35:40	-38.750	1.000	6.97	0.20	-20.750	9.43	0.000	7.14	-3.063	0.00	
20-02-2026 09:35:42	-38.625	1.125	6.97	0.20	-21.000	9.44	0.219	7.14	-3.063	0.00	
20-02-2026 09:35:43	-38.625	1.125	6.97	0.20	-21.000	9.44	0.219	7.14	-2.844	0.00	
20-02-2026 09:35:45	-38.625	1.125	6.97	0.20	-20.750	9.45	0.219	7.14	-2.844	0.00	
20-02-2026 09:35:45	-38.625	1.000	6.97	0.20	-20.875	9.45	0.219	7.14	-2.844	0.00	
20-02-2026 09:35:47	-38.750	1.000	6.97	0.20	-20.875	9.45	0.219	7.14	-2.844	0.00	
20-02-2026 09:35:48	-38.750	1.125	6.97	0.20	-20.875	9.45	0.219	7.14	-2.844	0.00	
20-02-2026 09:35:49	-38.750	1.125	6.97	0.20	-20.875	9.45	0.219	7.14	-2.844	0.00	

<b>PRINT DATE:</b> 21/02/2026 <b>TIME:</b> 05:42 AM	<b>SOLID WASTE MANAGEMENT SYSTEM</b>									
	1	2	3	4	5	6	7	8	9	10
<b>ANALYSERS</b>	<b>ORP-101</b>	<b>ORP-102</b>	<b>PH-101</b>	<b>PH-102</b>	<b>ORP-103</b>	<b>PH-103</b>	<b>TDS-101</b>	<b>PH-104</b>	<b>TDS-102</b>	<b>DO-101</b>
20-02-2026 09:35:51	-38.750	1.000	6.97	0.20	-21.000	9.45	0.219	7.14	-2.844	0.00
20-02-2026 09:35:54	-38.625	1.000	6.97	0.20	-20.875	9.46	0.219	7.14	-3.063	0.00
20-02-2026 09:35:56	-38.625	1.000	6.97	0.20	-20.750	9.46	0.219	7.14	-3.063	0.00
20-02-2026 09:35:56	-38.750	1.000	6.97	0.20	-20.875	9.46	0.219	7.14	-2.844	0.00
20-02-2026 09:35:58	-38.625	1.000	6.97	0.20	-20.875	9.46	0.219	7.14	-3.063	0.00

PRINT DATE: 21/02/2026 TIME: 05:42 AM	SOLID WASTE MANAGEMENT SYSTEM										
	1	2	3	4	5	6	7	8	9	10	
ANALYSERS	ORP-101	ORP-102	PH-101	PH-102	ORP-103	PH-103	TDS-101	PH-104	TDS-102	DO-101	
20-02-2026 09:36:00	-38.625	1.000	6.97	0.20	-20.875	9.46	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:01	-38.625	1.125	6.97	0.20	-20.875	9.46	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:03	-38.625	1.000	6.97	0.20	-21.000	9.46	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:08	-38.625	1.000	6.97	0.20	-20.750	9.48	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:09	-38.625	1.000	6.97	0.20	-20.875	9.48	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:12	-38.750	1.000	6.97	0.20	-20.875	9.48	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:13	-38.750	1.000	6.97	0.20	-20.875	9.48	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:13	-38.750	1.000	6.97	0.20	-20.750	9.48	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:16	-38.750	1.000	6.97	0.20	-20.875	9.49	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:17	-38.750	1.000	6.97	0.20	-20.875	9.49	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:20	-38.750	1.000	6.97	0.20	-20.875	9.49	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:21	-38.750	1.000	6.97	0.20	-20.750	9.49	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:24	-38.625	1.000	6.97	0.20	-20.875	9.49	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:27	-38.625	1.000	6.97	0.20	-20.875	9.49	0.000	7.14	-2.844	0.00	
20-02-2026 09:36:29	-38.625	1.125	6.97	0.20	-20.625	9.51	0.219	7.14	-3.063	0.00	
20-02-2026 09:36:31	-38.625	1.000	6.97	0.20	-20.750	9.51	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:33	-38.750	1.000	6.97	0.20	-20.875	9.51	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:34	-38.750	1.000	6.97	0.20	-20.875	9.51	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:35	-38.750	1.000	6.97	0.20	-20.875	9.51	0.219	7.14	-2.844	0.00	
20-02-2026 09:36:40	-38.750	1.000	6.97	0.20	-20.750	9.53	0.219	7.14	-2.844	0.00	

**Conditions:**

Day Wise Time Selection  
Monthwise day Total level  
ORP: Mv  
TDS: ppm  
DO: mg/l