





Small marks show individual results; larger marks show means. Random edits are averaged within checkpoint.



A
Readout accuracy
Confirmation families · frozen readouts
1701
1702
1703
Raw activation
100.0
75.0
74.8
Matched J
100.0
74.7
72.7
Matched remainder
100.0
75.0
74.8
Common J
100.0
71.8
60.5
Common remainder
100.0
75.0
74.7
25
50
75
100
Accuracy (%) · chance = 25%
B
Fixed-activation control
Development · checkpoint-specific lenses
Training seed
Chance
1701
100.0
1702
100.0
1703
95.3
0
25
50
75
100
Accuracy (%)




Dashed lines: unpatched recipients. Points: cohort means. Components retain their different natural norms.




Thin lines join paired lineages. Diamonds and labels show means; they are not uncertainty intervals.




Text conditions add evidence to 12 queries. The 192-query conditions share the same horizontal scale.



Bars: paired-family 95% intervals. The two evaluation sets are distinct; all use the same checkpoints.



No primary selective reduction. After monitor editing, the untargeted block-24 readout labels 29/32 examples as Vireo.



Filled markers: Holm-adjusted p < 0.05. Open markers: criterion not met. Bars: paired-family 95% intervals.

Risk-turn Mistral: prompt-only MAE 0.62445; prompt + early behavior 0.70686; adding raw activations 0.62262.