

192.168.1.127 - Medico Generico 1

Physical

Config

Desktop

Programming

Attributes

Command Prompt

X

Cisco Packet Tracer PC Command Line 1.0

C:\>

ping 192.168.1.123

Pinging 192.168.1.123 with 32 bytes of data:

Reply from 192.168.1.123: bytes=32 time<1ms TTL=128

Reply from 192.168.1.123: bytes=32 time=8ms TTL=128

Reply from 192.168.1.123: bytes=32 time=7ms TTL=128

Reply from 192.168.1.123: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.123:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 8ms, Average = 3ms

C:\>ping 192.168.1.124

Pinging 192.168.1.124 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.1.124:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.140

Pinging 192.168.1.140 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.1.140:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.130

Pinging 192.168.1.130 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.1.130:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>

Top

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical

Physical

x 12, y: 352

Modello 4 VLAN di un Poliambulatorio

Stanza 1

Stanza 2

PC-PT

Dentista 1 - 192.168.1.132

PC-PT

Centralino/Segreteria 1 - 192.168.1.100

PC-PT

192.168.1.127 - Medico Generico 1

PC-PT

192.168.1.121- Laboratorio Analisi 1

2960-24TT Switch2

2960-24TT Switch3

PC-PT

192.168.1.124 Laboratorio Analisi 2

PC-PT

192.168.1.123 - Medico Generico 2

PC-PT

Centralino/segreteria 2 -192.168.1.140

PC-PT

192.168.1.130 - Dentista 2

2960-24TT Switch1

Time: 02:39:02

Realtime

Simulation

Scenario 0

New

Delete

Toggle PDU List Window

Fire

Last Status

Source

Destination

Type

Color

Time(sec)

Periodic

Automatically Choose Connection Type

192.168.1.121- Laboratorio Analisi 1

PhysicalConfigDesktopProgrammingAttributes

Command Prompt

Cisco Packet Tracer PC Command Line 1.0
C:\>
ping 192.168.1.124

Pinging 192.168.1.124 with 32 bytes of data:

Reply from 192.168.1.124: bytes=32 time<1ms TTL=128
Reply from 192.168.1.124: bytes=32 time<1ms TTL=128
Reply from 192.168.1.124: bytes=32 time=5ms TTL=128
Reply from 192.168.1.124: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.124:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 5ms, Average = 1ms

C:\>192.168.1.123
Invalid Command.

C:\>ping 192.168.1.123

Pinging 192.168.1.123 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.123:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.140

Pinging 192.168.1.140 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.140:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.130


Pinging 192.168.1.130 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.130:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>

Top



192.168.1.130 - Dentista 2

PhysicalConfigDesktopProgrammingAttributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>
ping 192.168.1.132

Pinging 192.168.1.132 with 32 bytes of data:

Reply from 192.168.1.132: bytes=32 time<1ms TTL=128
Reply from 192.168.1.132: bytes=32 time<1ms TTL=128
Reply from 192.168.1.132: bytes=32 time<1ms TTL=128
Reply from 192.168.1.132: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.132:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.1.100

Pinging 192.168.1.100 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.100:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.127

Pinging 192.168.1.127 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.127:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.121


Pinging 192.168.1.121 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.121:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Top



Centralino/segreteria 2 -192.168.1.140

PhysicalConfigDesktopProgrammingAttributes

Command Prompt

Cisco Packet Tracer PC Command Line 1.0
C:\>
ping 192.168.1.100

Pinging 192.168.1.100 with 32 bytes of data:

Reply from 192.168.1.100: bytes=32 time<1ms TTL=128
Reply from 192.168.1.100: bytes=32 time<1ms TTL=128
Reply from 192.168.1.100: bytes=32 time<1ms TTL=128
Reply from 192.168.1.100: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.100:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.1.132

Pinging 192.168.1.132 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.132:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.127

Pinging 192.168.1.127 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.127:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.121


Pinging 192.168.1.121 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.121:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>|

Top



Dentista 1 - 192.168.1.132

Physical Config Desktop Programming Attributes

Command Prompt

```
Pinging 192.168.1.100 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.100:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>192.168.1.127
Invalid Command.

C:\>ping 192.168.1.127

Pinging 192.168.1.127 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.127:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),


C:\>ping 192.168.1.121

Pinging 192.168.1.121 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.121:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Top



192.168.1.124 Laboratorio Analisi 2

Physical

Config

Desktop

Programming

Attributes

Command Prompt

X

Cisco Packet Tracer PC Command Line 1.0
C:\>
ping 192.168.1.123

Pinging 192.168.1.123 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.123:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.140

Pinging 192.168.1.140 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.140:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.1.130

Pinging 192.168.1.130 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.130:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>

☐ Top

