
# **Documentation for Ajax Activity**

## Database:



#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra	Action		
1	id 🔑	int(11)			No	None		AUTO_INCREMENT	Change	Drop	More
2	name	varchar(100)	utf8mb4_general_ci		No	None			Change	Drop	More
3	age	int(11)			No	None			<i>⊘</i> Change	Drop	More
4	course	varchar(100)	utf8mb4_general_ci		No	None			Change	Drop	More



#### index.php:

```
<meta charset="utf-8">

clink rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" >

clink rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-x00lHFLEh07PJGoPKLV1IbcE

cscript src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js" integrity="sha384-fy65389q64WdZWQUiU+q4/2Lc9npb8tCaSX

cscript src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle.min.js" integrity="https://cdn.jsdelivr.net/npm/bootstrap.bundle.min.js" integrity="sha384-Fy65389q64WdZWQUiU+q4/2Lc9npb8tCaSX

cscript src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle.min.js" integrity="https://cdn.jsdelivr.net/npm/bootstrap.bundle.min.js" integrity="https://cdn.jsdelivr.net/npm/bootstrap.bundle.min.js" integrity="https://cdn.jsdelivr.net/npm/bootstrap.bund
                       body{
                                   background-color: #2e2e2e;
                                   left:50%;
                                   transform:translate(-50%,-50%);
             Age
                                                           Course
                         cbutton class="btn btn-outline-primary float-right" data-toggle='modal' data-target='#create'>ADD</button>
<form id="editForm">
<h3>Edit Records</h3>
                      cmsstult Records(na)
cinput type="number" class="form-control" name="id" placeholder="ID"><br/>cinput type="text" class="form-control" name="name" placeholder="Name" required><br/>cinput type="number" class="form-control" name="age" placeholder="Age" required><br/>cinput type="text" class="form-control" name="age" placeholder="Age" required><br/>cinput type="text" class="form-control" name="course" placeholder="Course" required><br/>cbbutton class="bth bth-outline-primary">Confirm</button>

<div class="modal-footer">
<button type="button" class="btn btn-secondary" data-dismiss="modal">Close</button>
 <div class="modal fade" id="create" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
            <div class="modal-content"
    <div class="modal-header"</pre>
                       <hb class="modal-title" id="exampleModalLabel">jQuery & AJAX Introduction | PHP</h5>
<button_type="button" class="close" data-dismiss="modal" aria-label="close">
```

### index.php:

## connect.php:

## createRecord.php:

#### deleteRecord.php:

## updateRecord.php:

## viewRecord.php:

```
config > ** viewRecord.php

c?php
require ("connect.php");

sdb = new db;

sconn = $db->conn();

fid = $_GET['id'];

squery = "SELECT * FROM records WHERE id = $id";

sresults = mysqli_query($conn,$query);

$data = mysqli_fetch_array($results);

cho json_encode($data);

zero
```

#### viewRecords.php:

## script.js:

```
$(document).ready(function(){
   function displayAll(){
                                displayAll();
            $(document).on('click', '#edit', function(e){
   var id = e.target.value;
   $.ajax({
                                 Jax({
  type: 'GET',
  url: 'config/viewRecord.php?id=' + id,
                                 url: 'contig/viewtecord.pnpriu= + 10,
dataType: 'json',
success: function(data, status, xhr){
    $("#editForm [name='id']").val(data["id"]);
    $("#editForm [name='name']").val(data["name"]);
    $("#editForm [name='age']").val(data["age"]);
    $("#editForm [name='course']").val(data["course"]);
                                  specific continuity continui
                                   var id = e.target.value;
                                   $.ajax({
                                               type: 'GET',
url: 'config/deleteRecord.php?id=' + id,
                                                       displayAll();
                                               error: function(xhr, status, error){
    $message = "<h1>" + xhr['status'] + " " + error + "</h1>";
    $("body").html($message);
                    $('#editForm').submit(function(e){
  var data = $(this).serialize();
                                  e.preventDefault();
                                  $.ajax({
                                              type: 'POST',
url: 'config/updateRecord.php',
                                               data: data,
                                                        displayAll();
                                               error: function(xhr, status, error){
    $message = "<h1>" + xhr['status'] + " " + error + "</h1>";
                                                             $("body").html($message);
                      $('#addForm').submit(function(e){
                                 var data = $(this).serialize();
                                  e.preventDefault();
                                  $.aiax({
                                               type: 'POST',
url: 'config/createRecord.php',
                                                               data: data,
                                                                                displayAll();
                                                               error: function(xhr, status, error){
                                                                                $message = "<h1>" + xhr['status'] + " " + error + "</h1>";
                                                                                $("body").html($message);
           });
```

# **Output:**

