RcppOctave: Unit testing results*

Renaud Gaujoux

RcppOctave version 0.13.6 as of February 28, 2014

1 Details

```
RUNIT TEST PROTOCOL -- Fri Feb 28 13:43:17 2014
*****************
Number of test functions: 15
Number of errors: 0
Number of failures: 0
1 Test Suite :
package:RcppOctave - 15 test functions, 0 errors, 0 failures
Details
*********
Test Suite: package:RcppOctave
Test function regexp: ^test.
Test file regexp: ^runit.*.[rR]$
Involved directory:
/tmp/Rpkglib_6e5a5998b72b/RcppOctave/unitTests
Test file: /tmp/Rpkglib_6e5a5998b72b/RcppOctave/unitTests/runit.conversions.R
test.bool: (7 checks) ... OK (0 seconds)
test.char: (7 checks) ... OK (0 seconds)
test.double: (9 checks) ... OK (0 seconds)
test.int: (9 checks) ... OK (0 seconds)
test.list: (37 checks) ... OK (0.01 seconds)
Test file: /tmp/Rpkglib_6e5a5998b72b/RcppOctave/unitTests/runit.eval.R
test.assign: (4 checks) ... OK (0.01 seconds)
test.o_eval: (11 checks) ... OK (0.02 seconds)
test.o_get: (25 checks) ... OK (0.03 seconds)
test.o_source: (2 checks) ... OK (0 seconds)
test.redirection: (12 checks) ... OK (0 seconds)
Test file: /tmp/Rpkglib_6e5a5998b72b/RcppOctave/unitTests/runit.OctaveFunction.R
test.definition: (36 checks) ... OK (0.07 seconds)
Test file: /tmp/Rpkglib_6e5a5998b72b/RcppOctave/unitTests/runit.stats.R
```

 $^{^*\}mbox{Vignette}$ computed on Fri Feb 28 13:43:17 2014

Session Information

- R version 3.0.2 (2013-09-25), x86_64-pc-linux-gnu
- Locale: LC_CTYPE=en_US.UTF-8, LC_NUMERIC=C, LC_TIME=C, LC_COLLATE=en_US.UTF-8, LC_MONETARY=en_US.UTF-8, LC_MESSAGES=en_US.UTF-8, LC_PAPER=en_US.UTF-8, LC_NAME=C, LC_ADDRESS=C, LC_TELEPHONE=C, LC_MEASUREMENT=en_US.UTF-8, LC_IDENTIFICATION=C
- Base packages: base, datasets, graphics, grDevices, methods, stats, utils
- Other packages: pkgmaker 0.19.2, Rcpp 0.11.0, RcppOctave 0.13.6, registry 0.2, RUnit 0.4.26, stringr 0.6.2
- Loaded via a namespace (and not attached): codetools 0.2-8, digest 0.6.4, tools 3.0.2, xtable 1.7-1