BGPD-3
Caida – Hacktahon
San Diego
Feb 2016

Luca Sani (IT)
Alejandro Acosta (VE)

Objective

BGPD-3
Replay BGP updates from BGPStream / MRT / other formats into BGP daemons

Tasks

- Study current solutions
- Create a lab
- Hack
- Documentation

Problems founds

- After sending the BGP Updates for prefixes with more than one path only the last one was kept
- Not IPv6 Support

Problems founds

- After sending the BGP Updates for prefixes with more than one path only the last one was kept
- Not IPv6 Support

Proposed solutions

Multiple path issue

- Use add-path capability (Thanks to Alvaro)
- Create new BGP session on the fly when prefixes had more than one path

IPv6 issue

- Send bgp prefixes using v4
- Do it the right way
- Give up ☺

What was done

- We found an anonymous perl script called bgpsimple.pl
- We create a way to use bgpsimple along with bgpreader
- We had to hack NET::BGP Perl modules to support Add-Path capability
- We had to hack NET::BGP Perl modules to support IPv6

Screenshot

```
bird> show route all
2a02:2928::/32      unreachable [one6 02:02:43 from 2a00:1620:c0:60:314f:da6:924:a226] * (100/-) [AS39288i]
        Type: BGP unicast univ
        BGP.origin: IGP
        BGP.as_path: 65001 6939 39288
        BGP.next_hop: 2a00:1620:c0:60:314f:da6:924:a226
        BGP.local_pref: 100
                unreachable [one6 02:02:49 from 2a00:1620:c0:60:314f:da6:924:a226] (100/-) [AS39288i]
        Type: BGP unicast univ
        BGP.origin: IGP
        BGP.as_path: 65001 7018 6453 9002 39288 39288
        BGP.next_hop: 2a00:1620:c0:60:314f:da6:924:a226
        BGP.local_pref: 100
        BGP.community: (7018,5000) (7018,37232)
                unreachable [one6 02:02:49 from 2a00:1620:c0:60:314f:da6:924:a226] (100/-) [AS39288i]
        Type: BGP unicast univ
        BGP.origin: IGP
        BGP.as_path: 65001 7018 6453 9002 39288 39288
        BGP.next_hop: 2a00:1620:c0:60:314f:da6:924:a226
        BGP.local_pref: 100
        BGP.community: (7018,5000) (7018,32104)
                unreachable [one6 02:02:49 from 2a00:1620:c0:60:314f:da6:924:a226] (100/-) [AS39288i]
        Type: BGP unicast univ
        BGP.origin: IGP
        BGP.as_path: 65001 7018 6939 39288
        BGP.next_hop: 2a00:1620:c0:60:314f:da6:924:a226
        BGP.local_pref: 100
        BGP.community: (7018,5000) (7018,33051)
                unreachable [one6 02:02:49 from 2a00:1620:c0:60:314f:da6:924:a226] (100/-) [AS39288i]
        Type: BGP unicast univ
--More--
```

Q & A