

Lantern network readiness

Ocean instruments / Deployment gate / Engineering review

FIELD DOSSIER LANTERN-READINESS / 01

From bench to coastal water

Twelve sensor stations connect field observations to a shared planning map. The engineering team is balancing uptime, calibration and recoverability.

The launch decision combines a telemetry workbook, a readiness task board, and field protocols. Everything in this packet is fictional demo content.

12

Planned stations

98.4%

Illustrative uptime

3 gates

Before deployment

Deploy only after calibration, power and recovery checks.

A spare recovery beacon is required for offshore stations.

Lantern network readiness

Ocean instruments / Deployment gate / Engineering review

FIELD DOSSIER LANTERN-READINESS / 02

A release gate is a shared record

Board columns represent the same task statuses used by Calendar and Projects.
Moving a launch card must update the task, not create another disconnected list.

Gate	Owner role	Acceptance
Calibration	Instrument lead	Reference drift checked
Power	Systems lead	Battery reserve verified
Recovery	Field lead	Beacon and retrieval plan
Data quality	Research lead	Missing intervals reviewed

Station L-07 remains blocked pending the spare connector.

Missing telemetry can be filled with invented observations.

Review zone: confirm sampling assumptions before approving expansion.

Lantern network readiness


Ocean instruments / Deployment gate / Engineering review

FIELD DOSSIER LANTERN-READINESS / 03

Make uncertainty visible

The live readiness query is powered by frontmatter on station notes.
Changing a station status updates Canvas and its query-sourced chart.

The telemetry workbook is a separate, explicitly labeled measurement snapshot.
It contains daily uptime, packet count and battery-reserve series.



A green dashboard is a prompt to inspect evidence, not a guarantee.