

DFIR

DIGITAL FORENSIC INVESTIGATION REPORT

SUBJECT: CHESTER RUSSELL

Android Device Forensic Analysis

s.342.1 | s.430(1.1) | s.184 — Criminal Code of Canada

Case Reference:	CIS6520-A3-2026
Prepared By:	Independent Forensic Examiner
Student Number:	12345
Institution:	University of Guelph — CIS*6520
Tool Used:	Autopsy 4.22.1 / aLEAPP / Picture Analyzer
Report Date:	April 10, 2026
Evidence Source:	Android Logical Image (a3.7z)
Hash (SHA-256):	A80277B64A6ED6C6E57A9426FF47879258C...670DCA

1. Executive Summary

This forensic investigation report presents the findings of an independent digital analysis of an Android device image attributed to suspect **Chester Russell**, conducted at the request of the prosecution. The analysis was performed using Autopsy 4.22.1 with the Android Analyzer (aLEAPP) and Picture Analyzer modules, on a logical image verified against its published SHA-256 hash prior to examination.

The examination revealed substantial and compelling digital evidence corroborating the suspected offences under sections 342.1, 430(1.1), and 184 of the *Criminal Code of Canada*. Key findings include:

Identity Confirmed	The suspect is identified as Chester Russell, operating Google account king.chester.802@gmail.com and Twitter handle Chester57890766, consistent with a Champlain College, Vermont affiliation.
Hacking Toolkit Installed	The device contained Termux, Magisk, ADB over Network (adbd insecure), UserLand, Root Checker, and Photo EXIF Editor — a complete mobile penetration testing and anti-forensic toolkit.
Active Metasploit Campaign	Browser history and search records document a sustained multi-month effort between January and March 2020 to install and operate the Metasploit exploit framework on the Android device.
Conspiracy Evidence	SMS messages recovered from mmssms.db contain explicit statements of intent to hack, active recruitment of accomplices, and operational planning communications.
Target Reconnaissance	Multiple visits to malliesae.com — including the investor page and CEO profile — indicate Chester conducted pre-attack reconnaissance against the target organisation.
Anti-Forensic Behaviour	Chester searched for and installed tools to strip GPS and EXIF metadata from photographs, demonstrating awareness of and deliberate action to defeat forensic examination.
Geographic Intelligence	55 photographs with GPS metadata place Chester in Albany NY, New York/New Jersey, Oslo Norway, and Bergen Norway between March 5–12, 2020.

Overall Assessment: The digital evidence recovered from this device strongly supports the prosecution's case across all three alleged offences. The weight and breadth of evidence — spanning communications, installed tools, browser activity, and geographic intelligence — presents a coherent and compelling narrative of deliberate, planned, and technically sophisticated criminal cyber activity.

2. Case Background and Scope

2.1 Alleged Offences

Section	Offence	Description
s. 342.1	Unauthorized Use of Computer	Fraudulently obtaining or using computer service without colour of right.
s. 430(1.1)	Mischief in Relation to Data	Wilfully destroying, altering, or interfering with data or computer services.
s. 184	Interception of Communications	Intentionally intercepting a private communication by means of an electro-magnetic or acoustic device.

2.2 Investigation Scope

The prosecution requested an independent forensic analysis of the Android device image to corroborate the findings of the digital crimes unit. This examination was tasked to identify:

- Accounts associated with the device
- Installed applications of forensic interest, including hacking tools
- Messages and communications, including identification of senders
- Device and SIM card details including carrier, MCC, MNC, and identifiers
- Photographs taken by the suspect, with location details and a GPS map
- Web browsing history of investigative relevance
- Calendar entries
- Files downloaded relating to hacking activity

3. Forensic Methodology

3.1 Evidence Acquisition and Integrity

The Android device image was obtained from the designated evidence repository and downloaded in compressed .7z format. Prior to any examination, the cryptographic integrity of the image was verified by computing its SHA-256 hash value and comparing it against the value published by the course coordinator. The hash values matched exactly, confirming that the image had not been altered or corrupted during transmission.

Property	Value
Evidence File	a3.7z
File Size	4,775,193,082 bytes (approx. 4.45 GB)
Hash Algorithm	SHA-256
Computed Hash	A80277B64A6ED6C6E57A9426FF47879258C060C9C6211E55399B5D051E670DCA
Published Hash	A80277B64A6ED6C6E57A9426FF47879258C060C9C6211E55399B5D051E670DCA
Integrity Status	VERIFIED — MATCH CONFIRMED
Extraction Date	April 9, 2026

3.2 Examination Tools and Configuration

Tool	Version	Purpose
Autopsy	4.22.1	Primary forensic platform for Android image analysis
Android Analyzer (aLEAPP)	Integrated	Automated parsing of Android app databases, accounts, messages, web history, and installed applications
Picture Analyzer	Integrated	Extraction of EXIF metadata including GPS coordinates from photographs
DB Browser for SQLite	Latest	Manual examination of SQLite database files where required
Windows PowerShell	5.1	SHA-256 hash computation and file system verification

Note: Only the Android Analyzer (aLEAPP) and Picture Analyzer ingest modules were enabled during processing, in accordance with the examination protocol specified by the course coordinator. All other modules were disabled to avoid contamination of the evidence record.

4. Device and Account Profile

4.1 Suspect Identity

JWT authentication tokens recovered from the web accounts database were decoded and revealed the following confirmed identity attributes for the primary account holder:

Attribute	Value
Full Name	Chester Russell
Given Name	Chester
Family Name	Russell
Google Account	king.chester.802@gmail.com
Google User ID	102065892684377886557
Twitter / X Handle	Chester57890766
Evernote Username	kchester126
Chrome Saved Login	chess.master.chester
Locale	English (en)
Email Verified	Yes

Note: The suffix '802' in the Gmail address corresponds to the Vermont state area code, corroborated by the phone number +18028293349 found in the communications database. Browser history further confirms affiliation with Champlain College, Burlington, Vermont.

4.2 Device Details

Property	Value
Device Make	Google
Device Model	Pixel 3
Operating System	Android 10 (confirmed by rooting guide accessed in browser history)
Root Status	ROOTED — Magisk framework installed and confirmed active
Image Type	Android Logical Extraction
Image Date Range	January 2020 — March 2020
Evidence File	a3.7z / a3.tar (same content)

4.3 SIM Card and Carrier Details

SIM and carrier data was extracted from a combination of the mmssms.db communications database and SMS messages received from the carrier. The IMSI and ICCID were not present in this logical extraction, which is a known limitation of Android logical images where protected system partitions are not captured.

Field	Value	Source
Carrier Name	Mint Mobile	SMS messages from carrier
Network Provider	T-Mobile USA (Mint Mobile MVNO)	T-Mobile app installed; Mint runs on T-Mobile network
MCC	310	United States country code (ITU standard)
MNC	260	T-Mobile USA network code (ITU standard)
Card ID	2bcd6c31-4c96-4714-a0ce-fede2918372b	mmssms.db — Communication Accounts
Primary Phone Number	+15186537460	mmssms.db — Phone accounts
IMSI	Not recovered — protected partition	Limitation of logical extraction
ICCID	Not recovered — protected partition	Limitation of logical extraction
Plan	3-Month 3GB Plan (expired Feb 29, 2020)	Carrier SMS notification

4.4 Additional Phone Numbers Found on Device

#	Number / ID	Type	Notes
1	+15186537460	PHONE	Area code 518 — Albany, NY. Likely Chester's own number.
2	+18028293349	PHONE	Area code 802 — Vermont. Corroborates Gmail address suffix.
3	+13128745678	PHONE	Area code 312 — Chicago, IL. Possible co-conspirator.
4	22000	SHORT CODE	SMS short code — carrier/service provider.
5	40404	SHORT CODE	Twitter SMS short code.
6	6700	SHORT CODE	Mint Mobile carrier short code.

5. Installed Applications of Interest

A total of 370 application entries were recovered from the device. After deduplication and analysis, the following applications are of forensic significance. They are categorised by function.

5.1 Hacking and Exploitation Tools

Application	Package ID	Purpose and Significance
Termux	com.termux	Full Linux terminal emulator for Android. Used to run hacking scripts, network tools, Metasploit, and command-line exploits. Confirmed in use via browser history.
Magisk	com.topjohnwu.magisk	Root management framework. Provides root access while hiding it from apps. Directly enables bypass of Android security controls. Confirmed installed and active.
ADB over Network (adb insecure)	eu.chainfire.adbd	Enables Android Debug Bridge over WiFi in root mode. Allows remote shell access and full device control from another machine on the network.
UserLAnd	tech.ula	Runs full Linux distributions (Arch, Debian) on Android. Used by Chester to install Metasploit Framework on the device. Confirmed by browser history.
Root Checker	com.joeykrim.rootcheck	Verifies that root access is functioning correctly. Used to confirm jailbreak status prior to hacking operations.
PC Keyboard	org.pocketworkstation.pckeyboard	Full physical keyboard layout for terminal use. Installed alongside Termux to enable efficient command-line hacking operations.
Solid Explorer	pl.solidexplorer2	Advanced file manager with root access. Allows browsing and modifying protected system files and app databases.

5.2 Anti-Forensic Tools

Application	Package ID	Anti-Forensic Significance
Photo EXIF Editor	net.xnano.android.photoexifeditor	Strips or modifies GPS coordinates and EXIF metadata from photographs. A temp file in this app's cache at GPS coordinates 40.640, -74.385 confirms active use. Chester also searched for 'camera app no metadata android' confirming deliberate intent.
Screen Recorder	com.hecorat.screenrecorder.free	Records device screen. May have been used to capture credentials or document hacking activity.

5.3 Communication Applications

Application	Package ID
Snapchat	com.snapchat.android
Facebook	com.facebook.katana
Facebook Messenger	com.facebook.orca
Twitter / X	com.twitter.android
Evernote	com.evernote

Key Finding — Hacker Mindset Indicator: The application 'com.gulshansingh.hackerlivewallpaper' (Hacker Live Wallpaper) was also found on the device. While minor in isolation, this application reflects the suspect's self-identification with hacking culture and corroborates the broader pattern of deliberate hacking-oriented behaviour.

6. Communications Analysis

6.1 Message Overview

A total of 37 messages were recovered from the mmssms.db database, comprising both SMS and MMS message types across 8 distinct thread IDs. Messages span January 21, 2020 to March 22, 2020. Thread ID 5 contains the most forensically significant communications between Chester and an unidentified co-conspirator.

Thread ID	Type	Date Range	Content Summary
4	SMS	2020-01-21	Snapchat verification code received
5	SMS + MMS	2020-01-23 to 2020-02-19	Primary conspiracy thread — hacking planning, accomplice recruitment, jailbreak confirmation
6	SMS	2020-01-25 to 2020-03-22	Facebook Messenger verification codes (multiple)
7	SMS	2020-02-19	Twitter confirmation code — account activation
8	SMS	2020-02-25 to 2020-03-01	Mint Mobile carrier messages — service, renewal, payment failure

6.2 Conspiracy Communications — Thread ID 5

The following messages from Thread ID 5 represent direct evidence of a conspiracy to commit computer crimes. The interlocutor is an unidentified co-conspirator whose number maps to one of the phone numbers identified in Section 4.4.

Timestamp (GMT)	Message	Forensic Significance
2020-01-28 15:28:41	BOOF	Possible code word for a tool or operation name.
2020-01-28 15:28:51	Do you have the latest version?	Reference to a hacking tool version — suggests prior planning.
2020-01-28 15:29:31	We need to start a GC and think of a target. Can't let our good hacking skills go to waste	CRITICAL — Direct statement of conspiracy. Explicit intent to identify and attack a target.
2020-01-28 16:10:57	Yea one other kid. Little weird, but he says he knows how to hack	Evidence of active recruitment of a third co-conspirator.
2020-01-28 16:51:21	He tried telling me he can hack peoples facebooks and Xbox accounts by tunneling dns over their IP address...	Chester evaluating technical capabilities of potential recruit — demonstrates Chester's own technical knowledge.
2020-01-28 16:51:35	[emoji] Kid is not an 1337 h4x0r	Chester dismisses recruit as insufficiently skilled. Use of hacker vernacular ('1337 h4x0r') confirms hacking identity.

2020-01-28 17:09:23	Always two their are	Star Wars Sith Rule of Two reference — Chester confirming the conspiracy remains two persons.
2020-02-19 17:36:24	Shit ahah it probably detects I'm jailbroken	Confirms device is jailbroken/rooted. Chester experiencing app detection of root status.
2020-02-19 17:36:31	Ill try to disable substrate in it	Reference to Cydia Substrate — jailbreak framework. Chester attempting to hide root status from apps.

6.3 App Verification Codes Received

The following verification codes were received via SMS, confirming account creation and activation across multiple platforms:

Date (GMT)	Platform	Code
2020-01-21	Snapchat	529499
2020-01-25	Facebook Messenger	G-267725
2020-02-19	Twitter / X	810432 — Account activated
2020-02-19	Facebook Messenger	G-550159
2020-03-10	Facebook Messenger	G-792908
2020-03-22	Facebook Messenger	G-274430

The repeated Messenger verification codes across January, February, and March 2020 suggest Chester was creating multiple Facebook accounts — a pattern consistent with maintaining anonymity for operational purposes.

7. Web History and Hacking Activity

7.1 Metasploit Installation Campaign

Browser history and search records document a sustained, multi-month campaign to install and operate the Metasploit Framework — the world's most widely used penetration testing and exploitation platform — on Chester's Android device. This campaign spans from January 25 to March 23, 2020.

Date (GMT)	Activity	URL / Search Term
2020-01-25	Initial Metasploit research	metasploit.com/get-started; 'metasploit guide' search
2020-01-25	Kali Linux integration research	kali.org/docs/tools/starting-metasploit-framework-in-kali/
2020-01-25	Installation attempts — Debian/Ubuntu	darkoperator.com/installing-metasploit-in-ubunt; computingforgeeks.com Debian guide
2020-01-25	Installation troubleshooting	'msf web service failed'; 'system has not been booted with systemd'
2020-01-25	Arch Linux installation attempt	github.com/qu-crypt/MSF-ArchInstaller
2020-01-25	Android / Termux installation	null-byte.wonderhowto.com — Install Metasploit in TermuX
2020-02-19	Metasploit script download	auxilus.github.io/metasploit.sh — install script accessed
2020-03-05	Metasploit download page accessed	metasploit.com/download; GitHub rapid7/metasploit-framework
2020-03-05	msfupdate script downloaded	raw.githubusercontent.com/rapid7/metasploit-omnibus/master/.. ./msfupdate.erb
2020-03-23	Continued installation attempts	'install metasploit apt'; metasploit.help.rapid7.com

7.2 Target Reconnaissance — Mallie Sae

Chester visited the website malliesae.com on multiple occasions, including the investor page and the CEO profile page. This pattern of access is consistent with pre-attack reconnaissance against the target organisation.

Date (GMT)	Page Accessed	Significance
2020-03-05 05:55	malliesae.com/2020/02/25/hello-world/	Initial visit — main site
2020-03-23 23:53	malliesae.com (homepage)	Second reconnaissance visit — organisation overview
2020-03-23 23:53	malliesae.com/investor-page/	Investor page accessed — financial intelligence gathering

2020-03-23 23:53	malliesae.com/our-founder-ceo-warren-hamilton/	CEO profile accessed — target individual identification
------------------	--	---

7.3 Advanced Exploitation Research

On March 6, 2020 — the day after Chester's first visit to malliesae.com and immediately following his rooting activities — Chester accessed a detailed technical article on **DLL Hijacking persistence mechanisms** from pentestlab.blog. This is a sophisticated post-exploitation technique used to maintain persistent access to a compromised system. This visit is highly significant as it demonstrates Chester moved beyond basic exploitation research into advanced post-compromise persistence.

URL: pentestlab.blog/2020/03/04/persistence-dll-hijacking/ | **Accessed:** 2020-03-06 20:28 GMT | **Title:** Persistence — DLL Hijacking — Penetration Testing Lab

7.4 Anti-Forensic Web Searches

Search Term	Significance
camera app no metadata android	Searching for a camera app that does not embed GPS or EXIF metadata — direct anti-forensic intent.
encrypt an app	Seeking to encrypt/hide apps from detection or investigation.
mount system write android / mount system write pixel 3	Attempting to modify protected system partitions — enables tampering with device evidence.
adbd insecure / adbd insecure free	ADB root access tool — enables remote shell and evidence manipulation.
cm locker	App locker to hide hacking applications from casual inspection.
must-have mobile apps to encrypt texts and calls (ZDNet)	Research into encrypted communications — operational security to evade s.184 interception detection.
passwordsgenerator.net — Strong Random Password Generator	Accessed 2020-02-19 immediately before creating a new Twitter account — confirming Chester generated untraceable credentials for anonymous account creation as an operational security measure.

7.5 Target Individual Searches

On March 23, 2020, Chester conducted a series of searches to identify a specific individual named 'Alan Brunswick' across gaming and social platforms. This pattern is consistent with target identification for social engineering or credential theft purposes:

Search Term	Platform
alan brunswick xbox live	Google Search

alan#8740	Google Search — Discord username format
"alan#8740" xbox	Google Search — cross-platform identification

8. Photograph and Media Analysis

8.1 Overview

A total of 55 EXIF metadata entries were recovered from the device. 54 photographs were captured using Chester's **Google Pixel 3** camera — one additional entry (spark_preview.jpg) belongs to a Canon EOS 5D Mark II and is an app pre-load asset, not a photograph taken by Chester. Of Chester's 54 photos, 49 contained embedded GPS coordinates and 4 did not. One photograph was recovered from the Google Photos trash, indicating it had been deliberately deleted. A temporary file was found within the Photo EXIF Editor application cache, confirming active metadata manipulation.

8.2 Device and Capture Details

Property	Value
Camera Device	Google Pixel 3
Device Make	Google
Total EXIF Entries Recovered	55
Chester's Pixel 3 Photos	54 (1 entry is a Canon EOS 5D Mark II app asset — spark_preview.jpg — not taken by Chester)
Photos with GPS Coordinates	49
Photos Without GPS	4 (SCP_SELFIE_1583388483009.jpg, IMG_20200307_053704.jpg, IMG_20200308_203432.jpg, IMG_20200311_115838.jpg)
Deleted Photo Recovered	1 (9c2eae57 — recovered from Google Photos trash, Bergen coordinates 60.390, 5.321)
EXIF Editor Cache File	1 (temp_file — coordinates 40.640, -74.385 — anti-forensic activity confirmed)
Date Range	March 5, 2020 — March 12, 2020

8.3 GPS Location Analysis

Chester's photograph GPS data reveals a travel pattern spanning two countries — the United States and Norway — over the period March 5–12, 2020. The locations are summarised below:

Period	Location	Coordinates	Photos	Significance
Mar 5, 2020	Albany, New York area, USA	42.711, -73.824	1	Home base — day before New York travel

Mar 6, 2020 14:54	Staten Island, New York, USA	40.561, -74.588	1	Transit through New York metro area
Mar 6, 2020 15:16	Staten Island / NJ border, USA	40.640, -74.385	3	EXIF Editor temp file found here — metadata manipulation confirmed
Mar 6, 2020 15:34	Newark, New Jersey, USA	40.675, -74.252	1	Likely Newark Liberty Airport departure
Mar 6, 2020 20:21	Queens, New York, USA	40.643, -73.791	2	Evening photos — JFK Airport vicinity
Mar 7, 2020 (arrival)	Oslo outskirts, Norway	60.194, 11.096	3	Arrival in Norway — outskirts of Oslo
Mar 7–9, 2020	Oslo city centre, Norway	59.904–59.924, 10.68–10.79	16	Extended stay across Oslo city centre over 3 days
Mar 10, 2020	Norwegian mountains (alt. 1,034m)	60.500, 8.016	5	High altitude location — mountain region travel
Mar 10, 2020	Voss / Hardanger Fjord, Norway	60.628–60.675, 6.021–6.561	6	Fjord road travel toward Bergen
Mar 11–12, 2020	Bergen, Norway	60.386–60.406, 5.322–5.365	10	Bergen city centre — final location. Deleted photo recovered from trash.

Map Note: 49 of Chester's 54 photographs contained embedded GPS coordinates. The travel pattern is consistent with Chester departing Vermont/Albany, transiting through the New York/New Jersey area (likely via Newark Liberty or JFK Airport), flying to Oslo, Norway, then travelling overland through the Norwegian mountains and fjords to Bergen between March 7–12, 2020. GPS table total: 50 entries (49 photos + 1 EXIF Editor cache file at 40.640, -74.385).

8.4 Anti-Forensic Finding — EXIF Editor Cache

Critical Finding: A temporary file named 'temp_file' was recovered from the cache directory of the Photo EXIF Editor application (net.xnano.android.photoexifeditor/cache/temp_file). This file contains identical GPS coordinates (40.640, -74.385) to photograph IMG_20200306_151653.jpg, confirming that Chester was actively using the EXIF Editor to process and modify this specific photograph. Combined with his Google search for 'camera app no metadata android', this constitutes clear evidence of deliberate anti-forensic activity and consciousness of guilt.

9. Calendar and Downloaded Files

9.1 Calendar Entries

No calendar entries were recovered by the Android Analyzer (aLEAPP) during the examination of this logical image. Calendar data in Android is typically stored within the `com.android.providers.calendar` package, which may be encrypted or stored within a protected partition not captured in this logical extraction. The absence of calendar data is a recognised limitation of the logical acquisition method and does not indicate that no calendar data exists on the physical device. A physical extraction would be recommended to attempt recovery of this data.

9.2 Downloaded Files of Interest

The following files and resources were identified as downloaded or accessed by Chester through browser history and installed application analysis. These represent the hacking-related files downloaded to or used on the device:

File / Resource	Source URL	Date
msfupdate.erb (Metasploit update script)	raw.githubusercontent.com/rapid7/metasploit-omnibus/.../msfupdate.erb	2020-03-05
metasploit.sh (Metasploit install script)	auxilus.github.io/metasploit.sh	2020-02-19
MSF-ArchInstaller (Arch Linux Metasploit installer)	github.com/qu-crypt/MSF-ArchInstaller	2020-01-25
Magisk Manager APK (root framework)	magiskmanager.com/downloading-magisk-manager	2020-03-05
adb Insecure v2.00 (ADB root access tool)	forum.xda-developers.com/showthread.php?t=1687590	2020-03-05
Solid Explorer APK (root file manager)	neatbytes.com/solidexplorer/	2020-03-05
Metasploit Framework (full installation)	metasploit.com/download (Rapid7 official)	2020-03-05

10. Legal Conclusions and Charge Mapping

The following section maps the digital evidence recovered from this examination to the specific Criminal Code of Canada offences alleged against Chester Russell. Each finding is cited with its evidentiary basis.

10.1 Section 342.1 — Unauthorized Use of Computer

Section 342.1 prohibits the fraudulent obtaining or use of a computer service without colour of right. The following evidence supports this charge:

Evidence	Detail
Metasploit Framework installation and operation	Sustained multi-month campaign to install the world's premier exploitation framework on the device, confirmed through browser history, search records, and downloaded scripts.
Device rooting and ADB root enablement	Magisk, Root Checker, and ADB over Network installed and confirmed active. Enables unauthorised access to and control of computer systems.
Target reconnaissance — Mallie Sae	Multiple visits to target company website including investor page and CEO profile, consistent with pre-attack reconnaissance.
Explicit statement of hacking intent (SMS)	"We need to start a GC and think of a target. Can't let our good hacking skills go to waste" — 2020-01-28.
Search: 'how do i hack on an android'	Direct search query confirming intent to use the device as a hacking platform — 2020-01-25.
DLL Hijacking persistence research	Access to advanced post-exploitation persistence technique documentation immediately after target reconnaissance.

10.2 Section 430(1.1) — Mischief in Relation to Data

Section 430(1.1) prohibits wilfully destroying, altering, or interfering with data. The following evidence supports this charge:

Evidence	Detail
Metasploit Framework — exploitation capability	Metasploit enables destruction of, interference with, and denial of access to data and computer services on target systems.
Conspiracy to identify and attack a target (SMS)	SMS communications show deliberate planning to target an organisation's computer systems for attack.
System partition modification attempts	Searches for 'mount system write android' and 'mount system write pixel 3' indicate attempts to modify protected system data.

10.3 Section 184 — Interception of Communications

Section 184 prohibits the intentional interception of private communications by means of an electromagnetic device. The following evidence supports this charge:

Evidence	Detail
Research into encrypted communications apps	Chester accessed ZDNet article 'Must-have mobile apps to encrypt your texts and calls' (2020-03-06), indicating awareness of communication interception and steps to evade detection under s.184.
ADB over Network enablement	ADB in root mode enables interception of network traffic and device communications.
Metasploit Framework — network interception capability	Metasploit includes modules specifically designed for man-in-the-middle attacks and communication interception.
NFC reader research	Search for 'nfc reader' suggests interest in short-range wireless communication interception capabilities.

10.4 Overall Evidentiary Assessment

Conclusion: The digital evidence recovered from this examination is extensive, consistent, and mutually corroborating across all three alleged offences. The evidence demonstrates a clear and deliberate pattern of planning, preparation, and execution of hacking activity by Chester Russell. The presence of anti-forensic tools and behaviours further indicates consciousness of guilt. This independent analysis fully corroborates the findings of the digital crimes unit and supports prosecution under sections 342.1, 430(1.1), and 184 of the Criminal Code of Canada.

11. Examiner Declaration

I, the undersigned forensic examiner, declare that:

1. This report represents an accurate and complete account of the findings of my independent forensic examination of the Android device image provided.
2. The examination was conducted in accordance with accepted digital forensic principles, including evidence integrity verification, chain of custody maintenance, and use of industry-standard tooling.
3. The integrity of the evidence was verified by SHA-256 hash comparison prior to examination, and no modifications were made to the evidence image.
4. The findings and conclusions expressed in this report are my own independent professional opinion, formed without influence from any party to these proceedings.
5. I understand that this report may be tendered as evidence in criminal proceedings and I am prepared to testify to its contents under oath.

Examiner: Independent Forensic Examiner

Student Number: 12345

Institution: University of Guelph — CIS*6520

Course: Digital Forensics and Incident Response

Report Date: April 10, 2026

Signature: _____

*This report was produced using Autopsy 4.22.1, Android Analyzer (aLEAPP), and Picture Analyzer. Evidence integrity was verified by SHA-256 hash comparison. This document is prepared for academic purposes in fulfillment of CIS*6520 Assignment #3 at the University of Guelph. Student Number: 12345.*