Example Ising State

05 July 2021 21:13

The Ising state is a graph homomorphism

$$f : G \longrightarrow H$$

where H 'encodes' the interaction pattern.

e.g.

let's label blue nodes w/ '1'
orange nodes w/ '2'

Then



$$V(G) = \{(a,1), (b,1), (c,1), (d,2)\}$$

$$E(G) = \{((a,1),(b,1)), ((a,1),(d,2)), ((b,1),(c,1)), ((c,1),(d,2))\}$$

$$\subset V(G) \times V(G)$$

$$\{((a,1),(a,1)), \ldots, ((d,2),(d,2))\}$$

Note that $\pi_1 V(G) = \{\pi_1 d \mid d \in V(G)\}$
gives all vertices in state '1'
i.e. blue nodes

and $\pi_2 V(G)$ all vertices in state '2'.

Also, the 'color' (since more than half are N. American) of the edge gives interaction type.

Hence if $e \in E(G)$ and

$$\pi_2 \circ \pi_1 (e) = \pi_2 \circ \pi_2 (e)$$

we have grey edges and if

we have grey edges and if

$\pi_2 \circ \pi_1(e) \neq \pi_2 \circ \pi_2(e)$

we have orange edges.

Now we need to find a homomorphism f into

$H :=$ 

which has

$V(H) = \{(m,1), (n,2)\}$

$E(H) = \{((m,1),(n,2)), ((m,1),(m,1)), ((n,n),(n,2))\}$.

Action of f on vertices

Let $f(v) = v' \iff \pi_2 v = \pi_2 v'$

$v \in V(G)$, $v' \in V(H)$

Thus, f sends blue nodes of G to the blue node of H, and same for orange.

Action of f on edges

$$f(e) = e' \iff \begin{pmatrix} \pi_2 \circ \pi_1(e) = \pi_2 \circ \pi_2(e) \\ \text{and} \\ \pi_2 \circ \pi_1(e') = \pi_2 \circ \pi_2(e') \end{pmatrix}$$

So, for example, $f(((a,1),(b,1))) = ((n,1),(n,1))$

C-sets over the schema below.

C-sets over the schema below.



are copresheaves





In order to define the C-set f I need to define

in order to define the C-set F I need to define its action on objects and morphisms.

$F(V_1)$ will be the set of blue vertices

i.e in the example before, it will be

$$F(V_1) = \{(a,1), (b,1), (c,1)\}$$

and V_2 will be the set of orange vertices

$$F(V_2) = \{(d,2)\}$$

$F(E)$ will be the set of orange edges

$$\{(a,1), (d,2)), ((c,1), (d,2))\}$$

and so $E \to V_1$ will just

and so $E \Rightarrow V_1$ will just be the projection of $e \in E$ onto the vertex labelled '1', and $E \Rightarrow V_2$ will be the projection of e onto the vertex labelled '2'

$F(L_1)$ consists of edges between blue nodes, so here will be

$$F(L_1) = \{((a, '1'), (b, '2')), ((b, '1'), (c, '1'))\}$$

and $L_1 \rightrightarrows V_1$

will project both vertices in $e \in L_1$ into V_1.

Same for L_2,

(except $L_2 = \{((d, 2), (d, 2))\}$

So the grey edges here are kind of trivial.)