WL7 Firewall®

waterlogic®



Stylish design, high-tech features and a plentiful source of ice-cold purified water

UNRIVALLED PERFORMANCE FROM THE WORLD-CLASS POINT-OF-USE (POU) WATER SYSTEM

This advanced BFC water purification system combines refined engineering and high-tech features in a robust and reliable machine. The WL7 Firewall™ (WL7 FW) can dispense up to five varieties of water, including a large volume of refreshing, ice-cold sparkling water. Ideal to satisfy all the hydration needs of even the busiest workplaces.

LEADING TECHNOLOGY

The WL7 FW features four core technologies:

High performance filtration

Waterlogic's filters are certified to stringent standards by IAPMO R&T, carrying the Water Quality Platinum Seal, meaning they offer the best possible filtration. This guarantees each drop is as good as the last.

Firewall purification

Waterlogic's patented and certified Firewall UVC purification system thoroughly purifies the water all the way through to the point of dispense, for microbiologically safe water. Guaranteed free from: up to 99.9999% bacteria, 99.99% viruses and 99.9% cysts.

BioCote® antimicrobial product protection[1]

The WL7 FW key surfaces are infused with BioCote®, a silver ion additive able to inhibit microbial growth on the surface of the products helping to reduce unpleasant odours, degradation of key surfaces and the potential for cross-contamination.

Ice Bath cooling technology

The Ice Bath water cooling system delivers high volumes of ice-cold water, offering the most consistently cold water output of the Waterlogic range.

1 Exclusive to Waterlogic in the category for commercial use mains-fed drinking water dispensers and solutions.



FEATURES

NSF 55 Class A and NSF P231 certified Firewall, patented UVC technology, that reduces the risks of viruses and pathogenic bacteria, purifying the water **up to 99.9999%**

Sparkling system, engineered to deliver **supreme quality of ice-cold carbonated water**

User interface with **5" full colour LED** display featuring machine status bar and water dispensing options.

Maximum service efficiency, achieved via the **self diagnostic system** and QR code for instant access to the service manual via smart device

Versatile base cabinet converts the unit from countertop to freestanding, and offers filter and CO_2 storage space

Touch-less dispensing enabled by IR module or foot pedal controls for greater hygiene and piece of mind (optional)

Energy saving sleep mode to significantly reduce power consumption when the unit is not in use



Industry leading user experience

Designed to offer 'best-in-class' user experience, the WL7 FW features a large dispense area, alongside a user friendly screen interface and water selection dial, allowing users to easily choose between five types of water.

NUMBER OF USERS

50+

WATER OPTIONS

	Cold	Sparkling	Ambient	Hot	Extra hot
1	✓	✓	✓	✓	✓
2	✓		✓	✓	✓
3	✓	✓	✓		

TECHNICAL SPECIFICATIONS

Types available
Freestanding (countertop with base cabinet) and Countertop

Dimensions

Freestanding	Countertop
381 mm (W) x 1266 mm (H) x 520 mm (D)	381 mm (W) x 427 mm (H) x 520 mm (D)

Dispensing area height
265 mm

Drip tray capacity
400 ml

Weight
Countertop: 29 kg (Net)
Base cabinet: 17 kg (Net)

Recommended filtration*
Dependent on SKU and local water conditions


Ice bath capacity
Cold only: 4.5 litres
Cold and sparkling: 3.8 litres


Hot water storage capacity
1.5 litre

Dispensing Capacity
96 l/h

Compressor
(R600a): 220V-240V/50Hz
(R134a): 120V/60Hz

Water temperature settings
Cold: Ice Detection Technology below 5°C
Hot: 75°C, 87°C (default), 90°C Extra hot: 80°C, 87°C, 93°C (default)





TESTED AND CERTIFIED

*certificate may vary depending on different models or products

Firewall technology is certified by IAPMO R&T to NSF/ANSI 55 Class A, NSF P231, US EPA Microbiological Guide Standard, NSF/ANSI 372 and CSA B483.1.

CONTACTS

exportsales@waterlogic.com www.waterlogic.com
Waterlogic is a trading brand marketed by Blupura Srl.

Blupura Srl reserves the right, in order to reflect continuous research and development, to amend or change specifications without prior notice. Waterlogic and the Waterlogic logo, Firewall and the Firewall logo are trademarks in countries where the Group and Trading operate. Blupura Srl licensed to use BioCote, and BioCote logo which are registered trademarks of BioCote Ltd.