

Patient No: 3492103 *34921A3* T/R ID: 3415131 *341513R* T/R No: TR251119-448-TB1-6

Patient Name: Approved By:
Mr. khizar Adnan Khan
Phone: Consultant: Registered at:
92 329 6506248 Ayzal Laboratory
Collection Time: Reporting Time: Referred By:
04-DEC-2025 06:47 PM 30-Nov-2025 08:59 PM c/o ammar sb

VIRAL HEPATITIS REPORT

Result
7945815
7945815

19-Nov-2025 08:59 PM

Test

HbsAg (S)

Negative

Comments:

Anti HCV, HBsAg were performed by an immunochromatographic screening method. The Technique has Sensitivity of 99% and Specificity of 98%. Clinically inconsistent result should be reconfirmed by an alternative method (e.g ELISA)

Anti HCV (S)

Negative

Comments:

Anti HCV, HBsAg were performed by an immunochromatographic screening method. The Technique has Sensitivity of 99% and Specificity of 98%. Clinically inconsistent result should be reconfirmed by an alternative method (e.g ELISA)

Electronically verified report. No signature(s) required.

Disclaimer: No single test result is diagnostic, Clinical correlation is must. Although all the tests are performed with great care and diligence, lab to lab variation and human error may occur due to pre analytical, analytical and post analytical reasons. In case of any query please contact lab incharge. Thanks.

Prof. Dr. Farrukh Kamal
MBBS, MCPS, FCPS
Histopathologist

Dr. Babar Yasin
M.B.B.S, FCPS,
Histopathologist

Dr. Nazia Akber Mir
MBBS, MPhil,
Microbiologist

Dr Javaria Fatima
MBBS, FCPS
Haematologist



03095955555



03095955555



923-B, Molana Shaukat Ali Road, Faisal Town, Lahore