



AYZAL LABORATORY

Your Partner In Your Better Health

Patient No: **3492139 *3492139*** T/R ID: **3415164 *3415174*** T/R No: **TR251119-448-001-5**

Patient Name: **Hafiz M. Umair** Age/Sex: **21(Y) / Male** Approved By: **Adnan Khan**
Phone: **03265839896** Consultant: Registered at: **Ayzal Laboratory** Referred By: **c/o ammar sb**
Collection Time: **2-Dec-2025 02:50 PM** Reporting Time: **2-DEC-2025 08:56 PM**



VIRAL HEPATITIS REPORT

Result

7945874

7945874

2-Dec-2025 08:56 PM

Test

HbsAg (S)

Negative

Comments:

Anti HCV, HBsAg were performed by an immunochromatographic screening method. The Technique has Sensitivity of 99% and Specificity of 98%. Clinically inconsistent result should be reconfirmed by an alternative method (e.g ELISA)

Anti HCV (S)

Negative

Comments:

Anti HCV, HBsAg were performed by an immunochromatographic screening method. The Technique has Sensitivity of 99% and Specificity of 98%. Clinically inconsistent result should be reconfirmed by an alternative method (e.g ELISA)

Electronically verified report. No signature(s) required.

Disclaimer: No single test result is diagnostic, Clinical correlation is must. Although all the tests are performed with great care and diligence, lab to lab variation and human error may occur due to pre analytical, analytical and post analytical reasons. In case of any query please contact lab incharge. Thanks.

Prof. Dr. Farrukh Kamal

MBBS, MCPS, FCPS

Histopathologist

Dr. Babar Yasin

M.B.B.S, FCPS,

Histopathologist

Dr. Nazia Akber Mir

MBBS, MPhil,

Microbiologist

Dr Javaria Fatima

MBBS, FCPS

Haematologist



03095955555



03095955555



923-B, Molana Shaukat Ali Road, Faisal Town, Lahore

Printing Time: 4-Dec-2025 02:55 PM

Powered by: TechXect (<https://www.techxect.com>)

Generated by: Zara

Original