National University of Computer and Emerging Sciences

Formal Methods (SE2003)

Date: 18th March 2025

Course Instructor(s)

Dr.Wafa Basit

Sessional-I Exam

_____ _____ _____ _____

Total Time: 1 Hours   Roll No   Section   Student Signature

Student Name

Total Marks:30

Total Questions: 1

_____

Vetted by   Vetter Signature

Semester: SP-2025

Campus: Lahore

Dept: Software Engineering

Instructions
- Make assumptions where necessary

- In case of multiple solutions, mention the final one
- All Questions have to be attempted on question paper.
- Please draw neat and understandable diagrams
- Use of lead pencil is not allowed.

Question # 1 We wish to build a temperature sensor as part of some larger piece of equipment. We might encapsulate the recording of the temperature in the following Fahrenheit abstract data type. Fahrenheit temperatures range from absolute zero up to a maximum temperature of 5000_F. Since absolute zero is $-459.4^0\ F$:

$$°F == \{\, f : \mathbb{R} \mid -459.4 \le f \le 5000 \,\}$$

Our temperature store keeps track of one value:

$$\boxed{\begin{array}{l} \_FTemp _____ \\ f : °F \end{array}}$$

Standard temperature is 65°F:

$$StdTemp == 65$$

and this is used to provide a default value at initialisation-time:

$$\boxed{\begin{array}{l} \_FTempInit _____ \\ FTemp' \\ \hline f' = StdTemp \end{array}}$$

1. The temperature can always be incremented, provided that the value does not go above the maximum: (5 Points)

National University of Computer and Emerging Sciences

_FTInc_____

```
|
|
|_____
|
|
|
|_____
```

2. Similarly, the temperature can always be decremented, provided that the value does not go below the minimum: (5 Points)

_FTDec_____

```
|
|
|
|_____
|
|
|
|_____
```

At the design stage, the internal representation need not be kept in Fahrenheit: it could easily be maintained in Celsius. Celsius values are those above absolute zero, which is −273_C. For convenience, we choose a maximum value of 2760^0C.

$$Celsius == \{\, t : \mathbb{R} \mid -273 \le t \le 2760 \,\}$$

The formula to convert Celsius to Fahrenheit can be defined as:

$$f = (9/5) * c + 32$$

3. Write down a ConvertFC operation schema which takes Fahrenheit as input and converts it into Celsius. Make sure that input and output are both within the defined limits.

_ConvertFC_____

```
|
|
|
|_____
|
|
|
|_____
```

National University of Computer and Emerging Sciences

4. Write down a ConvertCF operation schema which takes Celsius as input and converts it into Fahrenheit. Make sure that input and output are both within the defined limits. (5 Points)

_ConvertCF_____

5. Write down an Out of Range error schema that outputs an error message if the input Celsius temperature is out of range. (5 Points)

_Error_____

6. Draw a petrinet to model the scenarios in part 4 and 5. (5 Points)

National University of Computer and Emerging Sciences

-------Good Luck-----