Methods

الأسئلة المهمة

10Marks

JavaApplication12 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

<default config>

Files Ser...

- JavaApplication1
- JavaApplication10
- JavaApplication11
- JavaApplication12
  - Source Packages
    - javaapplication12
      - JavaApplication12.ja
  - Test Packages
  - Libraries
  - Test Libraries
- JavaApplication2
- JavaApplication3
- JavaApplication4
- JavaApplication5
- JavaApplication6
- JavaApplication7
- JavaApplication8
- JavaApplication9

Start Page | JavaApplication12.java

Source History

```java
package javaapplication12;
import java.util.Scanner;
public class JavaApplication12 {
public static void number(){
    Scanner x=new Scanner (System.in);
   System.out.println("Enter the number :");
    String a=x.next();
   System.out.println("print : "+a);
}
public static void main(String [] args){
number();
}}
```

Output - JavaApplication12 (run)

```
run:
Enter the number :
java
print : java
BUILD SUCCESSFUL (total time: 2 seco
```

Write a Java program has a method that takes a string as input and print it out

7:23 INS

103°F Sunny ENG 3:23 PM

JavaApplication12 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

<default config>

Files Ser...

- JavaApplication1
- JavaApplication10
- JavaApplication11
- JavaApplication12
  - Source Packages
    - javaapplication12
      - JavaApplication12.ja
  - Test Packages
  - Libraries
  - Test Libraries
- JavaApplication2
- JavaApplication3
- JavaApplication4
- JavaApplication5
- JavaApplication6
- JavaApplication7
- JavaApplication8
- JavaApplication9

Start Page | JavaApplication12.java

Source History

```java
package javaapplication12;
import java.util.Scanner;
public class JavaApplication12 {
public static void number(){
    Scanner x=new Scanner (System.in);
   System.out.println("Enter the number :");
    int a=x.nextInt();
    if(a%2==0)
   System.out.println("even");
    else
   System.out.println("odd");
}
public static void main(String [] args){
number();
}}
```

Output - JavaApplication12 (run)

```
run:
Enter the number :
6
even
BUILD SUCCESSFUL (total time: 2 seco
```

write a java program has Method that that takes a number as input and check whether even or odd

8:13 INS

103°F Sunny ENG 3:33 PM

JavaApplication12 - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

<default config>

Files Ser...

- JavaApplication1
- JavaApplication10
- JavaApplication11
- JavaApplication12
  - Source Packages
    - javaapplication12
      - JavaApplication12.ja
  - Test Packages
  - Libraries
  - Test Libraries
- JavaApplication2
- JavaApplication3
- JavaApplication4
- JavaApplication5
- JavaApplication6
- JavaApplication7
- JavaApplication8
- JavaApplication9

Start Page | JavaApplication12.java

Source History

```java
package javaapplication12;
import java.util.Scanner;
public class JavaApplication12 {
public static void number(){
    Scanner x=new Scanner (System.in);
   System.out.println("Enter the number :");
    int a=x.nextInt();
    if(a>0)
   System.out.println("positive");
    else
   System.out.println("nagative");
}
public static void main(String [] args){
number();
}}
```

Output - JavaApplication12 (run)

```
run:
Enter the number :
-9
nagative
BUILD SUCCESSFUL (total time: 5 seco
```

Write a Java program has a method that takes a double number as input and check whether it positive or negative.

12:5 INS

103°F Sunny ENG 3:10 PM