2- Method Pass Parameter no Return value

Information can be passed to methods as parameter. Parameters act as variables inside the method.

Parameters are specified after the method name, inside the parentheses. You can add as many parameters as you want, just separate them with a comma.

The following example has a method that takes a String called fname as parameter. When the method is called, we pass along a first name, which is used inside the method to print the full name:

Example

```
public class Main {
  static void myMethod(String fname) {
    System.out.println(fname + " Refsnes");
  }
public static void main(String[] args) {
    myMethod("Liam");
    myMethod("Jenny");
    myMethod("Anja");
  }
}
Output:
// Liam Refsnes
// Jenny Refsnes
// Anja Refsnes
```

Multiple Parameters

```
public class Main {
  static void myMethod(String fname, int age) {
    System.out.println(fname + " is " + age);
  }
  public static void main(String[] args) {
    myMethod("Liam", 5);
    myMethod("Jenny", 8);
    myMethod("Anja", 31);
  }
}
Output:
// Liam is 5
// Jenny is 8
// Anja is 31
```

Example 3 : java code to pass three degree **avstudent**(St, d1,d2,d3) for three students then find average

Class **stud**{

}(static void **avstudent**(string st, int d1, int d2, int d3

; int sum=d1+d2+d3

; double av=sum/3

; (System.out.println(st+": "+" "+av="+av

{

```
Public static void main( String args[]){

avstudent("Ali",10, 10, 10);

avstudent("Hussian",20, 10, 20);

avstudent("Mohammed",50, 100, 50);

 }
```

Output :

Ali : av=10

Hussian: av=16.6

Mohammed: av=66.666

H.W:

1- write java program to create three methods area of circle, circumference of a circle, and area of area of the triangle, pass parameter not return value.

2- write code of java to sort x1[5], x2[4] using SortArr().