Java Methods

A **method** is a block of code which only runs when it is called. Methods are used to perform certain actions, and they are also known as **functions**.

So, the method used to reuse code: define the code once, and use it many times.

Create a Method

A method must be declared within a class. It is defined with the name of the method, followed by parentheses **()**. Java provides some pre-defined methods, such as `System.out.println()`, but you can also create your own methods to perform certain actions:

```
returnType methodName() {

  // method body

}
```

- returnType - It specifies what type of value a method returns For example if a method has an int return type then it returns an integer value.

  If the method does not return a value, its return type is **void**.
- methodName - It is an identifier that is used to refer to the particular method in a program.
- method body - It includes the programming statements that are used to perform some tasks. The method body is enclosed inside the curly braces { }

Method With No Return Value No pass parameter

This type of method has no pass parameter no return value

Example:

```
static void myMethod()
```

`Static`: means that the method belongs to the class and not an object of the class.

`Void`: means that this method does not have a return value.

`myMethod()`: is the name of the method.

Call a Method

To call a method in Java, write the method's name followed by two parentheses **()** and a semicolon**;**

In the following example, `addNumbers()` is used to print a sum of two numbers (the action), when it is called:

```
// calls the method
addNumbers();
```



Example 1:

```
public class calcuMethod {
   static int num1=25;
   static int num2=2;
   //create method
    static void addNumbers(){
      int sum=num1+num2;
         System.out.println("sum="+sum);
      }
public static void main (String arg[]){
 //call method
 addNumbers();
}   }
```

****

Example 2:

```
public class calcuMethod {
   static int num1=25;
   static int num2=2;
   //create method
    static void addNumbers(){
      int sum=num1+num2;
      System.out.println("sum="+sum);
      }
 static void multiNumbers(){
      int mul=num1*num2;
         System.out.println("mul="+mul);
      }
```

```
public static void main (String arg[]){
 //call method
 addNumbers();
 multiNumbers();
}
  }
```