

# Structural Estimation — Result Tables

62e3907-dirty 2026-08-05 20:18

3 tables

## Contents

|                   |                                              |                   |
|-------------------|----------------------------------------------|-------------------|
| <a href="#">1</a> | <a href="#">baseline_college_work_choice</a> | <a href="#">2</a> |
| <a href="#">2</a> | <a href="#">baseline_outcomes</a>            | <a href="#">3</a> |
| <a href="#">3</a> | <a href="#">numerical_diagnostics</a>        | <a href="#">4</a> |

# 1 baseline\_college\_work\_choice

Table 1: College vs. Work Decisions in the Baseline

| Decision | Number | Share (%) |
|----------|--------|-----------|
| College  | 222    | 4.4       |
| Work     | 4,778  | 95.6      |
| Total    | 5,000  | 100.0     |

*Note:* Number and share of individuals choosing each post-family-stage path in the baseline simulation.

## 2 baseline\_outcomes

Table 2: End-of-Family Outcomes: Baseline

| <b>Outcome (at <math>t = 18</math>)</b> | <b>Baseline</b> |
|-----------------------------------------|-----------------|
| Mean final assets <sup>a</sup>          | 203.27          |
| Mean final human capital                | 3.3482          |

<sup>a</sup> Values in thousands of U.S. dollars.

*Note:* Means computed over the simulated cohort at the end of the family stage.

### 3 numerical\_diagnostics

Table 3: Numerical Diagnostics

| Diagnostic                              | Value    |
|-----------------------------------------|----------|
| Minimum converged share (parent solve)  | 1.0000   |
| Bellman residual, max (child work path) | 5.77e-13 |
| Bellman residual, mean                  | 1.00e-13 |
| Monotonicity violations, $V$ in assets  | 0.01%    |
| Monotonicity violations, $c$ in assets  | 4.02%    |
| Simulated assets below $a_{\min}$       | 0.00%    |
| Simulated assets above $a_{\max}$       | 0.00%    |
| Mean terminal parental assets           | 20.3271  |
| Bootstrap standard error                | 0.1128   |

*Note:* Computed on the solved model and the simulated cohort. Bellman residuals are relative; standard errors are bootstrapped over 200 resamples.