ATAC TE accessibility: variable primary subfamily fragment rates

Individual mice

Condition means

40 most variable tested TE subfamilies

Tigger12A
MER92D
Charlie14a
Tigger17b
IAPLTR3
HAL1_SS
Eulor1
Eulor9A
MLT1G1-int
LTR86A2
LTR86C
MLT1J1-int
Kanga1b
L1ME5
Eulor11
RLTR1F_Mm
MER97c
LTR88c
Charlie20a
IAPEY5_LTR
L1P5
MamTip1
MERX
MER88
MLT1H2-int
MLT1A-int
LTRIS6
LTR52-int
L1M3f
MLT1I-int
Ricksha_0
ERVB4_3-I_MM-int
ERVB4_2-LTR_MM
LTR90A
MER65D
ORR1G-int
Helitron1Na_Mam
MER68C
LTR75B
MER110-int

WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
5xFAD_3mo_female_1
5xFAD_3mo_female_2
5xFAD_3mo_male_1
5xFAD_3mo_male_2
APOE4_TREM2_3mo_female_1
APOE4_TREM2_3mo_female_2
APOE4_TREM2_3mo_male_1
APOE4_TREM2_3mo_male_2
WT_6mo_female_1
WT_6mo_female_2
WT_6mo_male_1
WT_6mo_male_2
WT_21mo_female_1
WT_21mo_female_2
WT_21mo_male_1
WT_21mo_male_2

WT_3mo
5xFAD_3mo
APOE4_TREM2_3mo
WT_6mo
WT_21mo

Row z score of exposure-normalized logCPM
2
1
0
−1
−2

Provisional published-calibrated Microglia labels; 20 independent mice, 4 per condition
Rows selected by variance, not differential significance; means use mouse z scores; colors clipped at ±2.5