
Microglia per-animal ATAC peaks and supplied mm10 TE loci
A Full-interval overlap per group
TE-overlapping called peaks (%)
23,336
35,724
32,507
19,338
27,542
WT 3 mo
WT 6 mo
WT 21 mo
5xFAD 3 mo
APOE4/TREM2 3 mo
B TE classes at called peaks
SINE
LTR
LINE
DNA
RC
log10(distinct peaks + 1)
C TE loci with target-group peak overlap
Distinct TE loci
No WT 3 mo overlap
Only this target group
D Genomic context of TE-locus midpoints
Overlapping TE loci (%)
Promoter <=1 kb
Promoter 1-2 kb
Promoter 2-3 kb
5' UTR
3' UTR
First exon
Other exon
First intron
Other intron
Downstream <=300 bp
Distal intergenic


Top TE class|name terms intersecting Microglia peaks
SINE|Alu
SINE|B4
SINE|B2
LINE|L1
LTR|ERVL-MaLR
SINE|MIR
LTR|ERVK
LINE|L2
LTR|ERVL
SINE|ID
LTR|ERV1
DNA|TcMar-Tigger
LINE|CR1
SINE|Deu
LTR|ERVK?
LINE|RTE-X
LTR|Gypsy
DNA|TcMar-Tc2
WT 3 mo
WT 6 mo
WT 21 mo
5xFAD 3 mo
APOE4/TREM2 3 mo
4.0
3.5
3.0
2.5
2.0
1.5
log10(distinct peaks + 1)