






IRescue: WT_6mo versus WT_3mo
All rows, including zero-count rows; within-locus scaled gene-normalized RNA
All 9,361 TE loci; sorted by RNA variance
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
WT_6mo_female_1
WT_6mo_female_2
WT_6mo_male_1
WT_6mo_male_2



IRescue: WT_6mo versus WT_3mo
Row z-score of log(1 + gene-normalized expected UMI counts)
100 most variable loci in this fixed TE set
L2a | chr9:22863122:22863943:-
RMER6A | chr9:124275205:124275857:-
RMER17D | chr9:124142604:124143026:+
RSINE1 | chr4:120963404:120963565:-
B1_Mus2 | chr18:15219030:15219177:+
ORR1D2 | chr1:34040035:34040313:-
PB1D7 | chr14:65058725:65058841:-
Tigger16a | chr15:66807176:66807413:-
MER2 | chr1:54855991:54856182:+
PB1D11 | chr9:44225638:44225749:+
MLT1F2 | chr6:128848047:128848200:-
B1_Mus2 | chr6:87847812:87847942:-
MIRb | chr2:6715168:6715358:-
B4A | chr6:65127492:65127778:+
MTEa | chr10:122687305:122687640:-
Lx4A | chr4:3702903:3703068:-
B2_Mm2 | chr10:122792597:122792786:-
Lx3A | chr7:4055026:4055638:+
PB1D9 | chr12:80129198:80129309:-
MTD | chr15:64011897:64012196:+
ORR1C1 | chr1:131410692:131411079:+
ID4 | chr2:90535263:90535328:+
L1MEc | chr10:60297447:60297714:-
L1M5 | chr12:16899936:16900107:-
RLTR20C2_MM | chr14:61814848:61814917:-
CR1_Mam | chr3:51732235:51732587:-
B4A | chr9:116148744:116149006:-
IAP1-MM_I-int | chr13:111487909:111488181:-
MIRb | chr12:35055078:35055162:+
Lx8b | chr10:44637576:44638598:-
Lx5c | chr6:97422549:97423168:-
ORR1A2-int | chr8:8674978:8676789:-
B1_Mm | chr4:3782414:3782568:-
Lx3C | chr13:18778801:18779617:+
Lx6 | chr8:125750546:125750795:+
B1_Mus1 | chr4:47404447:47404569:+
ID_B1 | chr15:64034986:64035186:-
MTC | chr10:9876007:9876384:-
ID4 | chr19:40694850:40694910:-
RSINE1 | chr12:102389391:102389562:+
B3 | chr8:108738663:108738883:-
RMER19B | chr11:105681152:105681971:-
RLTR17B_Mm | chr11:77523354:77523742:-
B3A | chr11:59219136:59219296:+
B3 | chr4:3702550:3702744:-
Lx | chr11:105745892:105746066:-
L2a | chr5:102046889:102047206:+
B4 | chr2:5696590:5696879:+
L2c | chr14:120291218:120291251:-
MTD | chr3:105789751:105790118:+
Lx6 | chr12:34695603:34696762:+
ORR1A4 | chr16:33925850:33926159:+
B1F2 | chr2:129305135:129305244:-
ORR1A2 | chr13:106998873:106999217:+
L1MC4 | chr2:145875743:145875833:-
MIR3 | chr4:53110192:53110350:+
B1_Mus1 | chr3:88146551:88146676:+
B3 | chr12:99551181:99551383:+
MLT1D | chr7:123338433:123338897:-
MTD | chr3:9770868:9771264:-
B1_Mus2 | chr5:125384362:125384510:-
Lx7 | chr8:3264023:3264819:+
B1_Mus2 | chr11:6584313:6584385:+
MLTR11A | chr13:3547710:3548194:-
L1M6 | chr15:6586059:6586326:-
RMER13B | chr14:54370540:54370968:+
L1MA4 | chr11:80562752:80563243:+
RSINE1 | chr11:57521732:57521794:-
L2a | chr11:94330295:94330935:+
B4A | chr6:30241005:30241216:-
ORR1C1 | chr13:20110805:20111144:-
L1MB7 | chr17:63470634:63470880:+
L4_C_Mam | chr3:9719789:9720008:+
RLTR17B_Mm | chr6:134179919:134180069:-
B3 | chr19:40986920:40987011:-
PB1D10 | chr4:149846076:149846163:-
L1M3b | chr1:37471175:37471561:+
B1F2 | chr13:83556225:83556356:+
RSINE1 | chr11:77440226:77440358:+
B1_Mur2 | chr12:3894433:3894543:-
RSINE1 | chr7:128393912:128394051:+
ORR1F | chr3:135679053:135679308:+
B1_Mur2 | chr4:138001617:138001749:-
L1MB7 | chr1:171397844:171398564:-
L2a | chr9:50959522:50960079:+
B1_Mur2 | chr13:91484179:91484326:+
ORR1C2 | chr15:76779467:76779786:+
B1_Mm | chr9:53673906:53673975:+
MLT1G | chr7:83643213:83643397:+
MLT1F1 | chr3:8992818:8993055:+
B4A | chr12:72323060:72323334:-
Tigger11a | chr5:43248260:43248403:+
Lx9 | chr4:44816471:44816895:+
B4A | chr16:91555982:91556288:-
B4 | chr16:76304266:76304535:-
L1MB3 | chr4:118008566:118009176:-
B3A | chr14:16303361:16303548:+
L1_Mus2 | chr6:54834400:54835359:-
RSINE1 | chr1:37525710:37525856:+
MIRc | chr2:71805678:71805800:+
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
WT_6mo_female_1
WT_6mo_female_2
WT_6mo_male_1
WT_6mo_male_2
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0



IRescue: WT_21mo versus WT_3mo
All rows, including zero-count rows; within-locus scaled gene-normalized RNA
All 9,725 TE loci; sorted by RNA variance
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
WT_21mo_female_1
WT_21mo_female_2
WT_21mo_male_1
WT_21mo_male_2


IRescue: WT_21mo versus WT_3mo
Row z-score of log(1 + gene-normalized expected UMI counts)
100 most variable loci in this fixed TE set
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
L1MB3 | chr5:97010989:97011222:-
B1_Mm | chr2:90559668:90559804:-
MTE2a | chr7:49022642:49023003:-
MTD | chr6:122591836:122592199:-
B4A | chr1:87675518:87675803:+
L2a | chr5:123407718:123407898:-
ID4 | chrX:103477691:103477768:+
RSINE1 | chr2:167779141:167779294:-
RSINE1 | chr1:87694169:87694311:-
MERVL_2A-int | chr2:128706460:128708383:-
Lx4A | chr12:99380926:99381332:-
RSINE1 | chr19:25055065:25055206:-
L1_Mus1 | chrX:13590999:13591545:+
Lx2 | chr11:105728687:105728997:+
L1MD3 | chr8:122957528:122957768:+
Tigger7 | chr13:43794046:43794419:+
B1F | chr7:67345228:67345359:-
L1MC3 | chr7:63904469:63905714:+
Lx7 | chr18:68138056:68138470:+
RMER13A2 | chr7:49008136:49008783:-
RMER15-int | chr2:166706922:166707941:+
L1MB8 | chr14:121999892:121999981:-
B1_Mus1 | chr17:87439200:87439347:-
B2_Mm2 | chr13:97567944:97568140:-
Lx6 | chr2:166992663:166993145:-
RSINE1 | chr13:3543627:3543778:+
B1_Mus1 | chr8:19705226:19705367:+
RLTR13D2 | chr3:136726479:136727303:-
B4A | chr17:28477656:28477879:+
Lx7 | chr16:94594607:94595676:-
RMER10A | chr16:23237650:23237730:-
B4A | chr11:105595611:105595875:-
MIRb | chr2:16370920:16371039:+
MLT1A0 | chr3:136799844:136800153:-
RMER19B | chr14:73184385:73185327:+
ORR1D2 | chr1:58824506:58824860:-
B1_Mur2 | chr17:47515164:47515260:+
B1_Mur3 | chr12:83899369:83899493:+
L1MB8 | chr8:125745709:125745822:+
RMER6A | chr5:123405390:123405713:+
Lx | chr7:104447253:104447944:-
B4 | chr5:140804963:140805086:+
ID_B1 | chr11:79573575:79573651:+
B3 | chr15:41685281:41685488:+
PB1D10 | chr1:106019594:106019704:+
L1MA9 | chr2:5630219:5630401:-
B1_Mur1 | chr13:29936549:29936682:-
MIRb | chr7:122294037:122294206:+
L2a | chr17:10234938:10235187:+
RSINE1 | chr13:107779103:107779182:-
MLT1C | chr7:89257690:89258141:+
MTD | chr12:117590756:117591086:-
L1ME1 | chr11:16976385:16976856:-
B1_Mus1 | chr1:64539816:64539965:+
L2 | chr11:80191220:80191533:+
B1_Mus2 | chr4:129067788:129067945:-
L1ME3A | chr12:79746646:79746969:-
B3A | chr11:50208788:50208978:-
ORR1F | chr10:67104721:67105012:-
B4 | chr11:77353740:77353990:+
B3 | chr7:90187499:90187702:+
ID_B1 | chr11:77353504:77353646:+
B4A | chr3:9716807:9717018:-
PB1D7 | chr14:31405032:31405134:-
L1M3b | chr1:37471175:37471561:+
B1_Mur2 | chr15:100096061:100096213:-
Lx2B2 | chr13:74492544:74493033:-
PB1D7 | chr9:44491765:44491841:+
Lx10 | chr11:77417096:77417326:-
B1F | chr12:103437001:103437091:-
B3A | chr4:133743271:133743441:+
MTB | chr9:41087356:41087506:+
B4A | chr7:80050184:80050325:-
B2_Mm2 | chr10:109923818:109924000:-
MTE2a | chr1:55510100:55510442:-
MIR | chr10:60721399:60721564:+
B4 | chr1:131507588:131507860:+
B1F2 | chr13:3543393:3543520:+
B1F | chr9:64916126:64916266:+
Lx4B | chr2:6651034:6652380:+
MLT1M | chr12:40638780:40638971:-
PB1D9 | chr12:80129198:80129309:-
ID_B1 | chr9:41153945:41154089:+
B1_Mus1 | chr2:144252801:144252946:-
L1_Mus1 | chr7:90154721:90155074:-
B1_Mus1 | chr3:88146551:88146676:+
L2a | chr1:87644199:87644318:+
MIR | chr19:40682147:40682264:-
B3 | chr5:65869299:65869440:+
ID_B1 | chr8:66396724:66396886:+
RLTR11B | chr17:3156879:3157351:-
B4 | chr17:47514758:47515036:+
L1MB5 | chr4:6373227:6373565:+
RSINE1 | chr15:100077343:100077519:+
B4 | chr2:90544733:90544897:+
L2c | chr10:94405615:94405799:+
B1_Mur1 | chr16:4184484:4184585:-
B4A | chr7:67289878:67290154:+
MTD | chr6:65128226:65128526:-
B3 | chr2:18974975:18975182:+
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
WT_21mo_female_1
WT_21mo_female_2
WT_21mo_male_1
WT_21mo_male_2


IRescue: 5xFAD_3mo versus WT_3mo
All rows, including zero-count rows; within-locus scaled gene-normalized RNA
All 7,240 TE loci; sorted by RNA variance
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
5xFAD_3mo_female_1
5xFAD_3mo_female_2
5xFAD_3mo_male_1
5xFAD_3mo_male_2


IRescue: 5xFAD_3mo versus WT_3mo
Row z-score of log(1 + gene-normalized expected UMI counts)
100 most variable loci in this fixed TE set
B3 | chr18:68016661:68016816:+
L1_Mus3 | chr7:97198154:97199101:+
B4A | chr17:86980949:86981221:+
PB1D10 | chr3:9727186:9727290:+
Lx | chr7:67331244:67333676:+
RMER15-int | chr2:166705384:166705778:+
B4A | chr7:49076870:49077160:+
PB1D10 | chr3:109015840:109015932:-
L1MC3 | chr7:63904469:63905714:+
MIRc | chr6:39050974:39051133:-
MIR | chr19:40682147:40682264:-
L1ME3A | chr7:114517203:114517337:-
B4A | chr17:28477656:28477879:+
B3A | chr16:85001815:85001972:-
L1_Mus2 | chr12:4617533:4618975:+
MTD | chr17:50563007:50563390:+
L2a | chr12:52537990:52538224:-
L1MC | chr6:54093270:54093441:+
ID_B1 | chr14:61668414:61668613:+
B4A | chr2:131513355:131513448:-
RMER10A | chr17:47566264:47566650:+
B4 | chr5:143481323:143481498:+
B3 | chr13:83551457:83551575:-
RLTR17B_Mm | chr9:22869432:22869459:-
B4A | chr7:80050184:80050325:-
Lx6 | chr3:106781360:106782586:+
L4_C_Mam | chr17:28468324:28468573:+
Lx7 | chr16:94594607:94595676:-
L1VL4 | chr11:110098926:110099417:+
MIRb | chr2:16399662:16399870:-
MER77B | chr9:64226064:64226627:+
Lx6 | chr7:104309505:104311074:-
L2a | chr2:36252817:36252943:-
ID_B1 | chr1:131513718:131513849:-
B3 | chr15:99395444:99395523:+
PB1D7 | chr16:85155561:85155640:-
L2 | chr1:153482816:153482897:+
L2 | chr1:55428434:55428681:+
MTD | chr1:138602737:138603073:-
B2_Mm1a | chr10:80029624:80029818:+
RSINE1 | chr17:10221547:10221663:+
CR1_Mam | chr3:51732235:51732587:-
RLTR22_Mur | chr6:128869210:128869453:-
RMER15 | chr13:37351417:37351651:-
MTD | chr3:31107916:31108254:+
B1_Mus2 | chr4:129067788:129067945:-
ORR1F | chr13:37351133:37351370:-
ID_B1 | chr12:83847685:83847774:-
B4A | chr8:83231578:83231810:-
MER2 | chr6:54070256:54070599:+
MT2B1 | chr13:37365782:37366226:+
L1MA9 | chr2:5630219:5630401:-
B1_Mur2 | chr10:58339253:58339390:+
L2a | chr11:75205468:75205822:-
L1_Mus1 | chr13:41876178:41878484:-
Tigger1 | chr7:101132589:101133717:+
B1_Mus1 | chr18:12153499:12153639:+
B4A | chr5:21213459:21213740:-
MLT1A0 | chr2:16492449:16492764:+
PB1D9 | chr12:80129198:80129309:-
PB1D10 | chr4:41312412:41312524:-
L1_Mus1 | chr9:121628292:121629245:-
B1_Mus1 | chr7:98970603:98970749:-
B2_Mm2 | chr11:55404955:55405115:-
B4 | chr9:32454277:32454513:-
B3 | chr10:117818211:117818404:-
RMER6A | chr13:3546610:3547367:-
ID_B1 | chr6:31132872:31133078:+
Lx | chr7:67328628:67331187:+
B3 | chr17:47566818:47566994:-
ID | chr12:52515570:52515659:+
MLT1D | chr9:41143360:41143712:+
B1_Mus1 | chr17:10237552:10237692:+
X7A_LINE | chr11:6390338:6390489:+
Lx3_Mus | chr3:116575450:116576745:-
Lx8 | chr4:3731913:3732772:-
ID_B1 | chr5:138270035:138270244:-
Lx5c | chr8:13654530:13654896:-
L1MB8 | chr6:94080653:94081249:+
MIR | chr2:5630801:5630941:-
L2 | chr2:16439005:16439493:-
B1F2 | chr2:129305135:129305244:-
B1_Mur1 | chr11:20714910:20715063:-
MIRc | chr9:32466274:32466485:-
Lx8 | chr10:110003377:110004116:-
ID4 | chr6:31089957:31090036:-
B1_Mus2 | chr2:30281183:30281297:+
L1MB3 | chr2:157012828:157013051:+
L1M5 | chr2:143998804:143998962:-
MER2 | chr5:63864231:63864460:-
B4A | chr1:173424604:173424886:-
B1_Mm | chr16:55969318:55969427:+
B3 | chr2:157018739:157018938:-
MIRb | chr8:110924415:110924541:-
B4 | chr16:76304266:76304535:-
MER44D | chr8:108763337:108763593:+
MTC | chr18:34264513:34264909:-
B2_Mm2 | chr2:144000517:144000705:+
B3 | chr15:64018858:64019064:+
PB1D9 | chr15:81390597:81390711:-
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
5xFAD_3mo_female_1
5xFAD_3mo_female_2
5xFAD_3mo_male_1
5xFAD_3mo_male_2
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0


IRescue: APOE4_TREM2_3mo versus WT_3mo
All rows, including zero-count rows; within-locus scaled gene-normalized RNA
All 6,438 TE loci; sorted by RNA variance
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
APOE4_TREM2_3mo_female_1
APOE4_TREM2_3mo_female_2
APOE4_TREM2_3mo_male_1
APOE4_TREM2_3mo_male_2


IRescue: APOE4_TREM2_3mo versus WT_3mo
Row z-score of log(1 + gene-normalized expected UMI counts)
100 most variable loci in this fixed TE set
Within-locus z-score
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
WT_3mo_female_1
WT_3mo_female_2
WT_3mo_male_1
WT_3mo_male_2
APOE4_TREM2_3mo_female_1
APOE4_TREM2_3mo_female_2
APOE4_TREM2_3mo_male_1
APOE4_TREM2_3mo_male_2