





All twelve mice: frozen QC policy and paired-count coverage
Cell Ranger called
Original audited QC/singlets
Matched corrected-count support
Nuclei
0
2000
4000
6000
8000
10000
12000
cKO_1138
cKO_1139
cKO_1160
cKO_1165
cKO_933
cKO_991
wt_1122
wt_1123
wt_1178
wt_1220
wt_1226
wt_1228



Original UMIs per nucleus; light=called, dark=retained
log10(UMIs+1)
5.0
4.5
4.0
3.5
3.0
cKO_1138
cKO_1139
cKO_1160
cKO_1165
cKO_933
cKO_991
wt_1122
wt_1123
wt_1178
wt_1220
wt_1226
wt_1228



Original detected genes per nucleus; light=called, dark=retained
Original detected genes per nucleus
0
1000
2000
3000
4000
5000
6000
7000
cKO_1138
cKO_1139
cKO_1160
cKO_1165
cKO_933
cKO_991
wt_1122
wt_1123
wt_1178
wt_1220
wt_1226
wt_1228



Original mitochondrial UMI fraction (%); light=called, dark=retained
Original mitochondrial UMI fraction (%)
0.0
0.5
1.0
1.5
2.0
2.5
3.0
cKO_1138
cKO_1139
cKO_1160
cKO_1165
cKO_933
cKO_991
wt_1122
wt_1123
wt_1178
wt_1220
wt_1226
wt_1228


Original nuclear complexity; red=outside frozen primary QC


































CellBender: identical paired nuclei per mouse
Fraction of original UMIs removed
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
cKO_1138
cKO_1139
cKO_1160
cKO_1165
cKO_933
cKO_991
wt_1122
wt_1123
wt_1178
wt_1220
wt_1226
wt_1228