

Ansible for z/OS

Collect z/OS System Information





COLLECT ZOS SYSTEM INFORMATION

You can use Ansible to collect basic information about the z/OS node.

Module **zos_gather_facts** can retrieve static information about the node. This includes things such as what operating system the node is running, the version and release numbers of the operating system, whether it's a virtual machine within an LPAR, the name of the LPAR, which SYSPLEX it's running on, the PARMLIB containing configuration information for the instance, and similar details.

Module **zos_job_query** can retrieve dynamic information about the node. This consists of information about active jobs and tasks.

Module **zos_tso_command** can issue any TSO commands for which the Ansible userid is authorized. LISTCAT is useful for querying the Integrated Catalog Tool (ICT), which interfaces with different catalog types such as SYSCTLG and VSAM. LISTDS is useful for discovering data sets associated with a given userid or high-level qualifier, and for listing member names from key system libraries like SYS1.PARMLIB and SYS1.PROCLIB.



LAB 29: COLLECT ZOS SYSTEM INFORMATION

Follow the instructions for Lab 29 in labs/labs.md in the course repo.

WHAT YOU KNOW AND WHAT YOU CAN DO

- You can use features of the `ibm_zos_core` collection to gather information about z/OS Managed Nodes.

WHAT'S NEXT

- Learn about Ansible Certified Content for IBM Z