

Media Engineering and Technology Faculty
German University in Cairo



Portfolio Optimization: Asset Universe Selection Based on Investor Profiles

Bachelor Thesis

Author: Ali Ahmed Ezzat aboelkher
UNI-ID: 58-3693
Supervisors: Supervisor Name
Supervisor Name

Submission Date: 30 March, 2026

This is to certify that:

- (i) the thesis comprises only my original work toward the Bachelor Degree
- (ii) due acknowledgement has been made in the text to all other material used

Ali Ahmed Ezzat aboelkher
30 March, 2026

Acknowledgments

Acknowledgment goes here.

Abstract

Abstract text goes here.

Contents

Acknowledgments	III
Abstract	IV
1 Introduction	1
1.1 Motivation	1
1.2 Problem Statement	2
1.3 Scope and Asset Universe	2
1.4 Research Questions and Objectives	2
1.5 Outline	3
2 Literature Review	4
2.1 Framing the Problem	4
2.2 Portfolio Optimization and the Fixed-Universe Assumption	4
2.3 AI/ML Asset Preselection Before Optimization	5
2.4 Investor Risk Tolerance and Personalization	6
2.5 Adaptive AI and Reinforcement Learning in Finance	6
2.6 Synthesis and Research Gap	7
3 Methodology	8
3.1 Section Title 1	8
3.2 Section Title 2	8
4 Results & Limitations	9
4.1 Experiments Setup	9
4.2 Dataset Description	9
4.3 Results	9
4.3.1 Experiment 1	9
4.3.2 Experiment 2	9
4.4 Results Analysis and Discussion	9
5 Conclusion & Future Work	10
5.1 Conclusion	10
5.2 Future Work	10

Appendix	11
A Lists	12
List of Abbreviations	12
List of Figures	13
References	16

Chapter 1

Introduction

1.1 Motivation

Portfolio construction is commonly framed as an optimization problem over a predefined set of assets. Classical portfolio theory explains how capital can be distributed across available assets once that set is known, but the prior question of which assets should be considered suitable is often left outside the model. This is a restrictive assumption because the same candidate universe is not necessarily appropriate for all investors. Before portfolio weights can be assigned, the candidate asset universe should first be evaluated with respect to investor objectives, risk tolerance, and the current market environment.

This issue is relevant in markets where asset behavior changes across time. In the Egyptian financial market, risk characteristics can shift in response to inflation, currency movements, monetary-policy changes, and market stress. Under such conditions, a fixed label that treats an asset as permanently conservative or permanently aggressive can become misleading. A portfolio construction process that begins directly with final allocation may therefore inherit weaknesses from a candidate universe that is not suitable for the investor profile.

This thesis treats asset-universe selection as a distinct pre-allocation decision stage. The objective is not to compute final portfolio weights. Instead, the thesis studies how artificial intelligence can support the selection of an investor-suitable universe before any downstream allocation model is applied. Investor suitability is interpreted through three risk-tolerance groups. Conservative investors prioritize risk control, balanced investors seek a risk-return tradeoff, and aggressive investors tolerate higher risk for higher return opportunity.

The implementation studies this problem through an adaptive risk-scoring approach. A reinforcement-learning model predicts an asset-level composite realized-risk score and derives risk ranks for the active universe in each decision month. The realized-risk target combines realized volatility, downside deviation, and maximum drawdown. These predictions are then used to form risk-tolerance-oriented asset universes before allocation. The contribution is therefore the use of AI-supported asset-risk prediction for investor-suitable universe construction, rather than final portfolio optimization.

1.2 Problem Statement

Existing portfolio allocation methods generally assume that the investable universe has already been defined. Related AI and machine-learning preselection studies show that filtering assets before optimization is a valid modeling stage, but their selection criteria are commonly based on expected return, price movement, profitability, Sharpe-like measures, efficiency, robustness, or downstream optimizer performance. The unresolved problem addressed in this thesis is how to select an investor-suitable asset universe before allocation when suitability is defined by risk tolerance and asset-level realized-risk behavior.

1.3 Scope and Asset Universe

The thesis focuses on a mixed Egyptian-market universe. The investable asset universe includes money-market exposure represented by 91-day Treasury bills, government bonds represented by 5-year bonds, Egyptian equity exposure represented by EGX30 and available EGX30 constituent stocks, real-estate exposure represented by a REIT series, and gold exposure represented by 24K gold in Egyptian pounds. Macroeconomic inputs such as USD exchange-rate behavior and CPI are used as model features only. They are not treated as investable asset-universe elements.

The current scope ends at pre-allocation universe selection. Final portfolio weighting, investor-facing production serving, and allocation simulation are not treated as the main implemented contribution. They are downstream stages that can use the selected universe produced by the proposed framework.

1.4 Research Questions and Objectives

This thesis is guided by the following research questions:

- RQ1: Can AI/ML support dynamic asset-universe selection before allocation using asset-level realized-risk prediction?
- RQ2: Do the selected universes align with conservative, balanced, and aggressive investor risk-tolerance profiles?
- RQ3: How does direct asset-risk prediction differ from existing AI/ML preselection criteria such as return prediction, price movement, Sharpe-like performance, efficiency, or optimizer quality?

The objectives of the thesis are to:

- design a pre-allocation asset-universe selection framework guided by investor risk tolerance;
- construct point-in-time asset risk features and composite realized-risk targets;
- train and evaluate a reinforcement-learning model that predicts asset-level realized risk;
- evaluate selected universes against full-universe, random, oracle, and heuristic baselines.

1.5 Outline

The remainder of this thesis is organized as follows. Chapter 2 reviews the relevant literature on portfolio optimization, AI/ML asset preselection, investor-risk personalization, reinforcement-learning methods, and the research gap addressed by this work. Later chapters present the methodology, experimental evaluation, and conclusions of the proposed framework.

Chapter 2

Literature Review

2.1 Framing the Problem

This thesis studies asset-universe selection as a stage that comes before final portfolio weighting. An optimizer can only allocate among assets that are admitted into the candidate set. If that set contains assets that are unsuitable for the investor’s risk tolerance, then the allocation stage begins from a weak starting point. For this reason, the literature reviewed in this chapter includes classical portfolio optimization, AI/ML asset preselection, investor-risk personalization, and adaptive reinforcement-learning methods.

The review is organized around one central distinction. Many existing papers already show that selecting assets before portfolio optimization can improve later portfolio construction. However, the criterion used to define a suitable asset is often expected return, price movement, profitability, Sharpe-like performance, efficiency, robustness, or downstream optimizer quality. This thesis defines suitability differently. It studies whether assets can be selected for conservative, balanced, and aggressive investor groups by directly predicting asset-level realized risk before allocation.

2.2 Portfolio Optimization and the Fixed-Universe Assumption

A classical starting point is the mean-variance framework introduced by Markowitz [1]. The framework formalizes the tradeoff between return and risk when assigning portfolio weights, but it assumes that the investable universe is already known. This assumption is important for the present thesis because it separates two decisions that are often combined in practice: choosing the candidate assets and assigning final weights.

Later allocation methods provide additional ways to represent investor views and risk objectives. The Black-Litterman model incorporates investor views into global allocation

decisions [2], while conditional value-at-risk optimization focuses on downside tail risk [3]. Quantile-based portfolio selection also extends the discussion beyond variance by studying distributional risk criteria [4]. These approaches are relevant because they show that risk can be modeled in several ways, but they still mainly operate after the asset universe has been defined.

Benchmarking work also highlights why the universe-selection stage should be separated from the weighting stage. DeMiguel et al. [5] showed that naive diversification is a difficult benchmark for optimized portfolios to beat, while hierarchical risk parity later offered a risk-based allocation alternative that emphasizes diversification structure [6]. These methods are useful baselines for allocation, but they do not decide which assets are suitable for a specific investor before weights are computed.

2.3 AI/ML Asset Preselection Before Optimization

The closest baseline family to this thesis is AI/ML-based asset preselection before portfolio optimization. A deep-learning preselection framework was proposed by Wang et al. [7], where selected assets are passed to downstream portfolio formation. This paper is directly relevant because it treats asset filtering as a meaningful stage before allocation. Its selection logic, however, is not based on direct prediction of an asset-level realized-risk target for investor risk-tolerance grouping.

Similar predict-then-select patterns appear in later studies. Ma et al. [8] connected machine-learning and deep-learning return prediction to portfolio optimization. Kaczmarek and Perez [9] used machine-learning predictions to build portfolios under rules such as mean-variance optimization, hierarchical risk parity, and naive diversification. Chaweewanchon and Chaysiri [10] used predictive stock selection before Markowitz optimization. These studies show that ML can serve as a filter before final allocation, but the filtering signal is mainly return or price-prediction driven.

Other work broadens preselection beyond simple return prediction. Mills and Anyomi [11] proposed a two-stage robust portfolio construction approach under uncertainty. Hosseinzadeh et al. [12] used data envelopment analysis for asset preselection before portfolio optimization. Abdi et al. [13] combined LSTM modeling with Sharpe-ratio maximization for prospective asset preselection. Chou and Pham [14] used ensemble learning for stock preselection with multiobjective investment optimization and investor-preference framing.

Taken together, these papers establish that preselection before allocation is a valid modeling stage. They also form the main baseline family for this thesis. The key difference is the definition of suitability. In most of this literature, a suitable asset is one expected to improve return, price prediction, efficiency, Sharpe-like performance, robustness, or downstream optimizer quality. In this thesis, a suitable asset is one whose predicted realized-risk behavior matches the investor's risk-tolerance group before any allocation model is applied.

2.4 Investor Risk Tolerance and Personalization

The preselection literature motivates the stage at which this thesis operates, but investor-specific suitability requires a second body of work. Personalized finance advisory systems show that recommendations can change when investor information is modeled explicitly. Musto et al. [15] used case-based recommendation and diversification strategies for personalized finance advice. Although the output is not a formal asset universe, the paper supports the principle that financial recommendation should not treat all investors as identical.

Recent AI-based personalization studies provide additional support for investor-aware financial decisions. Asemi et al. [16] used an adaptive neuro-fuzzy inference system to customize investment type from investor demographics and feedback. A related model combined ANFIS, clustering, expert feedback, and multimodal neural-network pretraining for investment-type recommendation [17]. Wei and Liu [18] proposed personalized fund recommendation with dynamic utility learning. These papers connect investor information to financial recommendations, but their outputs are usually investment types or fund recommendations rather than an asset-level universe before allocation.

Risk tolerance is also studied directly in robo-advising and personalized portfolio design. Alsabah et al. [19] modeled how investor risk preferences can be learned from portfolio choices. Yu and Liu [20] proposed a personalized mean-CVaR portfolio optimization model for individual investment. Capponi et al. [21] studied personalized robo-advising through client interaction. Schneider and Yilmaz [22] showed that risk appetite can change stock and portfolio recommendations produced by ChatGPT. These studies justify the use of investor risk tolerance as a decision variable, but they do not generally define an explicit pre-allocation asset universe selected through direct asset-risk prediction.

2.5 Adaptive AI and Reinforcement Learning in Finance

Adaptive AI methods are relevant because financial suitability is not static. Deep reinforcement learning has been used for trading and portfolio-management tasks, including direct financial signal representation and trading decisions [23]. Jiang et al. [24] proposed a deep reinforcement-learning framework for portfolio management, and FinRL later provided environments and tools for automated stock trading and quantitative finance research [25].

Additional DRL portfolio studies show how adaptive policies can be evaluated in financial settings. Lucarelli and Borrotti [26] studied deep Q-learning for cryptocurrency portfolio management. Soleymani and Paquet [27] used online deep reinforcement learning with an autoencoder representation for portfolio optimization. Pinelis and Ruppert

[28] studied machine-learning portfolio allocation, while Rezaei and Nezamabadi-Pour [29] provided a taxonomy and experimental study of deep reinforcement learning in portfolio management.

Risk-aware reinforcement learning is especially relevant to the implementation direction of this thesis. Choudhary et al. [30] trained risk-adjusted deep reinforcement-learning agents using reward functions related to return, Sharpe ratio, and maximum drawdown. This supports the use of RL in risk-aware financial modeling. However, the action in such work is still usually a trading or allocation decision, not the prediction of an asset-level risk score used to form a pre-allocation universe.

The closest paper to the present thesis is the investor-specific DRL framework of Orra et al. [31]. Their pipeline uses volatility-guided grouping to form conservative, moderate, and aggressive risk profiles before DRL allocation. This is highly relevant because it connects investor risk profiles, asset grouping, and adaptive learning. The remaining difference is that the grouping is volatility-guided and stock-focused, while this thesis predicts a composite realized-risk target based on realized volatility, downside deviation, and maximum drawdown over a mixed and variable asset universe.

2.6 Synthesis and Research Gap

The reviewed literature leads to three observations. First, classical allocation methods provide strong tools for assigning portfolio weights, but they usually assume that the investable universe has already been chosen. Second, AI/ML preselection studies show that selecting assets before optimization is a valid modeling stage. Third, investor-personalization studies show that risk tolerance should affect financial recommendations. The gap appears between these streams rather than inside only one of them.

The main baseline family for this thesis is AI/ML asset preselection before portfolio optimization. These studies solve a related problem and should not be dismissed. Their limitation is narrower: the selection criterion is usually return prediction, price movement, profitability, Sharpe-like performance, efficiency, robustness, or downstream optimizer quality. Direct prediction of an asset-level risk target is mostly absent. The closest partial exception is Orra et al. [31], which uses volatility for risk-profile grouping, but it does not predict a composite realized-risk target in the same form used here.

This thesis is positioned as an investor-risk-tolerance-oriented extension of the preselection literature. It studies pre-allocation universe construction by predicting and ranking assets according to a composite **realized_risk** target before final allocation. The selected universes are then interpreted according to conservative, balanced, and aggressive investor profiles. In this way, the thesis connects asset preselection, investor risk tolerance, and adaptive AI while keeping final portfolio weighting as a downstream stage.

Chapter 3

Methodology

Introduction to chapter text.

3.1 Section Title 1

Section text.

3.2 Section Title 2

Section text.

Chapter 4

Results & Limitations

4.1 Experiments Setup

Section text.

4.2 Dataset Description

Section text.

4.3 Results

Section text.

4.3.1 Experiment 1

Subsection text.

4.3.2 Experiment 2

Subsection text.

4.4 Results Analysis and Discussion

Section text.

Chapter 5

Conclusion & Future Work

5.1 Conclusion

Section text.

5.2 Future Work

Section text.

Appendix

Appendix A

Lists

List of Figures

Bibliography

- [1] H. Markowitz, “Portfolio selection,” *The Journal of Finance*, vol. 7, no. 1, pp. 77–91, 1952.
- [2] F. Black and R. Litterman, “Global portfolio optimization,” *Financial Analysts Journal*, vol. 48, no. 5, pp. 28–43, 1992.
- [3] R. T. Rockafellar and S. Uryasev, “Optimization of conditional value-at-risk,” *The Journal of Risk*, vol. 2, no. 3, pp. 21–41, 2000.
- [4] T. Bodnar, M. Lindholm, E. Thorsén, and J. Tyrcha, “Quantile-based optimal portfolio selection,” *Computational Management Science*, vol. 18, pp. 299–324, 2021.
- [5] V. DeMiguel, L. Garlappi, and R. Uppal, “Optimal versus naive diversification: How inefficient is the 1/n portfolio strategy?,” *The Review of Financial Studies*, vol. 22, no. 5, pp. 1915–1953, 2009.
- [6] M. López de Prado, “Building diversified portfolios that outperform out of sample,” *The Journal of Portfolio Management*, vol. 42, no. 4, pp. 59–69, 2016.
- [7] W. Wang, W. Li, N. Zhang, and K. Liu, “Portfolio formation with preselection using deep learning from long-term financial data,” *Expert Systems with Applications*, vol. 143, p. 113042, 2020.
- [8] Y. Ma, R. Han, and W. Wang, “Portfolio optimization with return prediction using deep learning and machine learning,” *Expert Systems with Applications*, vol. 165, p. 113973, 2021.
- [9] T. Kaczmarek and K. Perez, “Building portfolios based on machine learning predictions,” *Economic Research - Ekonomska Istraživanja*, vol. 35, no. 1, pp. 19–37, 2022.
- [10] A. Chaweewanchon and R. Chaysiri, “Markowitz mean-variance portfolio optimization with predictive stock selection using machine learning,” *International Journal of Financial Studies*, vol. 10, no. 3, p. 64, 2022.
- [11] E. F. E. Atta Mills and S. K. Anyomi, “A hybrid two-stage robustness approach to portfolio construction under uncertainty,” *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 9, pp. 7735–7750, 2022.

- [12] M. M. Hosseinzadeh, S. Ortobelli Lozza, F. Hosseinzadeh Lotfi, and V. Moriggia, "Portfolio optimization with asset preselection using data envelopment analysis," *Central European Journal of Operations Research*, vol. 31, pp. 287–310, 2023.
- [13] F. Abdi, S. Abolmakarem, A. Karbassi Yazdi, Y. Tan, and I. A. Marchioni Choque, "Prospective portfolio optimization with asset preselection using a combination of long and short term memory and sharpe ratio maximization," *IEEE Access*, vol. 12, pp. 144980–144995, 2024.
- [14] J.-S. Chou and T.-B.-Q. Pham, "Leveraging ensemble learning-based stock preselection with multiobjective investment optimization for stepwise decision-supported portfolio management," *Journal of Big Data*, vol. 12, p. 196, 2025.
- [15] C. Musto, G. Semeraro, P. Lops, M. de Gemmis, and G. Lekkas, "Personalized finance advisory through case-based recommender systems and diversification strategies," *Decision Support Systems*, vol. 77, pp. 100–111, 2015.
- [16] A. Asemi, A. Asemi, and A. Ko, "Adaptive neuro-fuzzy inference system for customizing investment type based on the potential investors' demographics and feedback," *Journal of Big Data*, vol. 10, p. 87, 2023.
- [17] A. Asemi, A. Asemi, and A. Ko, "A model for investment type recommender system based on the potential investors based on investors and experts feedback using ANFIS and MNN," *Journal of Big Data*, vol. 11, no. 1, p. 128, 2024.
- [18] J. Wei and J. Liu, "Personalized fund recommendation with dynamic utility learning," *Financial Innovation*, vol. 11, p. 48, 2025.
- [19] H. Alsabab, A. Capponi, O. Ruiz Lacedelli, and M. Stern, "Robo-advising: Learning investors' risk preferences via portfolio choices," *Journal of Financial Econometrics*, vol. 19, no. 2, pp. 369–392, 2021.
- [20] C. Yu and Y. Liu, "A personalized mean-cvar portfolio optimization model for individual investment," *Mathematical Problems in Engineering*, vol. 2021, p. 8863597, 2021.
- [21] A. Capponi, S. Ólafsson, and T. Zariphopoulou, "Personalized robo-advising: Enhancing investment through client interaction," *Management Science*, vol. 68, no. 4, pp. 2485–2512, 2022.
- [22] C. J. Schneider and Y. Yilmaz, "Stock portfolio selection based on risk appetite: Evidence from chatgpt," *Finance Research Letters*, vol. 82, p. 107517, 2025.
- [23] Y. Deng, F. Bao, Y. Kong, Z. Ren, and Q. Dai, "Deep direct reinforcement learning for financial signal representation and trading," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 28, no. 3, pp. 653–664, 2017.

- [24] Z. Jiang, D. Xu, and J. Liang, “A deep reinforcement learning framework for the financial portfolio management problem,” *arXiv preprint arXiv:1706.10059*, 2017.
- [25] X.-Y. Liu, H. Yang, Q. Chen, R. Zhang, L. Yang, B. Xiao, and C. D. Wang, “Finrl: A deep reinforcement learning library for automated stock trading in quantitative finance,” *arXiv preprint arXiv:2011.09607*, 2020.
- [26] G. Lucarelli and M. Borrotti, “A deep q-learning portfolio management framework for the cryptocurrency market,” *Neural Computing and Applications*, vol. 32, pp. 17229–17244, 2020.
- [27] F. Soleymani and E. Paquet, “Financial portfolio optimization with online deep reinforcement learning and restricted stacked autoencoder–deepbreath,” *Expert Systems with Applications*, vol. 156, p. 113456, 2020.
- [28] M. Pinelis and D. Ruppert, “Machine learning portfolio allocation,” *The Journal of Finance and Data Science*, vol. 8, pp. 35–54, 2022.
- [29] M. Rezaei and H. Nezamabadi-Pour, “A taxonomy of literature reviews and experimental study of deep reinforcement learning in portfolio management,” *Artificial Intelligence Review*, vol. 58, p. 94, 2025.
- [30] H. Choudhary, A. Orra, K. Sahoo, and M. Thakur, “Risk-adjusted deep reinforcement learning for portfolio optimization: A multi-reward approach,” *International Journal of Computational Intelligence Systems*, vol. 18, p. 126, 2025.
- [31] A. Orra, A. Bhambu, H. Choudhary, M. Thakur, and S. Natarajan, “Deep reinforcement learning for investor-specific portfolio optimization: A volatility-guided asset selection approach,” *arXiv preprint arXiv:2505.03760*, 2025.