

# IBM Cloud Pak for Business Automation Demos and Labs 2021

## Bring-up Lab

Thomas Schulze  
[ThomasSchulze@de.ibm.com](mailto:ThomasSchulze@de.ibm.com)

Matthias Jung  
[matthias.jung@de.ibm.com](mailto:matthias.jung@de.ibm.com)

Jorge D. Rodriguez  
[jorgedr@us.ibm.com](mailto:jorgedr@us.ibm.com)

Zhong Tao Gao  
[gaozt@cn.ibm.com](mailto:gaozt@cn.ibm.com)

V 0.3

## NOTICES

This information was developed for products and services offered in the USA.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive, MD-NC119  
Armonk, NY 10504-1785  
United States of America

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

## TRADEMARKS

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

ITIL is a Registered Trade Mark of AXELOS Limited.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

© Copyright International Business Machines Corporation 2020.

This document may not be reproduced in whole or in part without the prior written permission of IBM.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

# Table of Contents

<b>1 Introduction .....</b>	<b>4</b>
1.1 IBM Cloud Pak for Business Automation .....	4
1.2 Lab Overview .....	4
<b>2 Exercise: Installing CP4BA version 21.0.2 .....</b>	<b>5</b>
2.1 Introduction.....	5
2.2 Exercise Instructions .....	5

# 1 Introduction

## 1.1 IBM Cloud Pak for Business Automation

IBM Cloud Pak for Business Automation (CP4BA) assembles certified software from the IBM Automation Platform for Digital Business on multiple cloud infrastructures. It offers design, build, run, and automation services to rapidly scale your programs and fully execute and operationalize an automation strategy.

You can read more about CP4BA here: <https://www.ibm.com/docs/en/cloud-paks/cp-biz-automation/21.0.x?topic=overview-what-is-cloud-pak-business-automation>

## 1.2 Lab Overview

In this lab, you will learn how to configure and install CP4BA Enterprise on an OpenShift cluster on IBM Cloud using the rapid deployment scripts.

As a part of this lab, you will also deploy a DB2 instance on your OpenShift cluster.

**Approximate Duration:** 12 hours

## 2 Exercise: Installing CP4BA version 21.0.2


### 2.1 Introduction

IBM Automation SWAT team has created and published scripts and doc for rapid deployment of CP4BA on IBM Cloud. As part of this lab, you will leverage those scripts to successfully deploy DB2 and CP4BA version 21.0.2.

### 2.2 Exercise Instructions

1. Before you can start this lab, you need the following prerequisites:
  - An **entitlement key**, and
  - A **ROKS cluster** on IBM Cloud, and
  - A **bastion host** from which you will access the ROKS cluster through command line and where you will execute the scripts for deployment
2. To be able to complete this lab you **must have an entitlement key already available** that includes a license for CP4BA to pull the container images from IBM's container library cp.icr.io. As a first step, please check that you have such an entitlement key with a license for CP4BA available. For this, please **open** <https://myibm.ibm.com/products-services/containerlibrary> and switch to the **View library** page.

**IBMers** should see the following, what means that they **do have such an entitlement key available**:



**Business Partners** before proceeding **must verify that in their list a license for CP4BA is included**. Without this entitlement / license, you can't perform this bring-up lab.

3. To get hold of a ROKS cluster, first **express your interest in this lab in the Slack channel for the bring-up lab (#cp4ba-tech-jam-bring-up, <https://ibm-cloudpak-partners.slack.com/archives/C02LXSRMABB>)**. A member of the IBM Automation SWAT team will help you to get access to such a cluster.

**Note:** As we have only a limited amount of ROKS clusters available, it might be that you will not be able to perform this lab.

**Note:** It also might be that you get the ROKS cluster assigned at the end of day one, therefore it's recommended to now start with another lab and to complete the preparation for this lab in parallel.

4. Once a cluster is available for you, as a first step **you will get invited to the IBM Cloud account of the DBA SWAT team**. This invitation will reach you in the form of an Email, please also check the spam folder for that Email. In the Email you will find a link, by opening that link in your browser, you are accepting the invitation to that account. Without accepting the invitation, access to a ROKS cluster is not possible.


**Note:** To be able to install CP4BA version 21.0.2 on that ROKS cluster you will get full administrative access to that ROKS cluster. Also, this ROKS cluster can only be accessed by you and the members of the SWAT team, other Jam participants will not have access.

5. Once you have accepted the invitation, please **let the member of the SWAT team know** so that he can start to provide you access to your ROKS cluster.
6. While you are waiting to finally get access to your ROKS cluster, you can **start the process to get access to a bastion host**. A bastion host is the computer from which you access the ROKS cluster through command line to administrate the ROKS cluster. Administration of a ROKS cluster also includes to configure and install new software, for example CP4BA. In addition, the rapid deployment scripts and some scripts from the product will get executed on that bastion host, therefore the bastion host must be one of RHEL, CentOS or macOS. Finally, all by the scripts needed command line interfaces (CLIs) must be available on the bastion host, for example the OpenShift CLI, Kubernetes CLI, ...and so on.

To save you time and trouble with setting up your own bastion host (as the focus of this lab is installing CP4BA), **we have made a RHEL VM available for you** in IBM Technology Zone. You can reserve an environment with that VM here: <https://techzone.ibm.com/collection/ibm-cloud-pak-for-automation-demos-and-labs-20-1-demo-01-run-the-entire-end-to-end-scenario>

7. **Open that page**, scroll down to the **Environments** section and click on the computer icon to start the reservation process.

#### Environments



8. On the next page select **Reserve now**.
9. On the next page **fill out the form** as follows:

Purpose ⓘ

Practice / Self-Education

Please select the purpose for this reservation request and review the [Reservation Duration Policy](#) to understand default durations allowed for specific infrastructures based on purpose.

Purpose description

Education.

What are you doing? Why do you need this? What are you trying to accomplish?

End date and time

Select a date

11/18/2021

Select a time

7:00 PM

Europe/Berlin

Available for up to 7 days (168 hours)

Preferred Geography

IBM Cloud Pak for Automation Demos and Labs 20.1 - Demo - Run the entire End-To-End Scenario [EMEA]

**Note:** Select as end date **11/18/2021**. The ROKS cluster also will be available for you till that day. Select as end time **7 PM** and **your time zone**.

**Note:** Under Preferred Geography select either **APAC-2, EMEA or US-Central** according to which Jam you are attending.

10. Click **Submit**. After a while you get two Emails, one that lets you know that your request was received and a second that provides you a **link to your created environment** and a **password** to access the environment.

You have now **requested** both, the ROKS cluster and the bastion host. It might take a while till both is finally available for you.


Once you got the confirmation from the SWAT team member that you now should have access to your own **ROKS cluster**, and you got the second Email with the link and password to access your **bastion host**, you can start your lab:

11. You can access your cluster **here:** <https://cloud.ibm.com>


Log-in with your **IBM ID** (IBMers use their w3 ID).

It might be that you first must create an account for IBM Cloud, please complete that process.

Once the account got created you should see the **IBM Cloud Dashboard**:




In the top bar, besides your name, click the **arrow** and you should now see the **DBA SWAT** account.




**Switch** to that account.

On the left-hand side, click the **OpenShift** icon.



You should now see **one cluster** in the list.






This cluster should:

- be named **bringup-apac|emea|amer-xx**
- show State **Normal**
- be in a **Location** of your geography
- have a Worker Count of **three**
- be of OCP Version 4.7.xx\_xxxx

Click on the cluster **Name**.

Click on the blue button **OpenShift web console** to access your cluster in the browser.

Verify that the OpenShift web console opens (you might need to allow pop-ups) and you have **Administrative** access.



In case of any issues accessing your OpenShift cluster, or any other issues or questions related to this lab, please reach out for help in the Slack channel for this bring-up lab:

**#cp4ba-tech-jam-bring-up**

<https://ibm-cloudpak-partners.slack.com/archives/C02LXSRMABB>

12. To access the **bastion host**, open the URL you got by Email and enter the **password** (copy & past also does work).

Optionally, check the **My reservations** page <https://techzone.ibm.com/my/reservations>, once the Status is set to **Ready**, take a note of the **Password** and access the environment by clicking on the monitor icon.

IBM Cloud Pak for Automation  
Demos and Labs 20.0 - Demo 1 -  
Run the entire End-To-End  
Scenario

**Practice / Self-Education**

Education.

Collection Link: <https://techzone.ibm.com/collection/5eefaa3704496b425d4dd6d9>


Nov 15, 2021 11:39 AM -

Nov 18, 2021 10:00 PM

Username 10235718

Password XXXXXX

Status: Ready







On the next page click on **Open your Skytap environment** and provide the **password**.

You now should be able to see the environment that contains your bastion host **VM 0 - Client**.

**IBM**

**IBM Demonstration Portal**  
Region: EMEA

VMs: 6

☒    Sort by name 

VM Name	Status	Endpoints	METERED RAM	STORAGE	LICENSE
VM 0 - Client	Powered off	1 (client - 10.0.0.5)	12 GB	100 GB	--
VM 1 - master-0	Powered off	1 (master-0 - 10.0.0.10)	20 GB	100 GB	--
VM 2 - master-1	Powered off	1 (master-1 - 10.0.0.20)	20 GB	100 GB	--

**Note:** As you can see, this environment also consists of some other VMs (VM 1, VM 2, ...), but for the purpose of this bring-up lab they are not needed. Therefore, keep them stopped all the time.

Click the **Run this VM** icon above VM 0 to start only this VM.

**Note:** If you for a longer time do not need this VM, please stop it, otherwise it will get stopped after a while automatically.

To access the desktop of your VM 0, either **click the RDP icon** above the VM to access it through a Remote Desktop Connection client, or **click the large grey monitor icon** to access it through your Browser.

In case you see the current time and date, press the **Space** key to get to the log-in screen of VM 0.

On the log-in screen click **Not listed?**




Log-in using **root** / **passw0rd**

You should now see the Red Hat Enterprise Linux (RHEL) Server desktop of VM 0.

13. Finally, also log in from the bastion host's **command line** to your OCP cluster.

In the OpenShift web console click on the arrow besides your name and select **Copy login command**.




In the new tab that opens, click **Display Token**.

Under **Log in with this token** copy the entire command that starts with **oc login ...**

Within your bastion host VM 0 open a **Terminal** window.

Paste the login command to login to your cluster through **command line**.



14. Now that you accessed both, your bastion host and your OCP cluster, it's time to access the **CP4BA rapid deployment scripts** github project: <https://github.com/IBM/cp4ba-rapid-deployment>

15. The **doc** in this github covers pieces that you already completed as part of the previous steps. Feel free to review them in more detail to better understand what happened so far and what other options you might have when you set-up your own ROKS cluster using your own IBM Cloud account.

In **Step 0** (<https://github.com/IBM/cp4ba-rapid-deployment/blob/main/cp4ba-21-0-2/00selectTemplate.md>) we already selected the **Foundation, Content** template for you as the OpenShift clusters we can provide you in the context of this Tech Jam can't be to large.

You completed **Step 1** by getting invited to the DBA SWAT account.

The SWAT team created the OpenShift cluster for you and gave you access. Check out **Step 2** (<https://github.com/IBM/cp4ba-rapid-deployment/blob/main/cp4ba-21-0-2/02createRedHatOpenShiftCluster.md>) to understand how easy it is to create such an OpenShift cluster in IBM Cloud.

The SWAT team also already prepared for you a **VM that hosts LDAP**, installed **IBM SDS** on it and created some **users and groups** in that LDAP that you will use to configure CP4BA. How this is done is documented in **Step 3**.

You now have **all prerequisites** in place to start installing IBM DB2 container and afterwards IBM Cloud Pak for Business Automation on your OpenShift cluster using the rapid deployment scripts.

16. To install the IBM DB2 Operator and an instance of DB2 on your OpenShift cluster, please follow the instructions under **Step 4**: <https://github.com/IBM/cp4ba-rapid-deployment/blob/main/cp4ba-21-0-2/04deployIBMDB2.md>

**Note:** A DB2 Standard Edition license key is **NOT** needed for the selected Foundation, Content template.

**Note:** In **01-parametersForDb2OnOCP.sh** specify for parameter **cp4baTemplateToUse** the value **ibm\_cp4a\_cr\_template.002.ent.FoundationContent.yaml**

**Note:** Also run the **03-...** script to create the needed databases for the CP4BA deployment.

17. To install the IBM Cloud Pak for Business Automation Operator and deploy an instance of CP4BA, please follow the instructions under **Step 5:** <https://github.com/IBM/cp4ba-rapid-deployment/blob/main/cp4ba-21-0-2/05installCP4BA.md>

**Note:** In **05-parametersForCp4ba.sh** specify the following values (besides others that you can define):

cp4baAdminPassword=**Br1ngUpLab**

(this password is set in the LDAP already)

ldapAdminPassword=**Br1ngUpLab**

(this password was chosen for cn=root when installing LDAP)

ldapServer="**169.38.74.211**"

ldapName= **ldap\_apac**

(if you are attending the APAC Jam, keep the double quotes)

ldapServer="**159.122.122.164**"

ldapName= **ldap\_emea**

(if you are attending the EMEA Jam, keep the double quotes)

ldapServer="**169.59.237.13**"

ldapName= **ldap\_americas**

(if you are attending the Americas Jam, keep the double quotes)

**Note:** Because you are deploying the Foundation, Content template only, you can **skip the sub-steps 40-62**.

18. To finally **verify your deployment**, complete **sub-step 63**. That config map should give you all important URLs & context roots to your system based on your deployment. Verify that all of them work and you can log-in by using LDAP user ID **cp4badmin / Br1ngUpLab**.

19. Steps 6 to 11 are **not needed** because you only deployed the Foundation, Content template.

With that, you have successfully completed this exercise and learned how to leverage the CP4BA rapid deployment scripts to install CP4BA on an OCP cluster on IBM Cloud.

**Congratulations on completing the lab!**