
SE 4458 Software Architecture & Design of Modern Large Scale Systems - Midterm 1

Group 1 – API Project for an Airline Company

Create an API project that will perform below requirements

In a fictitious airline company, clients want to do ticketing transactions using web services with the company



Required REST web services

QUERY TICKET

- Query with date, from, to and number of people
- Return list of flights (date, flight no, price). Must support paging
- Authentication not needed

BUY TICKET

- Perform buy transaction using date, from, to, passenger name
- Book one seat from the flight. Number of available seats must decrease after booking
- Return status
- No payment transaction needed
- Authentication by username/password needed

Students


BAHA JİYAN YILMAZ	BERKAY AKAR
EYLÜL ÖZATMAN	UMUT ARICI
YARKIN ATAÇ	EGE DEMİR
АНМЕТ КОС	DOĞA KAYRA
EFE ALTIN	YILMAZARSLAN
DENGÍN DÍKEN	SELİM YAYLALI
BERK POLAT	ALPEREN GÖKBAK

ATAKAN DOĞAN	METEHAN UGUS

Group 2 – API project for a travel company

Create an API project that will perform below requirements

In a fictitious short-term stay travel company (i.e Airbnb), clients want to search and book houses using web services with the company



Required REST web services

QUERY HOUSES

- Query with date, from, to and number of people
- Return list of houses with their descriptions, amenities. Must support paging
- No authentication needed

BOOK A STAY

- Perform booking using dates, from, to, names
- If houses is queried again for given dates, it should not be available
- Return status
- No payment transaction needed
- Authentication by username/password needed

Students

ZÜLAL SÜMER	CEYDA BAŞOĞLU
ÇAĞAN ŞEVKETOĞLU	ECE MUTLU
ALİ ALP KÜREL	İHSAN EFE UZUN
KORAY CAN YILMAZ	MEHMET KOCAGÖZ
NURİ CAN ÖZTÜRK	İREMSU KOÇ
ERİNÇ AK	BERKAY CEYLAN
BÜŞRA SU ALTIN	ROJBIN VEFACAN AGTAS

COMMON REQUIREMENTS

- Every student will do their own midterm, no groups
- All REST services must be versionable
- At least one service must support paging
- For authentication, JWT or Oauth can be implemented. Please check the examples from class
- Must have Swagger UI or document
- You can choose any development environment you like as long as they support REST services.
- You can make assumptions as long as you document them
- create a data model and use a database service from any cloud service you like (preferably Azure + 10 points). Use local services if you cant
- For API hosting, use a cloud service (+10 points) or local application server service

DELIVERABLES

- A readme document in your github code repo that has
 - o code link to source code of the project i.e github, bitbucket
 - o your design, assumptions, and issues you encountered.
 - o Data model (i.e an ER)
 - o Include a link to a short video presenting your project (+5 points if you store video on a cloud storage service)

TodoApi WebApi code below is based on https://learn.microsoft.com/en-us/aspnet/core/tutorials/first-web-api?view=aspnetcore-7.0&tabs=visual-studio-code		
TodoApi Code source	https://github.com/southriver/code/tree/master/TodoApi	
TodoApi Sample code	https://yasar4458.azurewebsites.net/Swagger/index.html	
deployed		
Below is code from class		
Class Samples	https://github.com/southriver/WebApplicationAPI	

Resources for creating REST services in different environments

- .NET Sample webapi project in VSCode
 - https://learn.microsoft.com/en-us/aspnet/core/tutorials/first-web-api?view=aspnetcore-7.0&tabs=visual-studio-code
- Deploying to Azure App service via VS Code
 - https://davidgiard.com/deploying-a-web-app-to-azure-from-visual-studio-code
 - Make sure you choose F1 Free version in Azure for App Service that you will be creating
 - https://voutu.be/DUfPaY6FRII?si=X9pI0hhN209N3vwn



- PYTHON Using flask
 - https://dev.to/mursalfk/setup-flask-on-windows-system-using-vs-code-4p9j
 - https://www.freecodecamp.org/news/how-to-dockerize-a-flask-app/
- JAVA Host a Spring Boot application
 - https://www.baeldung.com/rest-with-spring-series
 - https://javawhizz.com/2023/03/host-a-spring-boot-application-for-free-onrender