



CF Unit Weekly Lubrication Schedule												
Supervision	Khalid		Picture	No. of Points	Frequency	Lubricant type	Lubrication Points	Reported By	Production Engineer (Adeel & Umer)			
Responsibility	BF Operator (Tayyab,Iftahir,Qasim)	Verified by						Lead Operators(Majid, Ashfaq, Riaz)				
Section	Task							8/1/2026	8/9/2026	8/17/2026	8/25/2026	9/3/2026
RS-1	Re-lubricate bearing of chuck shafts using grease gun		2	Weekly	(Gadus) S2 V 220	4	Ok Now					
RS-1	Re-lubricate rod eyes of hydraulic cylinders using grease gun and flexible extension		2	Weekly	(Gadus) S2 V 220	12	Ok Now					
RS-1	Re-lubricate bearing of pivot shafts on both sides using grease gun		2	2 Weeks	(Gadus) S2 V 220	4	Ok Now					
RS-2	Re-lubricate bearing of chuck shafts using grease gun		2	2 Weeks	(Gadus) S2 V 220	4	Ok Now					
RS-2	Re-lubricate rod eyes of hydraulic cylinders using grease gun and flexible extension		2	2 Weeks	(Gadus) S2 V 220	12	Ok Now					
RS-2	Re-lubricate bearing of pivot shafts on both sides using grease gun		2	2 Weeks	(Gadus) S2 V 220	4	Ok Now					
SP-X 1	Re-lubricate festoon carriage roll on both sides by grease gun		2	2 Weeks	(Gadus) S2 V 220	10	Ok Now					
HPA-A	Re-Lubrication of Bearings of Guide Rolls		2	2 Weeks	(Gadus) S2 V 220	20	Ok Now					

HPA-A	Re-Lubrication of Bearings of Wrap Rolls		2	2 Weeks	(Gadus) S2 V 220	12	Ok Now				
HPA-A	Re-Lubrication of preheater shaft on both sides		2	2 Weeks	(Gadus) S2 V 220	6	Ok Now				
QF-P (CF)	Re-lubricate bearing of paper guide on both side using grease gun		2	Monthly	(Gadus) S2 V 220	2	Ok Now				
QF-P (CF)	Re-lubricate eccentric adjustment of the levers on the corrugating roll module on both sides of machine using grease gun		1	Monthly	(Gadus) S2 V 220	1	Ok Now				
QF-P (CF)	Re-lubricate cam of doctor roll on both side using grease gun		1	2 Weeks	(Gadus) S2 V 220	2	Ok Now				
QF-P (CF)	Re-lubricate bearing of glue applicator roll on both sides using grease gun		1	2 Weeks	(Gadus) S2 V 220	2	Ok Now				
QF-P (CF)	Re-lubricate the corrugating roll bearings on both sides of machine		1	2 Weeks	(Gleitmo 591)	12	Ok Now				
QF-P (CF)	Re-lubricate bearing of main belt tensionar pully		1	2 Weeks	(Gadus) S2 V 220	1	Ok Now				
QF-P (CF)	Re-lubricate pressure roll bearing on both sides of machine using grease gun		1	2 Weeks	(Gleitmo 591)	6	Ok Now				

QF-P (CF)	Re-lubricate bearing of inclined belt conveyor using grease gun		1	weekly	(Gadus) S2 V 220	8	Ok Now			
QF-P (CF)	Re-lubricate pressure roll bearing on both sides of machine using grease gun		1	2 Weeks	(Gleimo 591)	6	Ok Now			
QF-P (CF)	Re-lubricate the take off belts bearings on both sides of machine		1	weekly	(Gadus) S2 V 220	8	Ok Now			