



Application: Photo OCR

Quiz, 5 questions

5/5 points (100%)



Congratulations! You passed!

Next Item



1 / 1
points

1.

Suppose you are running a sliding window detector to find text in images. Your input images are 1000x1000 pixels. You will run your sliding windows detector at two scales, 10x10 and 20x20 (i.e., you will run your classifier on lots of 10x10 patches to decide if they contain text or not; and also on lots of 20x20 patches), and you will "step" your detector by 2 pixels each time. About how many times will you end up running your classifier on a single 1000x1000 test set image?



1 / 1
points

2.



Application: Photo OCR

Suppose that you just joined a product team that has been developing a machine learning application, using $m = 1,000$ training examples. You discover that you have the option of hiring additional personnel to help collect and label data. You estimate that you would have to pay each of the labellers \$10 per hour, and that each labeller can label 4 examples per minute. About how much will it cost to hire labellers to label 10,000 new training examples?

Quiz, 5 questions

5/5 points (100%)

training examples. You discover that you have the option of

hiring additional personnel to help collect and label data.

You estimate that you would have to pay each of the labellers

\$10 per hour, and that each labeller can label 4 examples per

minute. About how much will it cost to hire labellers to

label 10,000 new training examples?



1 / 1
points

3.

What are the benefits of performing a ceiling analysis? Check all that apply.



1 / 1
points

4.



Application: Photo OCR

Suppose you are building an object classifier, that takes as input an image, and recognizes that image as either containing a car ($y = 1$) or not ($y = 0$). For example, here are a positive example and a negative example:

Quiz, 5 questions

5/5 points (100%)



Positive example ($y = 1$)



Negative example ($y = 0$)

After carefully analyzing the performance of your algorithm, you conclude that you need more positive ($y = 1$) training examples. Which of the following might be a good way to get additional positive examples?



1 / 1
points

5.