1.Applying the Status Filter to check real and unresolved issues

22 / KeyPass-SQE / Issues

ues main

Filters 2 | Sort by Priority

Applied filters (2) Status: Open × Status: Confirmed × Clear filters

Select issues for bulk actions

Change

115 issues 2d effort

client/src/hooks/useDatabase.ts

Client-Side Request Forgery via unsanitized user input — Responsibility
Security High — cwe +
Open | Not assigned | L188 • 20min effort • 3 days ago

Client-Side Request Forgery via unsanitized user input — Responsibility
Security High — cwe +
Open | Not assigned | L209 • 20min effort • 3 days ago

API Traversal via unsanitized user input — Intentionality
Security Medium — cwe +
Open | Not assigned | L188 • 30min effort • 3 days ago

API Traversal via unsanitized user input — Intentionality
Security Medium — cwe +
Open | Not assigned | L209 • 30min effort • 3 days ago

server/src/app.ts

Make sure that enabling CORS is safe here. — Intentionality
Security Medium — cwe express.js ... +
Open | Not assigned | L10 • 4h effort • 4 days ago

client/src/components/AuthDialog.tsx

Remove this "autoFocus" attribute, as it can reduce usability and accessibility for users. Consistency
Reliability Medium Maintainability Low accessibility react +
Open Not assigned L78 • 5min effort • 4 days ago

A form label must be associated with a control. Intentionality
Reliability Medium accessibility react +
Open Not assigned L83 • 5min effort • 4 days ago

client/src/components/DatabaseManager.tsx

A form label must be associated with a control. Intentionality
Reliability Medium accessibility react +
Open Not assigned L79 • 5min effort • 3 days ago

Remove this "autoFocus" attribute, as it can reduce usability and accessibility for users. Consistency
Reliability Medium Maintainability Low accessibility react +
Open Not assigned L87 • 5min effort • 3 days ago

A form label must be associated with a control. Intentionality
Reliability Medium accessibility react +
Open Not assigned L92 • 5min effort • 3 days ago

This conditional operation returns the same value whether the condition is "true" or "false". Intentionality
Reliability Medium No tags +
Open Not assigned L107 • 15min effort • 3 days ago

A form label must be associated with a control. Intentionality
Reliability Medium accessibility react +

2.Applying the security filter along with its severity (security == vulnerability)



3.Applying the Reliability Filter (bug == reliability)



A form label must be associated with a control.
Intentionality
Reliability Medium
accessibility react +
Open Not assigned L79 • 5min effort • 3 days ago

Remove this "autoFocus" attribute, as it can reduce usability and accessibility for users.
Consistency
Reliability Medium Maintainability Low
accessibility react +
Open Not assigned L87 • 5min effort • 3 days ago

A form label must be associated with a control.
Intentionality
Reliability Medium
accessibility react +
Open Not assigned L92 • 5min effort • 3 days ago

This conditional operation returns the same value whether the condition is "true" or "false".
Intentionality
Reliability Medium
No tags +
Open Not assigned L107 • 15min effort • 3 days ago

A form label must be associated with a control.
Intentionality
Reliability Medium
accessibility react +
Open Not assigned L142 • 5min effort • 3 days ago

A form label must be associated with a control.
Intentionality
Reliability Medium
accessibility react +

client/src/components/Dialogs.tsx

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.
Consistency
Reliability Medium Maintainability Low
accessibility react +
Open Not assigned L21 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.
Consistency
Reliability Medium Maintainability Low
accessibility react +
Open Not assigned L22 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L368 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L369 • 5min effort • 3 days ago

4.Appying the maintainability Filter(maintainability == codesmell)

client/src/components/AuthDialog.tsx

Remove this "autoFocus" attribute, as it can reduce usability and accessibility for users. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L78 • 5min effort • 4 days ago

client/src/components/DatabaseManager.tsx

Remove this "autoFocus" attribute, as it can reduce usability and accessibility for users. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L87 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L21 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L22 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L91 • 5min effort • 3 days ago

Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element. Consistency

Reliability Medium Maintainability Low accessibility react +

Open Not assigned L92 • 5min effort • 3 days ago