

## MEMO

**TITLE** Python / TeX Introduction  
**DATE** December 2, 2016  
**TO** John Doe  
**COPY** Jane Doe  
**FROM** Me  
**PROJECT NO** A123456

**ADDRESS** COWI North America, Inc.  
276 5th Avenue  
Suite 1006  
New York, NY 10001  
USA  
**TEL** +1 (646) 545 2125  
**WWW** [cowi-na.com](http://cowi-na.com)



## 1 My first PyTeX section

Something very technical goes here

We can even have some fancy math!

This is the dispersion relation:

$$\omega^2 = gk \tanh(kh)$$

where,

$$\omega = \frac{2\pi}{T} = \frac{2 \cdot 3.14}{10} = 0.63$$
$$k = \frac{2\pi}{L}$$

Now lets solve it for wave number  $k$  with  $g = 9.81m/s^2$  and  $h = 5m$ :

$$0.63^2 = 9.81 \cdot k \cdot \tanh(k \cdot 5)$$

Python finds the solution with the iterative Newton-Rhapson method, which gives us:

$$k = 0.09$$

which, in turn, gives us wave length:

$$L = \frac{2\pi}{k} = \frac{2 \cdot 3.14}{0.09} = 67.67m$$

We can also have figures automatically generated!




Figure 1: Squire root plot