Converting a network with dates into a dynamic network

Clément Levallois

2017-02-17

Table of Contents

Goals of this tutorial	1
download a network file for practice	1
open the network in Gephi	2
getting a sense of the attributes in the data laboratory	4
1. dynamic nodes with a start date	6
to be continued	8
more tutorials on dynamic networks with Gephi.	8
the end	8

last modified: 2017-02-19



Goals of this tutorial

- We take a normal network, where nodes have attributes which can serve as time indication (a date, a number...)
- We convert this network into a dynamic network: nodes will appear and disappear according to their attributes.

download a network file for practice

download this zip file and unzip it on your computer.

or use this direct link: https://tinyurl.com/gephi-tuto-4

You should find the file miserables-with-dates.gexf in the zip file. Save it in a folder you will remember (or create a folder specially for this small project).

This file contains a network representing "who appears next to whom" in the 19th century novel *Les Misérables* by Victor Hugo [1: D. E. Knuth, The Stanford GraphBase: A Platform for Combinatorial Computing, Addison-Wesley, Reading, MA (1993)].

A link between characters A and B means they appeared on the same page or paragraph in the novel.

The file name ends with ".gexf", which just means this is a text file where the network information is stored (name of the characters, their relations, etc.), following some conventions.

This file has been modified to add some dates to each character in the novel:

- a "start date", which is a day (example: 22/09/1835). This is the date when the character **enters** the action in the novel
- an "end date", also a day (example: 22/09/1840). This is the date when the character **leaves** the action in the novel
- a "peak moment". This is a number (example: 14263). This is an instant when the character is at the center of the plot. This number has no historical meaning, this is just a chronological

moment in time.

NOTE

Values for start date, end date and peak moment have no real significance in the novel. They are made up for this exercise.

open the network in Gephi

- open Gephi. On the Welcome screen that appears, click on Open Graph File
- find miserables-with-dates.gexf on your computer and open it




Figure 1. welcome screen

A report window will open, giving you basic info on the network you opened:




Figure 2. report window

This tells you that the network comprises 74 characters, connected by 248 links.

Links are undirected, meaning that if A is connected to B, then it is the same as B connected to A.

The report also tells us the graph is not dynamic: it means there is no evolution or chronology, it won't "move in time".

Click on OK to see the graph in Gephi.




Figure 3. The network we will use

getting a sense of the attributes in the data laboratory

We can switch to the data laboratory to see the underlying data:




Figure 4. Switching to the data laboratory

Overview Data Laborate	ory 🚇 Pi	review								$\preceq c$
rkspace 2 M										~
sta Table 38										
Edges © Configuration 3 Add node	Add edge MA Search/	Replace Import Spreads	sheet 🕮 Export table 🗯 t	fore actions ∨				Filter		Id
Label	Interval	Gender	Eccentricity	Betweenness Centrality	Harmonic Clo	seness Centrality Closeness Cer	ntrality Modularity Class	start date	end date	peak moment
Valjean		M	3.0	1532.151142	0.744292	0.657658	2	04/04/1833	04/04/1838	13061
Myriel		M	4.0	483.0	0.498858	0.437126	0	01/01/1818	01/01/1823	44013
Fantine		F	4.0	359.370275	0.549087	0.470968	4	30/10/1850	30/10/1855	19479
Gavroche		М	3.0	351.588886	0.611872	0.51773	3	12/09/1845	12/09/1850	17604
Marius		м	3.0	331.391799	0.60274	0.532847	2	06/11/1835	06/11/1840	14006
Thenardier, Jondrette		М	3.0	196.859155	0.586758	0.521429	1	03/03/1878	03/03/1833	47729
Javert		М	3.0	141.49812	0.591324	0.521429	2	18/07/1837	18/07/1842	14628
Enjolras		М	3.0	120.417345	0.559361	0.486667	3	14/03/1838	14/03/1843	14868
Tholomyes		М	4.0	106.276976	0.461187	0.394595	4	31/01/1848	31/01/1853	18475
MleGillenormand		F	3.0	90.502381	0.484018	0.442424	2	18/07/1836	18/07/1841	14263
Bossuet		М	3.0	86.795324	0.545662	0.480263	3	17/06/1840	17/06/1845	15692
MmeThenardier		F	3.0	81.011655	0.522	Filter:		Id		
Mabeuf		М	4.0	75.584524	0.473					
Fauchelevent		М	4.0	72.5	0.444					
LtGillenormand		М	3.0	47.301065	0.484	start date	end date		peak mome	nt
Cosette		F	3.0	47.18837	0.534					
Eponine		F	4.0	33.628408	0.477	04/04/1833	04/04/1838		13061	
Simplice		,	4.0	23.491508		0 1/0 1/ 2000	0 1/0 1/ 2000		15001	
Bamatabois		М	4.0	22.916667	0.487	01/01/1818	01/01/1823		44013	
Courfeyrac		M	4.0	14.070956		01/01/1010				
Claquesous Gueulemer		M	3.0	13.856142 12.95138	0.518	30/10/1850	30/10/1855	30/10/1855 194		
Babet		M	3.0	12.95138	0.522	, ,		, ,		
Montparnasse		M	3.0	10.540415	0.522	12/09/1845	12/09/1850		17604	
Bahorel		M M	4.0	5.538562	0.476027	0.394595	1	08/08/1840	08/08/1845	15745
Joly		M	4.0	5.538562	0.476027	0.394595	3	22/04/1844	22/04/1849	17097
Combeferre		M	4.0	3.140693	0.469178	0.392473	3	18/02/1844	18/02/1849	17032
Feully		M	4.0	3.140693	0.469178	0.392473	3	22/04/1843	22/04/1848	16732
Brujon		M	4.0	0.75	0.437215	0.380208	1	09/02/1832	09/02/1837	12640
Magnon		F	4.0	0.619048	0.365297	0.337963	2	18/10/1839	18/10/1844	15450
Grantaire		M	4.0	0.428571	0.437215	0.361386	3	07/06/1841	07/06/1846	16047
Napoleon		М	5.0	0.0	0.328082	0.305439	0	18/10/1818	18/10/1824	44671
MleBaptistine		F	4.0	0.0	0.450913	0.41954	0	14/07/1822	14/07/1827	49671
MmeMagloire		F	4.0	0.0	0.450913	0.41954	0	04/05/1826	04/05/1831	47061
		F	5.0	0.0	0.328082	0.305439	0	28/02/1822	28/02/1827	45532
CountessDeLo		F	5.0	0.0	0.328082	0.305439	0	01/01/1827	01/01/1832	47300
CountessDeLo Geborand			5.0	0.0	0.328082	0.305439		14/03/1818	14/03/1825	44818

Figure 5. Zoom on three attributes representing time

The nodes (characters) of the network have attributes (start date, end date, peak moment) which can make this graph dynamic - but it is not yet.

A couple of steps are needed to enable the dynamic features, and here a choice must be made:

Do we prefer to have...

- 1. ... nodes appearing on screen at their start date, and staying on screen for ever after?
- 2. ... nodes appearing on screen at their start date, and leaving the screen at their end date?
- 3. ... nodes being representedsimply by their "peak moment" (a number), without reference to chronological dates?

We will present these 3 possibilities.

1. dynamic nodes with a start date




Figure 6. Merge columns




Figure 7. Set up the parameters - 1




Figure 8. Result

Let's switch back to the Overview to see the graph and how it evolves in time.

IMPORTANT

We are going to use the timeline to play the animation. The timeline has many features which are explained in a specific tutorial.




Figure 9. Animating the dynamic network




Figure 10. Animating the dynamic network

view online animation - link: https://tinyurl.com/gephi-tuto-5

to be continued

more tutorials on dynamic networks with Gephi

• The wiki on gephi.org

the end

Visit the Gephi group on Facebook to get help,

or visit the website for more tutorials