

Name: Ali Hany Ahmed

Email: ali.hany110@gmail.com

Topic: EDF schedular with FreeRTOS

# 1. Execution Analysis

Tasks	Periodicity	Deadline	Occurrence during hyper - period	Execution time
Button 1	50ms	50ms	2	40us
Button 2	50ms	50ms	2	40us
Periodic Transmitter	100ms	100ms	1	100us
UART	20ms	20ms	5	180us
Load 1	10ms	10ms	10	5ms
Load 2	100ms	100ms	1	12.5ms

### 2. System Hyper Period

The time period after which a pattern starts to repeat itself, Hyper - period of any system is the least common multiplier for all the periodicities of all tasks Hence, hyper period here is 100ms

#### 3. CPU Load

Utilization = total execution time/hyper-period

Utilization = 2(40u) + 2(40u) + 1(100u) + 5(180u) + 10(5m) + 1(12.5m)/(100m)

Utilization = 63.16%

## 4. System Schedulability

• Rate Monotonic

Utilization = 63.16%

Number of tasks = 6

$$U < n(2^{(1/n)} - 1)$$

If yes then system is schedulable

0.63 < 0.73

System is Schedulable

#### Time Demand

$$w_i(t) = e_i + \sum_{k=1}^{i-1} \left[ \frac{t}{p_k} \right] e_k$$

Worst case is 100ms

After sorting the table & doing analysis for the 6 tasks by sorting them ascendingly according to periodicity

Task	Equation & Result	Schedulable?
Load 1	W1(10) = 5m + 0 = 5m	Yes
	5 < 10	
UART	W2(20) = 140u + (20/10)5m = 10.14m	Yes
	10.14 < 20	
Button 1	W3(50) = 30u + (50/20)140u + (50/10)5m = 25.31m	Yes
	25.31 < 50	
Button 2	W4(50) = 30u + (50/50)30u + (50/20)140u + (50/10)5m = 25.34m	Yes
	25.34 < 50	
Periodic	W5(100) = (100/50)30u + (100/50)30u + (100/20)140u + (100/10)5m	Yes
	+94u = 50.914m	
	50.914 < 100	
Load 2	W6(100) = (100/50)30u + (100/50)30u + (100/20)140u + (100/10)5m	Yes
	+94u + 12.5m = 63.414m	
	63.414 < 100	

# 5. Screenshots from Simulators

#### a. SimSo



