Index

A
accepter, 26
Ackerman's function, 330
algorithm, 2, 246
alphabet, 15
ambiguity, 136
of a grammar, 141
inherent, 144
automaton, 2, 25
deterministic, 26
nondeterministic, 26
axioms, 324, 334

B Backus-Naur form, 146 base of a cycle, 8 blank, 223 blank-tape halting problem, 305

C
Cartesian product of sets, 5
child-parent relation in a tree, 8
Chomsky hierarchy, 295
Chomsky normal form, 149, 165
Church's thesis, 325
Church-Turing thesis, 325
closure, 99
positive, 18
star, 18
closure properties
of context-free languages, 213
of regular languages, 100
complement
of a set, 3

of a language, 18 complete systems, 324 complexity, 343 of a grammar, 163 space, 344 time, 344 complexity class **P**, 353 complexity class NP, 354 composition, 326 computability, 299 computable function, 233 computation, 228 models, 323 valid, 321 concatenation of languages, 18 of strings, 15 configuration of an automaton, 25 conjunctive normal form, 348 consistent systems, 324 context-free grammars, 126 context-free languages, 125 deterministic, 195 context-sensitive grammars, 289 context-sensitive languages, 290 control unit of an automaton, 25 Cook-Karp thesis, 354 Cook's theorem, 355 cycle in a graph, 8 simple, 8 CYK algorithm, 172

D dead configuration, 52 decidability, 299 DeMorgan's laws, 4

dependency graph, 154	labeled, 7
derivation, 21	Greibach normal form, 149, 168
leftmost, 129	, ,
rightmost, 129	H
derivation tree, 130	halting problems for Turing
partial, 131	machines, 301
yield, 131	halt state of a Turing machine, 224
deterministic finite accepter, 36	hierarchy of language families, 275
dfa, 36	homomorphic image of a
diagonalization, 279	language, 103
disjoint sets, 4	homomorphism, 103
distinguishable sets in a dfa, 63	
dpda, 195	I
- '	incompleteness theorem, 324
\mathbf{E}	indistinguishable states in a dfa, 66
empty set, 4	inherent ambiguity, 144
end markers for an lba, 271	initial state, 36
enumeration procedure, 268	input file, 25
equivalence, 7	instantaneous description
of automata classes, 250	of a pushdown automaton, 179
of dfa's and nfa's, 55	of a Turing machine, 226
of grammars, 24	internal states of an automaton, 25, 36
\mathbf{F}	intractable problems, 354
	,
family of languages, 42	
family of languages, 42 final state, 36	Ĺ
final state, 36	
final state, 36 finite automata, 35	lambda-productions, 156
final state, 36 finite automata, 35 formal languages, 2	lambda-productions, 156 language, 15, 17
final state, 36 finite automata, 35 formal languages, 2 functions, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine,
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126 context-sensitive, 289	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335 language families, 42
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126 context-sensitive, 289 left-linear, 89	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335 language families, 42 lba, 270
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126 context-sensitive, 289 left-linear, 89 linear, 91	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335 language families, 42 lba, 270 left-linear grammar, 89
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126 context-sensitive, 289 left-linear, 89 linear, 91 regular, 89	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335 language families, 42 lba, 270 left-linear grammar, 89 leftmost derivation, 129 linear bounded automata, 270
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126 context-sensitive, 289 left-linear, 89 linear, 91 regular, 89 right-linear, 89	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an nfa, 51 accepted by a Turing machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335 language families, 42 lba, 270 left-linear grammar, 89 leftmost derivation, 129
final state, 36 finite automata, 35 formal languages, 2 functions, 5 computable, 233 domain, 5 partial, 5 range, 5 total, 5 G grammar, 19 context-free, 126 context-sensitive, 289 left-linear, 89 linear, 91 regular, 89 right-linear, 89 simple, 140	lambda-productions, 156 language, 15, 17 accepted by a dfa, 38 accepted by a dpda, 196 accepted by an lba, 271 accepted by an range machine, 229 associated with regular expressions, 73 generated by a grammar, 21 generated by a Post system, 335 language families, 42 lba, 270 left-linear grammar, 89 leftmost derivation, 129 linear bounded automata, 270 linear grammar, 91

\mathbf{M}	Post system, 334
Markov algorithm, 339	powerset, 4
matrix grammar, 338	primitive recursion, 326
membership algorithm, 111	primitive recursive functions, 328
for context-free languages, 172	primitive regular expressions,72
for context-sensitive languages,	productions of a grammar, 19
293	program of a Turing machine, 224
minimal dfa, 67	projector function, 326
minimalization operator, 331	proof techniques, 9
monus, 327	contradiction, 11
move of an automaton, 25	induction, 9
MPC-solution, 313	proper order, 269
mu-recursive functions, 331	proper subset, 4
	pumping lemma
N	for context-free languages, 206
nfa,48	for linear languages, 210
non-contracting grammars, 290	for regular languages, 115
nondeterministic finite accepter, 47	pushdown automata, 175
nondeterminism, 52	deterministic, 195
nonterminal constant, 334	nondeterministic, 176
normal form of a grammar, 149,	
165	
NP-complete problems, 355	R
npda, 177	read-write head of a Turing
null set, 4	machine, 222
	recursive function, 325
0	recursive language, 277
order	recursively enumerable languages,
proper, 269	276
relation in a tree, 8	reduction of states in a dfa, 62
	reduction
P	of undecidable problems, 304
parsing, 136	polynomial-time, 355
1 192	
exhaustive search, 136	regular expressions, 71
exnaustive search, 136 top-down, 136	regular expressions, 71 regular grammar, 89
top-down, 136 path	regular expressions, 71 regular grammar, 89 regular language, 43
top-down, 136	regular expressions, 71 regular grammar, 89
top-down, 136 path in a graph, 8 labeled, 8	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse
top-down, 136 path in a graph, 8 labeled, 8 simple, 8	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313 pda, 175	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337 Rice's theorem, 311
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313 pda, 175 phrase-structure grammar, 338	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337 Rice's theorem, 311 right-linear grammars, 89
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313 pda, 175 phrase-structure grammar, 338 pigeonhole principle, 114	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337 Rice's theorem, 311 right-linear grammars, 89 rightmost derivation, 129
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313 pda, 175 phrase-structure grammar, 338 pigeonhole principle, 114 polynomial-time reduction, 355	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337 Rice's theorem, 311 right-linear grammars, 89 rightmost derivation, 129 right quotient of languages, 104
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313 pda, 175 phrase-structure grammar, 338 pigeonhole principle, 114 polynomial-time reduction, 355 Post correspondence problem, 312	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337 Rice's theorem, 311 right-linear grammars, 89 rightmost derivation, 129
top-down, 136 path in a graph, 8 labeled, 8 simple, 8 pattern matching, 85 PC-solution, 313 pda, 175 phrase-structure grammar, 338 pigeonhole principle, 114 polynomial-time reduction, 355	regular expressions, 71 regular grammar, 89 regular language, 43 relation, 5 reverse of a language, 18 of a string, 15 rewriting systems, 337 Rice's theorem, 311 right-linear grammars, 89 rightmost derivation, 129 right quotient of languages, 104



 \mathbf{S} satisfiability problem, 347 semantics of programming languages, 148 sentence, 17 sentential form, 21 set, 3 countable, 267 uncountable, 267 set operations, 3 s-grammar, 140 simulation, 251 space-complexity, 344 stack, 175 alphabet, 177 start symbol, 177 standard representation for regular languages, 112 state-entry problem, 304 storage of an automaton, 25 string, 15 empty, 15 length, 15 operations, 15 prefix, 16 suffix, 16 subset, 4 proper, 4 substring, 16 successor function, 326 symmetric difference of two sets, syntax of a programming language, 147

tape alphabet, 223
tape of a Turing machine, 222
terminal constant, 334
terminal symbol, 19
time-complexity, 344
tracks on a tape, 253
tractable problems, 343, 354
transducer, 26
transition function, 25, 36

extended, 37 transition graph, 36 generalized, 81 trap state, 39 trees, 8 Turing-computable function, 233 Turing machine, 221 multidimensional, 261 with multiple tracks, 253 multitape, 258 nondeterministic, 263 off-line, 255 with semi-infinite tape, 253 standard, 226 with stay-option, 251 universal, 266 Turing's thesis, 244

U
undecidable problem, 300
for context-free languages, 318
for recursively enumerable
languages, 308
unit productions, 158
universal set, 4
universal Turing machine, 266
unrestricted grammar, 283
useless productions, 153

V
variable
of a grammar, 19
nullable, 156
start, 19
useless, 153

W walk in a graph, 8

Y yield of a derivation tree, 131

Z zero function, 326