



deeplearning.ai

# Basics of Neural Network Programming

---

## Broadcasting in Python

# Broadcasting example

Calories from Carbs, Proteins, Fats in 100g of different foods:

	↓ Apples	↓ Beef	↓ Eggs	↓ Potatoes
Carb	56.0	0.0	4.4	68.0
Protein	1.2	104.0	52.0	8.0
Fat	1.8	135.0	99.0	0.9

59 cal

$\frac{56}{59} \approx 94.9\%$

= A  
(3,4)

↓ 0  
→ 1

Calculate % of calories from Carb, Protein, Fat. Can you do this without explicit for-loop?

```
cal = A.sum(axis = 0)  
percentage = 100 * A / (cal.reshape(1,4))
```

↑ (3,4) / (1,4)

# Broadcasting example

$$\begin{bmatrix} 1 \\ 2 \\ 3 \\ 4 \end{bmatrix}$$

+

$$\begin{bmatrix} 100 \\ 100 \\ 100 \\ 100 \end{bmatrix} \quad \cancel{100}$$

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \quad + \quad \begin{matrix} \swarrow \\ (m,n) \end{matrix} \quad \begin{matrix} (2,3) \end{matrix}$$

$$\begin{bmatrix} 100 & 200 & 300 \\ 100 & 200 & 300 \end{bmatrix} \quad \begin{matrix} (1,n) \rightsquigarrow (m,n) \\ (2,3) \end{matrix}$$



$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \quad + \quad \begin{matrix} (m,n) \end{matrix}$$

+

$$\begin{bmatrix} 100 & 100 & 100 \\ 200 & 200 & 200 \end{bmatrix} \quad = \quad \begin{matrix} (m,1) \\ \vdots \\ (m,n) \end{matrix}$$



# General Principle

$$\begin{array}{ccc} (m, n) & + & (1, n) \\ \text{matrix} & \times & \rightsquigarrow (m, n) \\ \hline & / & \end{array}$$

$$\begin{array}{ccc} (m, 1) & + & \mathbb{R} \\ \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix} & + & 100 \\ [1 \ 2 \ 3] & + & 100 \end{array} = \begin{bmatrix} 101 \\ 102 \\ 103 \end{bmatrix} = [101 \quad 102 \quad 103]$$

Matlab/Octave: bsxfun