GoHighLevel Real Estate Snapshot

Build Documentation & Handover Report

Project	Reusable GoHighLevel snapshot for real estate clients
Sub-account	MASTER - Real Estate Snapshot v1.0
Prepared by	Ali Raza
Date	August 2026
Status	Complete - ready for snapshot export and client deployment

1. Executive Summary

This project delivers a complete, reusable GoHighLevel system for real estate clients. Rather than rebuilding a CRM, automation stack, and marketing assets for every new client, the entire system now deploys from a single snapshot and is fully branded to a new client in under an hour.

The build covers the full client lifecycle: lead capture through landing pages and forms, automatic qualification and routing, instant speed-to-lead response, appointment booking with reminders and no-show recovery, long-term nurture sequences for both buyers and sellers, review generation after closing, and an AI assistant that qualifies and books leads conversationally.

53	32	14	6
CUSTOM FIELDS	TEMPLATES	WORKFLOWS	LANDING PAGES

The core design principle

Every client-specific value in the system - agent name, phone number, brokerage, city, booking links, review link - is stored as a **Custom Value** rather than typed directly into any asset. Thirty of these values act as a single configuration table.

The practical result: deploying to a new client means filling in one table of thirty fields. Every SMS, email, landing page, form, and AI prompt across the entire account rebrands itself automatically. Without this discipline, the same deployment would require manually editing several hundred individual assets.

2. What Was Built

Component	Count	Purpose
Custom Values	30	Client configuration table - the deployment mechanism
Custom Fields	53	CRM data structure for lead qualification
Tags	41	Lead state tracking and workflow triggers
Pipelines	3	Buyer, Seller, and Investor deal tracking
Calendars	4	Consultation, showing, listing appointment, quick call
Forms	3	Buyer intake, seller valuation, general contact
Surveys	1	Multi-step buyer qualification with conditional branching
Funnels	4 (6 pages)	Lead generation and booking pages
SMS Templates	10	Speed-to-lead, reminders, recovery, reactivation
Email Templates	22	Transactional plus buyer and seller nurture sequences
Workflows	14	The automation engine connecting every component
Conversation AI	1 agent	Automated lead qualification and appointment booking

Dashboard	1	Performance reporting for the client

3. System Detail

3.1 Data Foundation

The CRM structure was built before any automation, because every workflow condition and form field depends on it. Fifty-three contact fields are organised into four folders:

Folder	Fields	Captures
Real Estate - Qualification	6	Lead type, timeline, motivation, source, lead score
Real Estate - Buyer	12	Budget range, pre-approval status, bedrooms, property type, preferred areas
Real Estate - Seller	14	Property address, condition, square footage, estimated value, reason for selling
Real Estate - Process	6	Contact preferences, no-show count, SMS consent, internal notes

Field types were chosen deliberately - budget and property value use the Monetary type so they can auto-populate opportunity values in the pipeline, giving the client a live revenue forecast rather than a list of names.

Tag taxonomy

Forty-one tags follow a strict `category-value` naming convention (`src-facebook`, `type-buyer`, `status-hot`, `appt-noshow`). The prefixes make a large tag list searchable and keep workflow conditions readable. Control tags `dnc` and `unsubscribed` are checked before every outbound message in every workflow.

3.2 Pipelines

Three separate pipelines rather than one generic sales pipeline, because buyer and seller transactions follow genuinely different paths:

Pipeline	Stage progression
Buyer	New Lead → Attempted Contact → Connected → Qualified → Pre-Approval → Actively Showing → Offer Submitted → Under Contract → Won / Lost
Seller	New Lead → Attempted Contact → Valuation Requested → Valuation Delivered → Listing Appointment Set → Completed → Agreement Signed → Active Listing → Under Contract → Won / Lost
Investor	New Lead → Criteria Captured → On Deal List → Deal Sent → Offer Made → Under Contract → Won / Lost

3.3 Calendars

Calendar	Duration	Configuration rationale
Buyer Consultation	30 min	15 min buffer, 2 hr minimum notice
Property Showing	45 min	30 min buffer for drive time between properties
Listing Appointment	60 min	12 hr notice so the agent can prepare comparables
Quick Call	15 min	Low-friction option for leads who won't commit to 30 minutes

All four are built as Round Robin calendars even for solo agents, so a client who later adds team members can simply assign them rather than requiring a rebuild. Native calendar reminders are disabled - reminders are handled by workflows instead, which allows SMS, email, and escalation logic rather than a single notification.

3.4 Lead Capture

Three forms and one multi-step survey, all mapped to the custom field structure so submitted data lands in queryable fields rather than a submission log.

The buyer qualification survey uses one question per screen with conditional branching - a lead selecting "Seller" on the first screen is routed to property questions instead of budget questions. Contact details are requested on the final screen only, after the lead has already invested effort in answering.

Compliance: All three forms carry explicit SMS consent language referencing the brokerage by merge field, with separate marketing and non-marketing consent options and a defined use case description. This wording is what A2P 10DLC reviewers examine during carrier registration, and incorrect placeholder text is a common cause of registration failure.

3.5 Landing Pages

Funnel	Path	Function
Home Valuation	/valuation	Primary seller lead generator; thank-you page embeds the listing appointment calendar to capture leads at peak intent
Buyer Guide	/free-buyer-guide	Lead magnet for buyers; delivers guide and offers consultation booking
Book a Call	/schedule	Minimal mobile-optimised booking page; destination for all SMS booking links
About	/about	Agent credibility page; also serves as a lightweight website for clients without one

Every page is written entirely with merge fields - headlines, body copy, footers, and button links. No client name, city, or contact detail appears as literal text anywhere in the six pages.

3.6 Message Library

Thirty-two templates, all built with merge fields and consistent branding.

SMS (10)

Instant buyer response, instant seller response, unanswered follow-up, missed-call text back, appointment confirmation, 24-hour reminder, 1-hour reminder, no-show recovery, review request, and database reactivation.

Each opening message ends with the required opt-out instruction. Subsequent messages omit it to avoid unnecessary message segments, which reduces the client's per-message cost.

Email (22)

Group	Count	Coverage
Transactional	5	Welcome, valuation delivery, guide delivery, appointment confirmation, post-appointment recap
Buyer nurture	7	45-day educational sequence: financing, affordability, neighbourhood selection, market conditions, case study, re-engagement
Seller nurture	7	45-day sequence: valuation reasoning, pre-listing improvements, local comparables, pricing strategy, case study, re-engagement
Long-term	3	Quarterly market report, home purchase anniversary, seasonal greeting

All emails were built in HTML for consistent rendering across email clients, using a single 600px responsive layout with a shared header, footer, and button style.

> **Deliberate content gaps:** Several emails contain marked placeholder sections such as `[Market Data Section]` and `[Client Story Section]`. These require genuine local market figures and real client stories, which cannot be templated without producing obviously generic content. They are documented in the onboarding checklist as client-supplied content.

3.7 Automation Engine

Fourteen workflows connect every component above. Grouped by function:

Workflow	Behaviour
Speed to Lead - Buyer	Form submission triggers SMS within 60 seconds, creates a pipeline opportunity valued at the lead's stated budget, notifies the agent, and escalates if unanswered
Speed to Lead - Seller	Same pattern, routed to the Seller pipeline with opportunity value from estimated property value; creates an internal task to prepare comparables
Missed Call Text Back	Automatic SMS within 30 seconds of any missed call, creating a contact record if none exists
Lead Scoring	Numeric score built from timeline, pre-approval status, engagement, and appointment activity; scores above threshold trigger an immediate agent alert

Appointment Booked	Confirmation messages, pipeline stage advance, and removal from all nurture sequences
Appointment Reminders	24-hour and 1-hour reminders scheduled relative to appointment start time
No-Show Recovery	Three-stage rebooking sequence; repeat no-shows are automatically moved to the nurture pipeline
Post-Appointment Follow-Up	Recap email plus an internal task; alerts the agent if the pipeline stage remains unchanged
Buyer Nurture	45-day sequence with exit conditions on reply or booking
Seller Nurture	45-day sequence with the same exit conditions
Database Reactivation	Quarterly re-engagement of cold contacts
Review Request	Triggered on closed deals; two-stage request via SMS then email
Stale Opportunity Alert	Daily check flagging any deal sitting in one stage beyond seven days
Unsubscribe / DND Handler	Detects opt-out keywords, applies do-not-contact status, and removes the contact from every active sequence

Two safeguards built into every workflow. First, all messaging workflows check for do-not-contact status before any send - this protects the client's phone number from carrier flagging. Second, every nurture sequence carries an exit condition, so a lead who books an appointment or replies stops receiving automated follow-up immediately.

3.8 Conversation AI

A Conversation AI agent handles inbound message qualification and appointment booking. Its business context is written entirely with merge fields, so it introduces itself with the correct agent name, brokerage, and service area on deployment without prompt editing.

The agent is configured to qualify on buying versus selling intent, timeline, budget, and pre-approval status, and to book directly into the buyer consultation calendar. Escalation rules hand off to the human agent when a lead asks about a specific property price, mentions a competing agent, or expresses frustration.

It ships in suggestive mode rather than full autopilot, so each client can review its responses before enabling autonomous operation.

> **Scope note:** Voice AI was not included in this build. The conversational agent operates across text channels only. Voice capability can be added in a later version if required.

3.9 Reporting

A performance dashboard covering leads by source, appointments booked, show rate, pipeline value by type, conversion rate, and deals closed. Because opportunity values auto-populate from the qualification fields, the client sees a live monetary pipeline figure rather than a count of records.

4. Deploying to a Client

Loading the snapshot transfers all configuration. The steps below are the items that cannot be carried in a snapshot and must be completed per client.

#	Step	Notes
1	Business profile and branding	Name, address, logo, timezone
2	Phone number and A2P 10DLC registration	**Start first** - carrier approval takes 1–7 days and SMS will not deliver until complete
3	Email sending domain	Connect provider, configure SPF, DKIM, DMARC records
4	Complete the 30 Custom Values	The step that rebrands the entire account - approximately 15 minutes
5	Add client users	Must be done before calendars can be assigned
6	Assign and connect calendars	Link each calendar to a user, connect Google Calendar, set real availability
7	Connect integrations	Google Business Profile, Facebook, Instagram, payment processor
8	Publish forms and funnels	Both arrive as drafts by design
9	Connect client domain	Then verify each funnel step path in both the page settings and the publishing tab
10	Supply client content	Testimonials, market data, case studies for the marked placeholder sections
11	Activate workflows	All workflows load in paused state
12	End-to-end test	Submit each form, book an appointment, verify messages send and merge fields resolve

What a snapshot does not carry

Snapshots transfer configuration, not live account state. The following are excluded by design and are accounted for in the checklist above: contacts, appointments, conversation history, message history, reputation data, payment processor connections, third-party integrations, phone numbers, and user accounts.

5. Design Decisions Worth Noting

Custom Values as the deployment mechanism

The single most consequential decision in the build. Thirty configuration values replace what would otherwise be several hundred manual edits per client. This is the difference between a snapshot that deploys in an hour and one that takes a full working day.

Lead type set by workflow rather than form field

GoHighLevel only permits hidden-field mode on single-line text fields, and the lead type and lead source fields are dropdowns. Rather than working around this with duplicate fields, both values are set by a workflow action immediately after the trigger. This is the more robust approach regardless - it also captures leads arriving by phone call, manual entry, or import, not only form submissions.

Email templates built in HTML

GoHighLevel offers no duplicate function for email templates, so the drag-and-drop builder would have required constructing twenty-two layouts individually. Building in the HTML code editor instead produced consistent rendering, identical structure across the library, and a significantly faster and more reliable build.

Placeholder values are deliberately obvious

All template values use clearly fictitious data - `+1 555 000 0000`, `Agent Placeholder`, `example.com`. A missed field during onboarding is then immediately visible, where a realistic-looking placeholder would pass inspection unnoticed and reach live client communications.

Reminders handled by workflow rather than calendar

Native calendar reminders were disabled in favour of workflow-driven reminders. This allows multi-channel reminders, confirmation requests, and escalation logic, and prevents leads receiving duplicate notifications from two systems.

6. Maintenance and Versioning

The master sub-account remains in place and should not be deleted. It is the source for all future snapshot versions.

- Snapshots do not update automatically - the snapshot must be refreshed after any change to the master account
- Refreshing a snapshot does not retroactively update client accounts already deployed from it
- Version numbering should be maintained across releases, with a changelog per version
- Minor fixes for individual live clients are best applied directly to that account; snapshot updates should be reserved for significant releases, as pushing updates can create duplicate assets

7. Suggested Next Steps

1. **Deploy to a pilot client and run it for 30 days.** Real usage surfaces issues no amount of internal testing will. The resulting fixes become v1.1 - the version worth offering commercially.
2. **Document the onboarding process as a standalone checklist.** Once written up, deployment can be delegated rather than requiring the original builder.
3. **Consider Voice AI as a v2 addition** if inbound call handling becomes a client requirement.
4. **Build a pre-loaded social media content library** as an optional value-add - high perceived value, low build cost.

8. Summary

The system is complete and ready for snapshot export. Every component is client-agnostic: no client name, phone number, city, or link appears as literal text anywhere in the account. Compliance requirements around SMS consent and opt-out handling are built in rather than added afterwards, and each automation carries safeguards against the common failure modes of automated outreach.

The result is a system that can be deployed repeatedly with predictable effort, and which delivers a complete lead-to-close operation on day one of a client engagement rather than after weeks of configuration.