



PARAS METALLURGICAL INDUSTRIES

Non-Ferrous Metals, Foundry Materials & Refractory Consumables
H.O: No.112, Tridev Co-op Premises Society Ltd, Bhakti Marg, Opp Balrajeshwar
Mandir, Mulund (W), Mumbai-400080, Maharashtra, INDIA
+91 9867626391 parasbhanushali@gmail.com

MSDS (Material Safety Data Sheet)

Product Code: PUREX 301N

Section 1: Product and Company Identification

Product Name: PUREX 301N

Company Name: PARAS METALLURGICAL INDUSTRIES

Add: No.112, Tridev Co-op Premises Society Ltd, Bhakti Marg, Mulund (w), Mumbai-400080,
Maharashtra State, INDIA

Tel: +91 9867626391

e-mail: parasbhanushali@gmail.com

Section 2: Composition/Information on Ingredients

Chemical Composition:

Chemical Symbol	Official Name	CAS No.	Contents (%)
Al ₂ O ₃	Alumina	1344-28-1	65
MgO	Magnesium Oxide	1309-48-4	5
SiO ₂	Silica	14808-60-7	15

Section 3: Hazards Identification

DOT Hazard Class: 4.1(Non-Flammable Solid) (UN 1309)

4.3 (Water Reactive/ Looses its properties when wet) (UN 1396)

Section 4: First Aid Measures

Eye Contact: flush eyes with plenty of water

If there's some symptom. Get medical attention

Skin Contact: flush skin with soap and water.

If there's some symptom, Get medical attention.

Inhalation: Take breath with fresh air. If there's some symptom, Get medical attention

Ingestion: Get medical attention

Section 5: Explosion & Fire Fighting Measures

- A. Flash Point: Dust clouds may appear if wet but non-explosive
- B. Spontaneous Combustion Point: Steady
- C. Explosion: None under safe storage practice and away from water/ moisture
- D. Fire Extinguishing Media: Let the fire douse by its own without external efforts.
- E. Extinguish Method and Equipment: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.
- F. Spread of the flames, Hazardous article: Do not use water, Foam, instead use Co2 or sand to prevent spreading fire and its hazards.

Section 6: Accidental Release Measures

Avoid ignition sources and prohibit smoking. Avoid use of water or wet materials. Pack in combustion free material and wash spillage with broom and do not use water.
In case of accidental release get rid of material by sweeping.

Section 7: Handling and Storage

- A. Safety handling point: Basic caution need for the chemical transportation. Keep away from moisture/ water/ wet materials/ freeze items.
- B. Storage point: Keep and stored in a dry, ventilated area at room temperature.
Keep the product without other product contained much moisture

Section 8: Exposure Controls/Personal Protection

- A. Engineering Management: ventilation needed
- B. Respiration protection: Wear dust mask for safety.
- C. Eye Protection: Wear protective goggles.
- D. Hands Protection: Wear protective gloves.
- E. Skin Protection: Wear general basic equipment when treating material
- F. Sanitation Caution: Avoid use of water and wet items
- G. Exposure standard: Avoid direct exposure to sun, water, wet objects and extreme cold temperatures.

Section 9: Physical and Chemical Properties

Appearance: Powder/ Coarse.
Color: Creame
Odor: Odorless.
Specific Gravity: 1.0~1.5g/cm³(20°C)
Flash point: 1900 °C
Vapor Pressure (mm Hg): No information found.

Section 10: Stability and Reactivity

Stable under safe storage and transportation practice.

Avoid contact with water/ moisture else it may lose its performing ability and basic property.

Section 11: Toxicological Information

Main Toxicological material: Low risk on inhalation. Considered biologically inert

Section 12: Environmental Effects

Aquatic life and environmental Toxic: None

Soil movement: None

Remnant and Resolution: None

Human Body Accumulation Possibility: None

Section 13: Disposal Cautions

According the local area, Disposal, Storage, Recycling is preferred.

Section 14: Transportation Information

No hazard material included which may be restricted by Domestic, International Railway, Air transportation, Vessel transportation as per international HS code definition of this material.

Section 15: Legal Restrictions

Dangerous Cargo (Goods) Indication: None need