

O Ring & Backup Ring Catalogue



Product Catalogue

O-Rings & Back Up Rings

O-Ring.981015 - D



The information contained in this catalogue is based on many years of experience in the fluid power industry, specifically in the manufacturing and application of fluid sealing and bearing systems. This information is a product of extensive in-house testing & vast international experience across all types of industries since 1959. However, unknown parameters and conditions may restrict general statements during usage.

We would be obliged to offer our recommendations and sealing solutions for your particular application. However, no warranty or guarantee is expressed since the conditions of use are beyond our control.

The proportions of all the seal ranges have been determined to give a satisfactory performance when used with the recommended operating conditions.

The material from which each seal type is made could be found in the description under each seal type.

Spareage is continuously improving its ranges and reserves the right to withdraw or modify any item shown in this catalogue without notice.

Dear Customer,

Spareage Seals Ltd. had its inception in 1959. Since the beginning, it has been specializing in the area of high pressure hydraulic and pneumatic seals, rotary seals, chevron packings, O-rings, bearing elements, etc. Today after investing nearly four decades into this specialized area of business with high emphasis on quality, innovation and customer support, Spareage Seals Ltd. can rightly claim leadership in its chosen line of business.

Our aspiration for constant growth and continuous improvement has led us to be equipped with the latest machinery for manufacturing. The manufacturing process is ably supported by state of the art testing laboratory and an advanced quality assurance system. The **ISO 9001 Certificate** for our company provides a testimony for the same.

Spareage always provides total quality products and service with emphasis on product quality and delivery period at a competitive price.

Spareage take pride in research and development activities. Pursuing new material and material combinations coupled with newer/improved processes and profiles, keeping in mind the end application for the seal is a continuous process here at Spareage. The technical collaboration with one of the leading Seal manufacturers of Europe, **UK Seals & Polymers Ltd.**, has provided a new impetus to the same.

Our dedicated services have ensured a high level of customer satisfaction for more than 900 clients. Some of our esteemed clients are in the Indian Defence Organization, Indian Railways, Steel Plants and Hydraulic Cylinder manufacturers, Automobile Industries, etc. A well established sales and service network covering 10 major Indian cities makes it possible for us to respond at a short notice.

It would be difficult to attempt a truly comprehensive coverage of all the seals manufactured by Spareage in a catalogue of limited pages. Our aim, therefore has been to provide a standard format to our customers to facilitate their seal selection process. We are presenting as many different profiles and sizes as feasible in this catalogue, though there are many more in our production range. We therefore encourage you to contact us with any specific requirement of yours even though it may not be covered in this catalogue. With more than 1,00,000 moulds in our stock, we are confident of meeting your requirements.

We look forward to render our products and services to you.

Yours truly,




U. S. Sabharwal,
Managing Director
(Spareage Seals Ltd.)



INDEX

Content	Page No.
Torodial Sealing Rings (O-Rings)	1
O-Ring Tolerances	2
O-Ring Inner, Outer & Axial Sealing	3
O-Ring for Triangular Grooves	5
O-Ring for Hydraulic Rotary Sealing	7
O-Ring for Pneumatic Axial Sealing	9
O-Ring Dimensions	11
O-Ring Cords	55
O-Ring Seal Kits	57
O-Ring P JIS B 2401	61
O-Ring G JIS B 2401	65
Causes of O-Ring failures & its countermeasures	67
Quad - Ring	68
Quad - Ring Inner, Outer & Axial Sealing	69
Quad - Ring Dimensions	70
Split (ESBU), Endless (EBU), Spiral (BU), Back Up Rings for Various Sealing Profiles	72
SAE Flange Seal	73
Spareage Sealing Material	74
Installation, Maintenance & O Ring Hook	76
Seal Engineering Request	77

SECTION : TOROIDAL SEALING RINGS (O-RINGS)



MATERIAL :

NT4/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 75°.

NT6/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 90°.

VT2/b - Fluororubber compound (Viton[®]) of approx. 'A' hardness 75°.

VT4/b - Fluororubber compound (Viton[®]) of approx. 'A' hardness 90°.

Spareage O-Rings are made from a wide variety of Elastomers & Thermoplastics viz. Flouro Rubber (Viton[®]), Silicon (VMQ), Polyurethane (PU), Poly tetra Fluoro Ethylene (P.T.F.E.), Acrylonitrile Butadiene Rubber (NBR), Neoprene (NP) etc.

As a standard material NBR is a general purpose material for O-Rings and is the most widely used sealing material. Spareage NBR O-Rings are available readily with Spareage in a standard hardness of shore 'A' 75° & shore 'A' 90°. The Spareage O-Ring compound NT4/b is NBR of shore 'A' 75° and withstand upto 100 BAR , 1450 P.S.I. pressure max. & a temperature of 100°C, where as NT6/b O-Rings of aprpx. 90° shore hardness withstand 200 BAR pressure maximum & temperature 100°C. For pressures in excess of 100 BAR / 1450 P.S.I. & high temperatures O-Rings of Fluoro Rubber (Viton[®]) compound of hardness shore 'A' 75° and resistance to a temp. upto -30°C +200°C and good pressure resistance. The VT4/b is a Fluoro Rubber (Viton[®]) compound of hardness shore 'A' 90°. Besides a resistance to temperature upto 200°C, it has excellent pressure resistance upto 350 BAR.

COMPATIBILITY :

NT4b standard O-Ring compound is compatabile with Mineral Oils, Bio Oils, Water Soluble & Water Glycol Fluids.

DETAILS :


The O-Rings seal is basically a device for closing (sealing) a gap or making a joint fluid tight. (The fluid in this case being either a gas or liquid).

SPAREAGE offers O-Rings for hydraulic, pneumatic & rotary application. O-Rings are normally suitable for stactic & slow reciprocating application (upto a speed of 20 cm/s). For rotary applications O-Rings may be used where peripheral speeds are exceptionally low. O-Rings can be used in the two sealing catagories. (1) **Static Seal** - Where the sealing takes place between surfaces which do not move relative to one another &

(2) **Dynamic Seal** - Where sealing takes place between surfaces which have relative movement eg. Reciprocating movement of a rod or a piston in a cylinder. O-Ring used for static sealing are zero leakage seals which aim at providing a complete physical barrier in a potential leakage path to which they are applied. The O-Ring material chosen must be resilient enough to flow into any irregularities in the surface being sealed at the same time rigid enough to withstand the pressure & resist extrusion in the GAP.


Any stress relaxation of the seal material may cause seal failure (which may cause creep into the clearance). All such O-Rings require an interference fit with one of the mating parts on the assembly.

The dynamic O-Ring performs sealing by imparting a preload pressure or squeeze providing sealing, due to the interference fit in a static condition. Under fluid pressure acting on one side of the seal through the clearance gap, the O-Ring section is deformed increasing the interface pressure by an equal amount to the fluid pressure. Thus if the preload pressure is P & the fluid pressure, the effective interface pressure under working conditions is $p + P$ (pl. ref. fig. no.II) because this is greater than the actual fluid pressure (P) sealing is maintained.



Viton[®] is a trademark of Du Pont

SECTION : O-RING TOLERANCES




Cross Section (mm) upto	Tolerance (mm)
1.80	± 0.08
2.65	± 0.09
3.55	± 0.10
5.30	± 0.13
7.00	± 0.15
8.00	± 0.18
10.00	± 0.21
12.00	± 0.25

ID (Inner ϕ)	Tol. \pm	ID (Inner ϕ)	Tol. \pm	ID (Inner ϕ)	Tol. \pm
1.80 - 2.79	0.13	71.00 - 72.99	0.63	236.00 - 242.90	1.79
2.80 - 4.86	0.14	73.00 - 74.99	0.64	243.00 - 249.90	1.83
4.87 - 6.69	0.15	75.00 - 77.49	0.66	250.00 - 257.90	1.88
6.70 - 8.75	0.16	77.50 - 79.99	0.67	258.00 - 264.90	1.93
8.76 - 10.59	0.17	80.00 - 82.49	0.69	265.00 - 271.90	1.98
10.60 - 11.79	0.18	82.50 - 84.99	0.71	272.00 - 279.90	2.02
11.80 - 14.99	0.19	85.00 - 87.49	0.73	280.00 - 289.90	2.08
15.00 - 16.99	0.20	87.50 - 89.99	0.75	290.00 - 299.90	2.14
17.00 - 18.99	0.21	90.00 - 92.49	0.77	300.00 - 306.90	2.21
19.00 - 21.19	0.22	92.50 - 94.99	0.79	307.00 - 314.90	2.25
21.20 - 22.39	0.23	95.00 - 97.49	0.81	315.00 - 324.90	2.30
22.40 - 24.99	0.24	97.50 - 99.99	0.83	325.00 - 334.90	2.37
25.00 - 25.79	0.25	100.00 - 102.90	0.84	335.00 - 344.90	2.43
28.00 - 29.99	0.26	103.00 - 105.90	0.87	345.00 - 354.90	2.49
30.00 - 31.49	0.28	106.00 - 108.90	0.89	355.00 - 364.90	2.56
31.50 - 32.49	0.29	109.00 - 111.90	0.91	365.00 - 374.90	2.62
32.50 - 34.49	0.31	112.00 - 114.90	0.93	375.00 - 386.90	2.68
34.50 - 35.49	0.33	115.00 - 117.90	0.95	387.00 - 399.90	2.76
35.50 - 36.49	0.34	118.00 - 121.90	0.97	400.00 - 411.90	2.84
36.50 - 37.49	0.35	122.00 - 124.90	1.00	412.00 - 424.90	2.91
37.50 - 38.69	0.36	125.00 - 127.90	1.03	425.00 - 436.90	2.99
38.70 - 39.99	0.37	128.00 - 131.90	1.05	437.00 - 449.90	3.07
40.00 - 41.19	0.38	132.00 - 135.90	1.08	450.00 - 461.90	3.15
41.20 - 42.49	0.39	136.00 - 139.90	1.10	462.00 - 474.90	3.22
42.50 - 43.69	0.40	140.00 - 144.90	1.13	475.00 - 486.90	3.30
43.70 - 44.99	0.41	145.00 - 149.90	1.17	487.00 - 499.90	3.37
45.00 - 46.19	0.42	150.00 - 154.90	1.20	500.00 - 514.90	3.45
46.20 - 47.49	0.43	155.00 - 159.90	1.24	515.00 - 529.90	3.54
47.50 - 48.69	0.44	160.00 - 164.90	1.27	530.00 - 544.90	3.63
48.70 - 49.99	0.45	165.00 - 169.90	1.31	545.00 - 559.90	3.72
50.00 - 51.49	0.46	170.00 - 174.90	1.34	560.00 - 579.90	3.81
51.50 - 52.99	0.47	175.00 - 179.90	1.38	580.00 - 599.90	3.93
53.00 - 54.49	0.48	180.00 - 184.90	1.41	600.00 - 614.90	4.05
54.50 - 55.99	0.50	185.00 - 189.90	1.44	615.00 - 629.90	4.13
56.00 - 57.99	0.51	190.00 - 194.90	1.48	630.00 - 649.90	4.22
58.00 - 59.99	0.52	195.00 - 199.90	1.51	650.00 - 669.90	4.34
60.00 - 61.49	0.54	200.00 - 205.90	1.55	670.00 - 689.90	4.46
61.50 - 62.99	0.55	206.00 - 211.90	1.59	≥ 690	0.65%
63.00 - 64.99	0.56	212.00 - 217.90	1.63		
65.00 - 66.99	0.58	218.00 - 223.90	1.67		
67.00 - 68.99	0.59	224.00 - 229.90	1.71		
69.00 - 70.99	0.61	230.00 - 235.90	1.75		


SECTION : O-RING INNER, OUTER & AXIAL SEALING

TYPE : STATIC SEALING



SURFACE ROUGHNESS : Static : $0.8\ \mu\text{mRa}$ Dynamic : $0.4\ \mu\text{mRa}$

Style O-Ring Metric Ordering Information (Dimensions in mm)




O-Ring C/S	Preferred Diameters Range d1/D1	Groove Depth		Groove Width L +0.20		Groove Width 1 Backup Ring L1 +0.25 I & II	Groove Width 2 Backup Ring L2 +0.25 I & II	Backup Ring Width L3
		Fig. I & II	Fig. III +0.10 -0.00	Fig. I & II	Fig. III			
1.00	1-10	0.80	0.75	1.40	1.60	2.40	3.40	1.00
1.50	10-15	1.20	1.10	2.00	2.20	3.00	4.00	1.00
1.78	15-20	1.35	1.25	2.40	2.60	3.40	4.40	1.00
2.00	20-50	1.55	1.45	2.70	2.90	3.70	4.70	1.00
2.50	20-50	1.95	1.85	3.40	3.60	4.90	6.40	1.50
2.62	20-50	2.00	1.90	3.60	3.80	5.10	6.60	1.50
3.00	50-80	2.35	2.25	4.10	4.30	5.50	7.00	1.50
3.50	50-80	2.75	2.65	4.80	5.00	6.30	7.80	1.50
3.53	50-80	2.80	2.70	4.80	5.00	6.50	7.80	1.50
4.00	80-250	3.20	3.10	5.30	5.50	6.80	8.30	1.50
4.50	80-250	3.60	3.70	6.15	6.20	8.15	10.15	2.00
5.00	80-250	4.10	4.00	6.60	6.80	8.60	10.60	2.00
5.33	80-250	4.25	4.35	7.20	7.40	9.20	11.20	2.00
5.70	250-500	4.60	4.70	7.50	7.70	10.00	12.50	2.50
6.00	250-500	4.90	5.00	8.00	8.20	10.50	13.00	2.50
6.50	250-500	5.35	5.45	8.60	8.80	11.10	13.60	2.50
6.99	250-500	5.80	5.90	9.30	9.50	11.80	14.30	2.50
7.00	250-500	5.80	5.70	9.40	9.60	11.90	14.40	2.50
7.50	300-500	6.25	6.15	10.00	10.20	13.00	16.00	3.00

SECTION : O-RING INNER, OUTER & AXIAL SEALING

TYPE : STATIC SEALING

Style O-Ring Metric Ordering Information (Dimensions in mm)



O-Ring C/S	Preferred Diameters Range d1/D1	Groove Depth		Groove Width L +0.20		Groove Width 1 Backup Ring L1 +0.25 I & II	Groove Width 2 Backup Ring L2 +0.25 I & II	Backup Ring Width L3
		Fig. I & II	Fig. III +0.10 -0.00	Fig. I & II	Fig. III			
8.00	300-500	6.70	6.50	10.80	11.00	13.80	16.80	3.00
8.40	300-500	7.10	6.90	11.20	11.40	14.20	17.20	3.00
8.50	300-500	7.15	7.00	11.30	11.50	14.30	17.30	3.00
9.00	400-800	7.60	7.40	12.00	12.20	15.00	18.00	3.00
9.50	400-800	8.05	7.85	12.60	12.80	16.10	19.60	3.50
10.00	≥ 400	8.45	8.25	13.50	13.70	19.00	22.50	3.50
10.50	≥ 400	9.00	8.80	14.10	14.30			
11.00	≥ 400	9.50	9.30	14.75	14.95			
11.50	≥ 400	10.00	9.80	15.45	15.65			
12.00	≥ 500	10.50	10.30	16.05	16.25			
12.50	≥ 500	10.95	10.75	16.60	16.80			
13.00	≥ 500	11.45	11.25	17.30	17.50			
13.50	≥ 500	11.95	11.75	17.90	18.10			
14.00	≥ 500	12.45	12.25	18.60	18.80			
14.50	≥ 500	12.95	12.75	19.25	19.45			
15.00	≥ 500	13.35	13.15	19.90	20.10			

DETAILS :

It is most important to choose the correct O-Ring dimensions (Grooves, Housing, Seals) to have an improved performance of the seals.

O-Rings sealing on outer diameter (see Pg.1 **Fig.I**) are expected to expand while seated on the Piston/Rod Groove to enable a tight fit generally 3 to 5% less than the actual groove dia.

Similarly, the O-Ring sealing on the inner dia is expected to have an interference fit with the nominal housing generally 2% to 4% higher on the outer dia. The O-Ring must always be seated in the end of the pressure side in the groove.


Similarly for face sealing O-Rings (Please see Page1 **Fig.III**), the outer diameter is required to have an interference fit with the outer dia. D1 in **Fig.II**, or the same dia. as D1 when pressurised internally.

Specification for 'O' Rings according to following standards -

- 1) IS:9975 (Part 1) : Dimensions
- 2) IS:9975 (Part 2) : Material Selection & Quality acceptance criteria.
- 3) IS:9975 (Part 3) : Housing Dimensions , Tolerances and Design Criteria for Standard application.

SECTION : O-RING FOR TRIANGULAR GROOVES

TYPE : STATIC SEALING



APPLICATION :

SPAREAGE O-RING FOR INSTALLATION IN A TRIANGULAR GROOVE

MATERIAL :

NT4/b - Acrylonitrile Butadiene Rubber (NBR) compound of appox. shore 'A' hardness 75°.

NT6/b - Acrylonitrile Butadiene Rubber (NBR) compound of appox. shore 'A' hardness 90°.

VT2/b - Fluororubber compound (Viton[®]) of appox. shore 'A' hardness 75°.

VT4/b - Fluororubber compound (Viton[®]) of appox. shore 'A' hardness 90°.

MAX. OPERATING CONDITIONS :

Temp : -30°C to +100°C (Upto 200°C for Viton[®] compound)

Pressure : 160 BAR (depending on material)

MAX. SURFACE ROUGHNESS :

Static : 0.8 µmRa

Dynamic : 0.4 µmRa

COMPATIBILITY :

Refer Spareage Sealing Material on page no 74.



DETAILS :

Triangular shape groove is useful when there are limitations for others. Triangular grooves may be used for threaded flanges or end caps. The following table gives the Triangular groove dimensions and tolerances against O'ring cross sections.

SECTION : O-RING FOR TRIANGULAR GROOVES

TYPE : STATIC SEALING


Groove sizes for O-Ring installation in Triangular Groove.



O-Ring C/S	Tolerance ± C/S	Groove Width W	Tolerance W
1.00	0.02	1.42	
1.50	0.02	2.08	
1.60	0.08	2.16	+ 0.08
1.78	0.08	2.46	
2.00	0.09	2.72	
2.40	0.09	3.31	
2.50	0.09	3.41	+ 0.12
2.62	0.09	3.61	
3.00	0.10	4.00	
3.50	0.10	4.82	
3.53	0.10	4.86	
4.00	0.13	5.46	+ 0.20
4.50	0.13	6.19	
5.00	0.13	6.83	
5.33	0.13	7.32	
5.50	0.13	7.52	
5.70	0.15	7.83	
6.00	0.15	8.20	
6.50	0.15	8.93	
6.99	0.15	9.56	
7.00	0.15	9.61	
7.50	0.18	10.26	
8.00	0.18	10.98	
8.40	0.21	11.49	+ 0.40
8.50	0.21	11.67	
9.00	0.21	12.31	
9.50	0.21	13.04	
10.00	0.21	13.68	
10.50	0.25	14.41	
11.00	0.25	15.05	
11.50	0.25	15.78	
12.00	0.25	16.42	
12.50	0.25	17.15	
13.00	0.30	17.79	+ 0.40
13.50	0.30	18.53	
14.00	0.30	19.16	
14.50	0.30	19.89	
15.00	0.30	20.53	

SECTION : O-RING FOR HYDRAULIC ROTARY SEALING

TYPE : STATIC SEALING



APPLICATION :

SPAREAGE O-RING FOR HYDRAULICS WITH ROTARY / LINEAR MOVEMENT

MATERIAL :

NT4/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 75°.

NT6/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 90°.

VT2/b - Fluororubber compound (Viton[®]) of approx. shore 'A' hardness 75°.

VT4/b - Fluororubber compound (Viton[®]) of approx. shore 'A' hardness 90°.

MAX. OPERATING CONDITIONS :

Temp : -30°C to +100°C (Upto 200°C for Viton[®] compound)

Pressure : 160 BAR (depending on material)

MAX. SURFACE ROUGHNESS :

Static : 0.8 µmRa

Dynamic : 0.4 µmRa

COMPATIBILITY :

Refer Spareage Sealing material on page 74.




DETAILS :

Instead of using various types of complicated seals, due to their ready availability and small manufacturing cost. O'rings, are a cheap solution for sealing devices with Axial movement. The following table shows recommended groove dimensions.

SECTION : O-RING FOR HYDRAULIC ROTARY SEALING

TYPE : STATIC SEALING


Groove sizes for O-Ring installation Hydraulics with Rotary / Linear movement.



O-Ring C/S	Tolerance ± C/S	Groove Depth D	Groove Width W
1.50	0.02	1.30	1.88
1.78	0.08	1.59	2.15
2.00	0.09	1.74	2.46
2.40	0.09	2.13	2.86
2.50	0.09	2.18	3.10
2.62	0.09	2.33	3.11
3.00	0.10	2.62	3.59
3.50	0.10	3.10	4.11
3.53	0.10	3.09	4.18
4.00	0.13	3.54	4.74
4.50	0.13	3.94	5.33
5.00	0.13	4.42	5.85
5.33	0.13	4.72	6.44
5.50	0.13	4.92	6.64
5.70	0.15	5.05	6.91
6.00	0.15	5.36	7.21
6.50	0.15	5.77	7.83
6.99	0.15	6.24	8.35
7.00	0.15	6.21	8.40
7.50	0.18	6.70	8.96
8.00	0.18	7.10	9.60
8.50	0.21	7.59	10.15
9.00	0.21	8.00	10.79
9.50	0.21	8.48	11.35
10.00	0.21	8.88	12.00

SECTION : O-RING FOR PNEUMATIC AXIAL SEALING

TYPE : DYNAMIC SEALING



APPLICATION :

SPAREAGE O-RING FOR PNEUMATIC-AXIAL MOVEMENT WITH RADIAL COMPRESSION OF THE O-RING

MATERIAL :

NT4/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 75°.

NT6/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 90°.

VT2/b - Fluororubber compound (Viton[®]) of approx. shore 'A' hardness 75°.

VT4/b - Fluororubber compound (Viton[®]) of approx. shore 'A' hardness 90°.

MAX. OPERATING CONDITIONS :

Temp : -30°C to +100°C (Upto 200°C for Viton[®] compound)

Pressure : 160 BAR (depending on material)

MAX. SURFACE ROUGHNESS :

Static : 0.8 µmRa

Dynamic : 0.4 µmRa

COMPATIBILITY :

Refer Spareage Sealing material on page 74.




DETAILS :

Instead of using various types of complicated seals, due to their ready availability and small manufacturing cost. O'rings, are a cheap solution for sealing devices with Axial movement. The following table shows recommended groove dimensions.

SECTION : O-RING FOR PNEUMATIC AXIAL SEALING

TYPE : DYNAMIC SEALING

Groove sizes for O-Ring installation Pneumatics / Axial movement / Radial Compression



O-Ring C/S	Tolerance ± C/S	Groove Depth D	Groove Width W
1.50	0.02	1.33	1.84
1.78	0.08	1.62	2.10
2.00	0.09	1.78	2.40
2.40	0.09	2.18	2.80
2.50	0.09	2.23	2.95
2.62	0.09	2.38	3.04
3.00	0.10	2.68	3.50
3.50	0.10	3.17	4.02
3.53	0.10	3.16	4.09
4.00	0.13	3.58	4.63
4.50	0.13	4.21	5.05
5.00	0.13	4.63	5.54
5.33	0.13	4.98	6.16
5.50	0.13	5.10	6.35
5.70	0.15	5.32	6.61
6.00	0.15	5.56	6.90
6.50	0.15	6.07	7.49
6.99	0.15	6.48	8.00
7.00	0.15	6.53	8.06
7.50	0.18	7.11	8.39
8.00	0.18	7.62	8.99
8.50	0.21	8.06	9.51
9.00	0.21	8.57	10.11
9.50	0.21	9.00	10.58
10.00	0.21	9.52	11.16

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR10000100	1.00	1.00	OR17500300	3.00	1.75	OR12700390	3.90	1.27	OR15000470	4.70	1.50
OR12500100	1.00	1.25	OR18000300	3.00	1.80	OR15800396	3.96	1.58	OR16000470	4.70	1.60
OR15000100	1.00	1.50	OR18500300	3.00	1.85	OR47600396	3.96	4.76	OR17000470	4.70	1.70
OR20000100	1.00	2.00	OR19000300	3.00	1.90	OR10000400	4.00	1.00	OR19000470	4.70	1.90
OR12000107	1.07	1.20	OR20000300	3.00	2.00	OR11000400	4.00	1.10	OR32000470	4.70	3.20
OR12700107	1.07	1.27	OR21000300	3.00	2.10	OR12000400	4.00	1.20	OR40000470	4.70	4.00
OR26200124	1.24	2.62	OR22000300	3.00	2.20	OR13000400	4.00	1.30	OR26200475	4.75	2.62
OR12000130	1.30	1.20	OR22500300	3.00	2.25	OR15000400	4.00	1.50	OR11400476	4.76	1.14
OR15200142	1.42	1.52	OR25000300	3.00	2.50	OR16000400	4.00	1.60	OR15800476	4.76	1.58
OR15000150	1.50	1.50	OR30000300	3.00	3.00	OR17000400	4.00	1.70	OR17800476	4.76	1.78
OR18000150	1.50	1.80	OR32000300	3.00	3.20	OR17500400	4.00	1.75	OR15000480	4.80	1.50
OR10000160	1.60	1.00	OR35000300	3.00	3.50	OR18000400	4.00	1.80	OR18000480	4.80	1.80
OR13500160	1.60	1.35	OR17800302	3.02	1.78	OR18004000	4.00	1.80	OR19000480	4.80	1.90
OR16000160	1.60	1.60	OR15000310	3.10	1.50	OR20000400	4.00	2.00	OR22000480	4.80	2.20
OR12500175	1.75	1.25	OR16000310	3.10	1.60	OR24000400	4.00	2.40	OR24000480	4.80	2.40
OR15000175	1.75	1.50	OR23000310	3.10	2.30	OR25000400	4.00	2.50	OR16000490	4.90	1.60
OR17800178	1.78	1.78	OR15800317	3.17	1.58	OR26000400	4.00	2.60	OR19000490	4.90	1.90
OR11000180	1.80	1.10	OR60000325	3.25	6.00	OR30000400	4.00	3.00	OR20000490	4.90	2.00
OR19000180	1.80	1.90	OR24000330	3.30	2.40	OR40000400	4.00	4.00	OR30000490	4.90	3.00
OR10000190	1.90	1.00	OR16000335	3.35	1.60	OR50000400	4.00	5.00	OR10000500	5.00	1.00
OR17800194	1.94	1.78	OR17800335	3.35	1.78	OR17800409	4.09	1.78	OR12000500	5.00	1.20
OR10000200	2.00	1.00	OR10000340	3.40	1.00	OR12000410	4.10	1.20	OR15000500	5.00	1.50
OR12500200	2.00	1.25	OR15000345	3.45	1.50	OR16000410	4.10	1.60	OR16000500	5.00	1.60
OR15000200	2.00	1.50	OR10000350	3.50	1.00	OR10000420	4.20	1.00	OR17500500	5.00	1.75
OR16500200	2.00	1.65	OR12000350	3.50	1.20	OR18000420	4.20	1.80	OR17800500	5.00	1.78
OR20000200	2.00	2.00	OR12500350	3.50	1.25	OR21000420	4.20	2.10	OR18000500	5.00	1.80
OR30000200	2.00	3.00	OR14000350	3.50	1.40	OR12000425	4.25	1.20	OR18500500	5.00	1.85
OR26200206	2.06	2.62	OR15000350	3.50	1.50	OR18000426	4.26	1.80	OR19000500	5.00	1.90
OR17800209	2.09	1.78	OR17500350	3.50	1.75	OR10000430	4.30	1.00	OR20000500	5.00	2.00
OR10000226	2.26	1.00	OR17800350	3.50	1.78	OR15000430	4.30	1.50	OR22500500	5.00	2.25
OR15000240	2.40	1.50	OR18000350	3.50	1.80	OR24000430	4.30	2.40	OR25000500	5.00	2.50
OR17000240	2.40	1.70	OR20000350	3.50	2.00	OR20000434	4.34	2.00	OR27000500	5.00	2.70
OR07000250	2.50	1.70	OR25000350	3.50	2.50	OR35300434	4.34	3.53	OR30000500	5.00	3.00
OR08000250	2.50	1.80	OR30000350	3.50	3.00	OR15000440	4.40	1.50	OR35000500	5.00	3.50
OR12500250	2.50	1.25	OR15000360	3.60	1.50	OR18000440	4.40	1.80	OR40000500	5.00	4.00
OR15000250	2.50	1.50	OR17000360	3.60	1.70	OR19000440	4.40	1.90	OR16000510	5.10	1.60
OR18000250	2.50	1.80	OR17800360	3.60	1.78	OR26000440	4.40	2.60	OR23000510	5.10	2.30
OR20000250	2.50	2.00	OR18000360	3.60	1.80	OR26200442	4.42	2.62	OR15900516	5.16	1.59
OR25000250	2.50	2.50	OR22000360	3.60	2.20	OR17800447	4.47	1.78	OR16000520	5.20	1.60
OR17800257	2.57	1.78	OR23000360	3.60	2.30	OR22804470	4.47	2.28	OR17500520	5.20	1.75
OR10000260	2.60	1.00	OR26200363	3.63	2.62	OR10000450	4.50	1.00	OR20000520	5.20	2.00
OR12000260	2.60	1.20	OR17800368	3.68	1.78	OR12500450	4.50	1.25	OR24000520	5.20	2.40
OR15000260	2.60	1.50	OR10000370	3.70	1.00	OR15000450	4.50	1.50	OR26200523	5.23	2.62
OR15000280	2.80	1.50	OR17000370	3.70	1.70	OR16000450	4.50	1.60	OR17800528	5.28	1.78
OR16000280	2.80	1.60	OR23000370	3.70	2.30	OR17000450	4.50	1.70	OR16000530	5.30	1.60
OR19000280	2.80	1.90	OR17500375	3.75	1.75	OR18000450	4.50	1.80	OR17500530	5.30	1.75
OR26200284	2.84	2.62	OR18000375	3.75	1.80	OR18000450	4.50	1.80	OR22500530	5.30	2.25
OR17800290	2.90	1.78	OR20000375	3.75	2.00	OR19000450	4.50	1.90	OR24000530	5.30	2.40
OR10000300	3.00	1.00	OR15000380	3.80	1.50	OR20000450	4.50	2.00	OR14000540	5.40	1.40
OR12500300	3.00	1.25	OR15500380	3.80	1.55	OR25000450	4.50	2.50	OR18000540	5.40	1.80
OR14000300	3.00	1.40	OR17000380	3.80	1.70	OR32000450	4.50	3.20	OR24000540	5.40	2.40
OR15000300	3.00	1.50	OR19000380	3.80	1.90	OR17000460	4.60	1.70	OR28000540	5.40	2.80
OR16000300	3.00	1.60	OR20000380	3.80	2.00	OR18000460	4.60	1.80	OR10000550	5.50	1.00
OR17000300	3.00	1.70	OR12000390	3.90	1.20	OR11400467	4.67	1.14	OR13000550	5.50	1.30

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR15000550	5.50	1.50	OR18000620	6.20	1.80	OR15000710	7.10	1.50	OR14000770	7.70	1.40
OR17000550	5.50	1.70	OR24000620	6.20	2.40	OR16000710	7.10	1.60	OR16000770	7.70	1.60
OR18000550	5.50	1.80	OR16000630	6.30	1.60	OR18000710	7.10	1.80	OR17000770	7.70	1.70
OR20000550	5.50	2.00	OR18000630	6.30	1.80	OR24000710	7.10	2.40	OR17800770	7.70	1.78
OR22500550	5.50	2.25	OR18500630	6.30	1.85	OR26200710	7.10	2.62	OR19000770	7.70	1.90
OR23000550	5.50	2.30	OR24000630	6.30	2.40	OR12000720	7.20	1.20	OR20000770	7.70	2.00
OR25000550	5.50	2.50	OR32000630	6.30	3.20	OR14000720	7.20	1.40	OR45000770	7.70	4.50
OR30000550	5.50	3.00	OR15800635	6.35	1.58	OR15000720	7.20	1.50	OR17500775	7.75	1.75
OR35000550	5.50	3.50	OR16000635	6.35	1.60	OR17800720	7.20	1.78	OR17000780	7.80	1.70
OR43500550	5.50	4.35	OR26200635	6.35	2.62	OR18000720	7.20	1.80	OR19000780	7.80	1.90
OR15800555	5.55	1.58	OR31700635	6.35	3.17	OR19000720	7.20	1.90	OR20000780	7.80	2.00
OR12000560	5.60	1.20	OR41000635	6.35	4.10	OR20000720	7.20	2.00	OR24000780	7.80	2.40
OR18000560	5.60	1.80	OR47500635	6.35	4.75	OR32000720	7.20	3.20	OR10000782	7.82	1.00
OR20000560	5.60	2.00	OR18000640	6.40	1.80	OR26200725	7.25	2.62	OR17800786	7.86	1.78
OR23000560	5.60	2.30	OR13000650	6.50	1.30	OR15000730	7.30	1.50	OR26200787	7.87	2.62
OR25000560	5.60	2.50	OR15000650	6.50	1.50	OR16000730	7.30	1.60	OR16000790	7.90	1.60
OR11200570	5.70	1.12	OR16000650	6.50	1.60	OR23000730	7.30	2.30	OR18000790	7.90	1.80
OR19000570	5.70	1.90	OR17800650	6.50	1.78	OR24000730	7.30	2.40	OR16000792	7.92	1.60
OR19000570	5.70	1.90	OR18000650	6.50	1.80	OR17000740	7.40	1.70	OR15800793	7.93	1.58
OR23000570	5.70	2.30	OR19000650	6.50	1.90	OR23000740	7.40	2.30	OR15900793	7.93	1.59
OR24000570	5.70	2.30	OR20000650	6.50	2.00	OR17800744	7.44	1.78	OR15900794	7.94	1.59
OR17800577	5.77	1.78	OR25000650	6.50	2.50	OR24800749	7.49	2.48	OR10000800	8.00	1.00
OR10000580	5.80	1.00	OR32000650	6.50	3.20	OR10000750	7.50	1.00	OR12500800	8.00	1.25
OR15000580	5.80	1.50	OR11000655	6.55	1.10	OR12500750	7.50	1.25	OR15000800	8.00	1.50
OR16000580	5.80	1.60	OR24000660	6.60	2.40	OR15000750	7.50	1.50	OR16000800	8.00	1.60
OR17800580	5.80	1.78	OR17800665	6.65	1.78	OR16000750	7.50	1.60	OR17500800	8.00	1.75
OR19000580	5.80	1.90	OR17000670	6.70	1.70	OR17000750	7.50	1.70	OR17800800	8.00	1.78
OR20000580	5.80	2.00	OR22000670	6.70	2.20	OR17200750	7.50	1.72	OR18000800	8.00	1.80
OR25000580	5.80	2.50	OR26200670	6.70	2.62	OR17500750	7.50	1.75	OR18000080	8.00	1.80
OR35300594	5.94	3.53	OR17800675	6.75	1.78	OR18000750	7.50	1.80	OR20000800	8.00	2.00
OR10000600	6.00	1.00	OR17800680	6.80	1.78	OR20000750	7.50	2.00	OR22000800	8.00	2.20
OR12500600	6.00	1.25	OR19000680	6.80	1.90	OR21000750	7.50	2.10	OR23000800	8.00	2.30
OR15000600	6.00	1.50	OR20000680	6.80	2.00	OR22500750	7.50	2.25	OR25000800	8.00	2.50
OR16000600	6.00	1.60	OR17800686	6.86	1.78	OR25000750	7.50	2.50	OR25000800	8.00	2.50
OR17000600	6.00	1.70	OR18600686	6.86	1.86	OR26200750	7.50	2.62	OR30000800	8.00	3.00
OR17500600	6.00	1.75	OR15000690	6.90	1.50	OR30000750	7.50	3.00	OR35000800	8.00	3.50
OR17800600	6.00	1.78	OR18000690	6.90	1.80	OR35300752	7.52	3.53	OR40000800	8.00	4.00
OR18000600	6.00	1.80	OR20000690	6.90	2.00	OR26200759	7.59	2.62	OR45000800	8.00	4.50
OR19000600	6.00	1.90	OR10000700	7.00	1.00	OR13000760	7.60	1.30	OR55000800	8.00	5.50
OR20000600	6.00	2.00	OR12500700	7.00	1.25	OR15000760	7.60	1.50	OR16000810	8.10	1.60
OR22500600	6.00	2.25	OR15000700	7.00	1.50	OR17200760	7.60	1.72	OR19000810	8.10	1.90
OR25000600	6.00	2.50	OR17000700	7.00	1.70	OR18000760	7.60	1.80	OR26000810	8.10	2.60
OR27500600	6.00	2.75	OR17500700	7.00	1.75	OR23000760	7.60	2.30	OR26500810	8.10	2.65
OR30000600	6.00	3.00	OR18000700	7.00	1.80	OR24000760	7.60	2.40	OR15000820	8.20	1.50
OR40000600	6.00	4.00	OR19000700	7.00	1.90	OR25000760	7.60	2.50	OR19000820	8.20	1.90
OR26200602	6.02	2.62	OR20000700	7.00	2.00	OR26200760	7.60	2.62	OR18000825	8.25	1.80
OR17500606	6.06	1.75	OR20000700	7.00	2.00	OR17800764	7.64	1.78	OR14000830	8.30	1.40
OR17000607	6.07	1.70	OR22500700	7.00	2.25	OR15000765	7.65	1.50	OR15000830	8.30	1.50
OR17800607	6.07	1.78	OR25000700	7.00	2.50	OR16300765	7.65	1.63	OR17000830	8.30	1.70
OR16000610	6.10	1.60	OR28000700	7.00	2.80	OR17800765	7.65	1.78	OR17800830	8.30	1.78
OR24000610	6.10	2.40	OR30000700	7.00	3.00	OR20000765	7.65	2.00	OR24000830	8.30	2.40
OR16900615	6.15	1.69	OR35000700	7.00	3.50	OR26200765	7.65	2.62	OR10000840	8.40	1.00
OR18900615	6.15	1.89	OR40000700	7.00	4.00	OR17800766	7.66	1.78	OR15000840	8.40	1.50
OR16000620	6.20	1.60	OR50000700	7.00	5.00	OR18000766	7.66	1.80	OR18000840	8.40	1.80

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR19000840	8.40	1.90	OR17500900	9.00	1.75	OR15000950	9.50	1.50	OR26200993	9.93	2.62
OR12000842	8.42	1.20	OR17800900	9.00	1.78	OR16000950	9.50	1.60	OR10001000	10.00	1.00
OR15000850	8.50	1.50	OR18000900	9.00	1.80	OR17000950	9.50	1.70	OR15001000	10.00	1.50
OR17000850	8.50	1.70	OR19000900	9.00	1.90	OR17500950	9.50	1.75	OR16001000	10.00	1.60
OR18000850	8.50	1.80	OR20000900	9.00	2.00	OR17800950	9.50	1.78	OR17001000	10.00	1.70
OR20000850	8.50	2.00	OR22000900	9.00	2.20	OR18000950	9.50	1.80	OR17801000	10.00	1.78
OR22500850	8.50	2.25	OR22400900	9.00	2.24	OR20000950	9.50	2.00	OR18001000	10.00	1.80
OR25000850	8.50	2.50	OR23000900	9.00	2.30	OR25000950	9.50	2.50	OR19001000	10.00	1.98
OR26500850	8.50	2.65	OR25000900	9.00	2.50	OR26000950	9.50	2.60	OR20001000	10.00	2.00
OR27000850	8.50	2.70	OR30000900	9.00	3.00	OR27000950	9.50	2.70	OR21001000	10.00	2.10
OR27500850	8.50	2.75	OR35000900	9.00	3.50	OR30000950	9.50	3.00	OR22000100	10.00	2.20
OR32000850	8.50	3.20	OR40000900	9.00	4.00	OR32000950	9.50	3.20	OR22001000	10.00	2.20
OR35000850	8.50	3.50	OR42500900	9.00	4.25	OR35000950	9.50	3.50	OR22501000	10.00	2.25
OR45000850	8.50	4.50	OR45000900	9.00	4.50	OR37500950	9.50	3.75	OR23001000	10.00	2.30
OR69900850	8.50	6.99	OR55000900	9.00	5.50	OR39500950	9.50	3.95	OR23501000	10.00	2.35
OR16000860	8.60	1.60	OR16000910	9.10	1.60	OR41500950	9.50	4.15	OR24001000	10.00	2.40
OR19000860	8.60	1.90	OR17500910	9.10	1.75	OR47000950	9.50	4.70	SOR25001000	10.00	2.50
OR20000860	8.60	2.00	OR18500910	9.10	1.85	OR50000950	9.50	5.00	OR26001000	10.00	2.60
OR22000860	8.60	2.20	OR19000910	9.10	1.90	OR60000950	9.50	6.00	OR26201000	10.00	2.62
OR24000860	8.60	2.40	OR23800912	9.12	2.38	OR15800952	9.52	1.58	OR2650100-	10.00	2.65
OR30000860	8.60	3.00	OR35300912	9.12	3.53	OR15900952	9.52	1.59	OR27501000	10.00	2.75
OR30000860	8.60	3.00	OR26200917	9.17	2.62	OR16500952	9.52	1.65	OR28001000	10.00	2.80
OR18000869	8.69	1.80	OR26200919	9.19	2.62	OR17100952	9.52	1.71	OR30001000	10.00	3.00
OR15000870	8.70	1.50	OR15000920	9.20	1.50	OR23700952	9.52	2.37	OR32001000	10.00	3.20
OR16000870	8.70	1.60	OR17000920	9.20	1.70	OR23800952	9.52	2.38	OR33001000	10.00	3.30
OR17000870	8.70	1.70	OR17800920	9.20	1.78	OR16000953	9.53	1.60	OR35001000	10.00	3.50
OR17500870	8.70	1.75	OR24000920	9.20	2.40	OR15000960	9.60	1.50	OR40001000	10.00	4.00
OR17800870	8.70	1.78	OR26000920	9.20	2.60	OR20000960	9.60	2.00	OR45001000	10.00	4.50
OR20000870	8.70	2.00	OR26200920	9.20	2.60	OR23000960	9.60	2.30	OR50001000	10.00	5.00
OR26200870	8.70	2.62	OR26200920	9.20	2.62	OR24000960	9.60	2.40	OR60001000	10.00	6.00
OR15900873	8.73	1.59	OR17800924	9.24	1.78	OR32000960	9.60	3.20	OR11401003	10.03	1.14
OR17800873	8.73	1.78	OR10000925	9.25	1.00	OR22900965	9.65	2.29	OR10001010	10.10	1.00
OR19800873	8.73	1.98	OR15000925	9.25	1.50	OR16000970	9.70	1.60	OR16001010	10.10	1.60
OR17800874	8.74	1.78	OR17500925	9.25	1.75	OR17000970	9.70	1.70	OR17801010	10.10	1.78
OR15000880	8.80	1.50	OR17800925	9.25	1.78	OR23000970	9.70	2.30	OR13001020	10.20	1.30
OR18000880	8.80	1.80	OR18000925	9.25	1.80	OR14000975	9.75	1.40	OR25001020	10.20	2.50
OR19000880	8.80	1.90	OR20000925	9.25	2.00	OR17800975	9.75	1.78	OR25001020	10.20	2.50
OR20000880	8.80	2.00	OR13500930	9.30	1.35	OR15000980	9.80	1.50	OR65001020	10.20	6.50
OR26000880	8.80	2.60	OR15000930	9.30	1.50	OR19000980	9.80	1.90	OR14001025	10.25	1.40
OR26200880	8.80	2.62	OR16000930	9.30	1.60	OR20000980	9.80	2.00	OR20001025	10.25	2.00
OR38000880	8.80	3.80	OR16600930	9.30	1.66	OR23000980	9.80	2.30	OR17801028	10.28	1.78
OR17800886	8.86	1.78	OR17000930	9.30	1.70	OR24000980	9.80	2.40	OR17001030	10.30	1.70
OR18300890	8.90	1.83	OR17500930	9.30	1.75	OR26000980	9.80	2.60	OR24001030	10.30	2.40
OR19000890	8.90	1.90	OR17800930	9.30	1.78	OR27000980	9.80	2.70	OR39001030	10.30	3.90
OR26500890	8.90	2.65	OR24000930	9.30	2.40	OR36000980	9.80	3.60	OR42001030	10.30	4.20
OR27000890	8.90	2.70	OR25000930	9.30	2.50	OR15000981	9.81	1.50	OR10001040	10.40	1.00
OR18300892	8.92	1.80	OR27000930	9.30	2.70	OR17800981	9.81	1.78	OR20001040	10.40	2.00
OR18300892	8.92	1.83	OR17800932	9.32	1.78	OR26200983	9.83	2.62	OR53301046	10.46	5.33
OR18600892	8.92	1.86	OR15000940	9.40	1.50	OR15000989	9.89	1.50	OR10001050	10.50	1.00
OR10000900	9.00	1.00	OR21000940	9.40	2.10	OR11000990	9.90	1.10	OR15001050	10.50	1.50
OR12500900	9.00	1.25	OR22900940	9.40	2.29	OR22000990	9.90	2.20	OR17501050	10.50	1.75
OR15000900	9.00	1.50	OR25000940	9.40	2.50	OR26200990	9.90	2.62	OR18001050	10.50	1.80
OR17000900	9.00	1.70	OR28000940	9.40	2.80	OR13500991	9.91	1.35	OR20001050	10.50	2.00
OR17000900	9.00	1.70	OR12500950	9.50	1.25	OR26200992	9.92	2.62	OR22501050	10.50	2.25

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR23001050	10.50	2.30	OR27001100	11.00	2.70	OR20001170	11.70	2.00	OR16001210	12.10	1.60
OR24001050	10.50	2.40	OR28001100	11.00	2.80	OR15001176	11.76	1.50	OR23001210	12.10	2.30
OR25001050	10.50	2.50	OR30001100	11.00	3.00	OR15001180	11.80	1.50	OR27001210	12.10	2.70
OR27001050	10.50	2.70	OR35001100	11.00	3.50	OR16001180	11.80	1.60	OR52501210	12.10	5.25
OR30001050	10.50	3.00	OR40001100	11.00	4.00	OR17501180	11.80	1.75	OR22501211	12.11	2.25
OR35001050	10.50	3.50	OR45001100	11.00	4.50	OR17801180	11.80	1.78	OR20001220	12.20	2.00
OR40001050	10.50	4.00	OR50001100	11.00	5.00	OR18001180	11.80	1.80	OR21501225	12.25	2.15
OR18001052	10.52	1.80	OR16001110	11.10	1.60	OR19001180	11.80	1.90	OR35301229	12.29	3.53
OR18301052	10.52	1.83	OR17801110	11.10	1.78	OR19801180	11.80	1.98	OR15001230	12.30	1.50
OR15001060	10.60	1.50	OR24001110	11.10	2.40	OR20001180	11.80	2.00	OR24001230	12.30	2.40
OR18001060	10.60	1.80	OR17801111	11.11	1.78	OR20001180	11.80	2.00	OR26001230	12.30	2.60
OR18001060	10.60	1.80	OR23801111	11.11	2.38	OR22501180	11.80	2.25	OR26201236	12.36	2.62
OR24001060	10.60	2.40	OR15001120	11.20	1.50	OR24001180	11.80	2.40	OR25901237	12.37	2.59
OR25001060	10.60	2.50	OR24001120	11.20	2.40	OR26001180	11.80	2.60	OR26201237	12.37	2.62
OR28001060	10.60	2.80	OR26501120	11.20	2.65	OR26201180	11.80	2.62	OR13001240	12.40	1.30
OR17801062	10.62	1.78	OR28001120	11.20	2.80	OR30001180	11.80	3.00	OR15001240	12.40	1.50
OR19001066	10.66	1.98	OR30001126	11.26	3.00	OR36001180	11.80	3.60	OR17801240	12.40	1.78
OR19801066	10.66	1.98	OR13001130	11.30	1.30	OR17801189	11.89	1.78	OR19001240	12.40	1.90
OR35301069	10.69	3.53	OR18001130	11.30	1.80	OR19801189	11.89	1.98	OR20001240	12.40	2.00
OR17001070	10.70	1.70	OR21501130	11.30	2.15	OR18001190	11.90	1.80	OR24001240	12.40	2.40
OR18001070	10.70	1.80	OR22001130	11.30	2.20	OR18501190	11.90	1.85	OR17801242	12.42	1.78
OR22501070	10.70	2.25	OR24001130	11.30	2.40	OR19001190	11.90	1.90	OR26201242	12.42	2.62
OR28001070	10.70	2.80	OR26201130	11.30	2.62	OR19201190	11.90	1.92	OR10001250	12.50	1.00
OR17501075	10.75	1.75	OR17801140	11.40	1.78	OR26001190	11.90	2.60	OR11001250	12.50	1.10
OR23801076	10.76	2.38	OR18001140	11.40	1.80	OR26201190	11.90	2.62	OR15001250	12.50	1.50
OR26101076	10.76	2.61	OR20001140	11.40	2.00	OR26201191	11.91	2.62	OR17001250	12.50	1.70
OR26201076	10.76	2.62	OR21001140	11.40	2.10	OR23501195	11.95	2.35	OR17501250	12.50	1.75
OR26201077	10.77	2.62	OR30001140	11.40	3.00	OR10001200	12.00	1.00	OR17801250	12.50	1.78
OR26201078	10.78	2.62	OR10001150	11.50	1.00	OR11001200	12.00	1.10	OR18001250	12.50	1.80
OR17201080	10.80	1.72	OR15001150	11.50	1.50	OR15001200	12.00	1.50	OR18001250	12.50	1.80
OR17801080	10.80	1.78	OR16001150	11.50	1.60	OR16001200	12.00	1.60	OR19001250	12.50	1.90
OR18001080	10.80	1.80	OR17501150	11.50	1.75	OR17501200	12.00	1.75	OR20001250	12.50	2.00
OR20001080	10.80	2.00	OR20001150	11.50	2.00	OR17801200	12.00	1.78	OR22501250	12.50	2.25
OR22001080	10.80	2.20	OR21001150	11.50	2.10	OR18001200	12.00	1.80	OR25001250	12.50	2.50
OR24001080	10.80	2.40	OR22501150	11.50	2.25	OR19001200	12.00	1.90	OR26001250	12.50	2.60
OR26201080	10.80	2.62	OR24001150	11.50	2.40	OR20001200	12.00	2.00	OR30001250	12.50	3.00
OR17701082	10.82	1.77	OR25001150	11.50	2.50	OR22301200	12.00	2.23	OR35001250	12.50	3.50
OR17801082	10.82	1.78	OR26201150	11.50	2.62	OR22501200	12.00	2.25	OR40001250	12.50	4.00
OR19001090	10.90	1.90	OR27001150	11.50	2.70	OR24001200	12.00	2.40	OR18301254	12.54	1.83
OR20001090	10.90	2.00	OR27501150	11.50	2.75	OR25001200	12.00	2.50	OR24001260	12.60	2.40
OR10001100	11.00	1.00	OR30001150	11.50	3.00	OR26001200	12.00	2.60	OR25001260	12.60	2.50
OR15001100	11.00	1.50	OR32001150	11.50	3.20	OR27001200	12.00	2.70	OR16001270	12.70	1.60
OR16001100	11.00	1.60	OR34001150	11.50	3.40	OR30001200	12.00	3.00	OR17001270	12.70	1.70
OR17501100	11.00	1.75	OR35001150	11.50	3.50	OR32001200	12.00	3.20	OR23801270	12.70	2.38
OR17701100	11.00	1.77	OR43001150	11.50	4.30	OR35001200	12.00	3.50	OR26201270	12.70	2.62
OR17801100	11.00	1.78	OR45001150	11.50	4.50	OR40001200	12.00	4.00	OR28001270	12.70	2.80
OR18001100	11.00	1.80	OR15001157	11.57	1.50	OR45001200	12.00	4.50	OR31001270	12.70	3.10
OR18501100	11.00	1.85	OR16001157	11.57	1.60	OR50001200	12.00	5.00	OR50001270	12.70	5.00
OR19001100	11.00	1.90	OR15001160	11.60	1.50	OR60001200	12.00	6.00	OR20001280	12.80	2.00
OR20001100	11.00	2.00	OR23001160	11.60	2.30	OR73001200	12.00	7.30	OR27001280	12.80	2.70
OR24001100	11.00	2.40	OR24001160	11.60	2.40	OR27601206	12.06	2.76	OR17801281	12.81	1.78
OR25001100	11.00	2.50	OR28001160	11.60	2.80	OR27601206	12.06	2.76	OR20001290	12.90	2.00
OR25501100	11.00	2.55	OR34001160	11.60	3.40	OR53301206	12.06	5.33	OR23001290	12.90	2.30
OR26201100	11.00	2.62	OR18001170	11.70	1.80	OR53301207	12.07	5.33	OR10001300	13.00	1.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR12501300	13.00	1.25	OR25001360	13.60	2.50	OR26201422	14.22	2.62	OR25001500	15.00	2.50
OR13001300	13.00	1.30	OR27001360	13.60	2.70	OR15801428	14.28	1.58	OR26201500	15.00	2.62
OR15001300	13.00	1.50	OR53301364	13.64	5.33	OR23801428	14.28	2.38	OR28001500	15.00	2.80
OR16001300	13.00	1.60	OR18001370	13.70	1.80	OR15901429	14.29	1.59	OR30001500	15.00	3.00
OR17001300	13.00	1.70	OR21001370	13.70	2.10	OR23801429	14.29	2.38	OR35001500	15.00	3.50
OR17501300	13.00	1.75	OR10001375	13.75	1.00	OR15001430	14.30	1.50	OR35301500	15.00	3.53
OR18001300	13.00	1.80	OR15001380	13.80	1.50	OR16001430	14.30	1.60	OR37601500	15.00	3.76
OR19001300	13.00	1.90	OR20001380	13.80	2.00	OR22001430	14.30	2.20	OR40001500	15.00	4.00
OR20001300	13.00	2.00	OR24001380	13.80	2.40	OR24001430	14.30	2.40	OR45001500	15.00	4.50
OR25001300	13.00	2.50	OR31001380	13.80	3.10	OR35001430	14.30	3.50	OR50001500	15.00	5.00
OR26001300	13.00	2.60	OR35301387	13.87	3.53	OR40001430	14.30	4.00	OR53001500	15.00	5.30
OR30001300	13.00	3.00	OR37301387	13.87	3.73	OR10001440	14.40	1.00	OR60001500	15.00	6.00
OR32501300	13.00	3.25	OR20001390	13.90	2.00	OR23801446	14.46	2.38	OR75001500	15.00	7.50
OR35001300	13.00	3.50	OR24001390	13.90	2.40	OR17801447	14.47	1.78	OR22601508	15.08	2.26
OR40001300	13.00	4.00	OR35301390	13.90	3.53	OR26901448	14.48	2.69	OR26201508	15.08	2.62
OR45001300	13.00	4.50	OR17801394	13.94	1.78	OR10001450	14.50	1.00	OR16001510	15.10	1.60
OR50001300	13.00	5.00	OR21601394	13.94	2.16	OR13801450	14.50	1.38	OR17001510	15.10	1.70
OR60001300	13.00	6.00	OR26201394	13.94	2.62	OR15001450	14.50	1.50	OR24001510	15.10	2.40
OR65001300	13.00	6.50	OR26201395	13.95	2.62	OR16001450	14.50	1.60	OR15001520	15.20	1.50
OR10000130	13.00	10.00	OR29201395	13.95	2.92	OR18001450	14.50	1.80	OR17801520	15.20	1.78
OR15001310	13.10	1.50	OR17701399	13.99	1.77	OR20001450	14.50	2.00	OR32001520	15.20	3.20
OR16001310	13.10	1.60	OR17801399	13.99	1.78	OR25001450	14.50	2.50	OR45001520	15.20	4.50
OR26201310	13.10	2.62	OR10001400	14.00	1.00	OR28001450	14.50	2.80	OR17801521	15.21	1.78
OR42001310	13.10	4.20	OR11001400	14.00	1.10	OR30001450	14.50	3.00	OR53301524	15.24	5.33
OR26201311	13.11	2.62	OR14001400	14.00	1.40	OR31501450	14.50	3.15	OR20001530	15.30	2.00
OR13501316	13.16	1.35	OR15001400	14.00	1.50	OR35001450	14.50	3.50	OR24001530	15.30	2.40
OR26201317	13.17	2.62	OR16001400	14.00	1.60	OR52501450	14.50	5.25	OR27001530	15.30	2.70
OR17801320	13.20	1.78	OR17001400	14.00	1.70	OR15001460	14.60	1.50	OR15001540	15.40	1.50
OR24001320	13.20	2.40	OR17201400	14.00	1.72	OR20001460	14.60	2.00	OR21001540	15.40	2.10
OR25001320	13.20	2.50	OR17501400	14.00	1.75	OR22201460	14.60	2.22	OR18501545	15.45	1.85
OR22001330	13.30	2.20	OR17801400	14.00	1.78	OR24001460	14.60	2.40	OR35301547	15.47	3.53
OR24001330	13.30	2.40	OR18001400	14.00	1.80	OR25001460	14.60	2.50	OR43001548	15.48	4.30
OR34001330	13.30	3.40	OR20001400	14.00	2.00	OR32001460	14.60	3.20	OR14701549	15.49	1.47
OR24801334	13.34	2.48	OR22001400	14.00	2.20	OR15001470	14.70	1.50	OR15001550	15.50	1.50
OR20001340	13.40	2.00	OR25001400	14.00	2.50	OR25001470	14.70	2.50	OR16001550	15.50	1.60
OR21001340	13.40	2.10	OR26001400	14.00	2.60	OR17501475	14.75	1.75	OR20001550	15.50	2.00
OR30001340	13.40	3.00	OR26201400	14.00	2.62	OR19001480	14.80	1.90	OR22001550	15.50	2.20
OR47601349	13.49	4.76	OR26501400	14.00	2.65	OR20001480	14.80	2.00	OR22501550	15.50	2.25
OR12501350	13.50	1.25	OR27001400	14.00	2.70	OR24001480	14.80	2.40	OR25001550	15.50	2.50
OR15001350	13.50	1.50	OR27501650	14.00	2.75	OR26001480	14.80	2.60	OR26001550	15.50	2.60
OR20001350	13.50	2.00	OR30001400	14.00	3.00	OR26201480	14.80	2.62	OR26201550	15.50	2.62
OR22501350	13.50	2.25	OR32001400	14.00	3.20	OR51001480	14.80	5.10	OR27001550	15.50	2.70
OR25001350	13.50	2.50	OR35001400	14.00	3.50	OR33101487	14.87	3.31	OR30001550	15.50	3.00
OR27001350	13.50	2.70	OR40001400	14.00	4.00	OR23001490	14.90	2.30	OR32001550	15.50	3.20
OR27501350	13.50	2.75	OR45001400	14.00	4.50	OR25001490	14.90	2.50	OR35001550	15.50	3.50
OR30001350	13.50	3.00	OR50001400	14.00	5.00	OR10001500	15.00	1.00	OR35301550	15.50	3.53
OR33001350	13.50	3.30	OR17801406	14.06	1.78	OR15001500	15.00	1.50	OR40001550	15.50	4.00
OR35001350	13.50	3.50	OR16001410	14.10	1.60	OR16001500	15.00	1.60	OR42001550	15.50	4.20
OR40001350	13.50	4.00	OR17501420	14.20	1.75	OR17801500	15.00	1.78	OR45001550	15.50	4.50
OR26901359	13.59	2.69	OR19001420	14.20	1.90	OR18001500	15.00	1.80	OR50001550	15.50	5.00
OR19001360	13.60	1.90	OR24001420	14.20	2.40	OR19001500	15.00	1.90	OR17501552	15.52	1.75
OR20001360	13.60	2.00	OR24001420	14.20	2.40	OR20001500	15.00	2.00	OR26201554	15.54	2.62
OR23001360	13.60	2.30	OR26501420	14.20	2.65	OR22501500	15.00	2.25	OR26401554	15.54	2.64
OR24001360	13.60	2.40	OR28001420	14.20	2.80	OR24001500	15.00	2.40	OR26201555	15.55	2.62

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR17801559	15.59	1.78	OR25001600	16.00	2.50	OR15001658	16.58	1.50	OR20001720	17.20	2.00
OR15001560	15.60	1.50	OR26001600	16.00	2.60	OR19001660	16.60	1.90	OR24001720	17.20	2.40
OR17701560	15.60	1.77	OR26201600	16.00	2.62	OR20001660	16.60	2.00	OR26001720	17.20	2.60
OR17801560	15.60	1.78	OR26501600	16.00	2.65	OR24001660	16.60	2.40	OR27001720	17.20	2.70
OR23001560	15.60	2.30	OR27001600	16.00	2.70	OR25001660	16.60	2.50	OR26201728	17.28	2.62
OR24001560	15.60	2.40	OR27501600	16.00	2.75	OR30001660	16.60	3.00	OR24001730	17.30	2.40
OR25001560	15.60	2.50	OR28001600	16.00	2.80	OR35301664	16.64	3.53	OR25001730	17.30	2.50
OR26001560	15.60	2.60	OR28201600	16.00	2.82	OR26201665	16.65	2.62	OR26001730	17.30	2.60
OR27001560	15.60	2.70	OR30001600	16.00	3.00	OR36301666	16.66	3.63	OR26201730	17.30	2.62
OR11401562	15.62	1.14	OR30001600	16.00	3.00	OR34001670	16.70	3.40	OR16001740	17.40	1.60
OR15001570	15.70	1.50	OR32001600	16.00	3.20	OR17801675	16.75	1.78	OR18001740	17.40	1.80
OR17801570	15.70	1.78	OR35001600	16.00	3.50	OR22001675	16.75	2.20	OR21001740	17.40	2.10
OR20501570	15.70	2.05	OR40001600	16.00	4.00	OR17801678	16.78	1.78	OR24001740	17.40	2.40
OR25001570	15.70	2.50	OR40001600	16.00	4.00	OR20001680	16.80	2.00	OR25001740	17.40	2.50
OR27001570	15.70	2.70	OR45001600	16.00	4.50	OR23001680	16.80	2.30	OR30001740	17.40	3.00
OR20001575	15.75	2.00	OR50001600	16.00	5.00	OR24001680	16.80	2.40	OR23801746	17.46	2.38
OR12001580	15.80	1.20	OR60001600	16.00	6.00	OR25001680	16.80	2.50	OR15001750	17.50	1.50
OR16001580	15.80	1.60	OR69901600	16.00	6.99	OR28001680	16.80	2.80	OR16001750	17.50	1.60
OR18001580	15.80	1.80	OR70001600	16.00	7.00	OR29001680	16.80	2.90	OR16501750	17.50	1.65
OR20001580	15.80	2.00	OR16001610	16.10	1.60	OR30001680	16.80	3.00	OR17801750	17.50	1.78
OR24001580	15.80	2.40	OR27001610	16.10	2.70	OR53301681	16.81	5.33	OR20001750	17.50	2.00
OR26001580	15.80	2.60	OR14501620	16.20	1.45	OR53301682	16.82	5.33	OR23001750	17.50	2.30
OR27001580	15.80	2.70	OR25001620	16.20	2.50	OR26201690	16.90	2.62	OR24001750	17.50	2.40
OR32001580	15.80	3.20	OR26501620	16.20	2.65	OR53301690	16.90	5.33	OR25001750	17.50	2.50
OR34001580	15.80	3.40	OR21001625	16.25	2.10	OR10001700	17.00	1.00	OR27001750	17.50	2.70
OR36001580	15.80	3.60	OR14001630	16.30	1.40	OR15001700	17.00	1.50	OR29001750	17.50	2.90
OR47001580	15.80	4.70	OR15001630	16.30	1.50	OR17501700	17.00	1.75	OR30001750	17.50	3.00
OR48001580	15.80	4.80	OR18001630	16.30	1.80	OR17801700	17.00	1.78	OR31001750	17.50	3.10
OR23801587	15.87	2.38	OR21001630	16.30	2.10	OR20001700	17.00	2.00	OR35001750	17.50	3.50
OR23801587	15.87	2.38	SOR24001630	16.30	2.40	OR24001700	17.00	2.40	OR37501750	17.50	3.75
OR17801588	15.88	1.78	OR25001630	16.30	2.50	OR25001700	17.00	2.50	OR40001750	17.50	4.00
OR23801588	15.88	2.38	OR22001635	16.35	2.20	OR25201700	17.00	2.52	OR26201752	17.52	2.62
OR26201588	15.88	2.62	OR21001636	16.36	2.10	OR26001700	17.00	2.60	OR22501755	17.55	2.25
OR17801590	15.90	1.78	OR22001636	16.36	2.20	OR26201700	17.00	2.62	OR18001760	17.60	1.80
OR19501590	15.90	1.95	OR22001636	16.36	2.20	OR27801700	17.00	2.78	OR24001760	17.60	2.40
OR22001590	15.90	2.20	OR22101636	16.36	2.21	OR28001700	17.00	2.80	OR24217600	17.60	2.42
OR24001590	15.90	2.40	OR28101636	16.36	2.81	OR30001700	17.00	3.00	OR27001760	17.60	2.70
OR18001595	15.95	1.80	OR18001640	16.40	1.80	OR35001700	17.00	3.50	OR17801765	17.65	1.78
OR69801595	15.95	6.98	OR29001640	16.40	2.90	OR40001700	17.00	4.00	OR15001780	17.80	1.50
OR10001600	16.00	1.00	OR40001640	16.40	4.00	OR50001700	17.00	5.00	OR24001780	17.80	2.40
OR11001600	16.00	1.10	OR13001650	16.50	1.30	OR65001700	17.00	6.50	OR21201785	17.85	2.12
OR12501600	16.00	1.25	OR15001650	16.50	1.50	OR75001700	17.00	7.50	OR26201786	17.86	2.62
OR15001600	16.00	1.50	OR18001650	16.50	1.80	OR100001700	17.00	10.00	OR24001789	17.89	2.40
OR16001600	16.00	1.60	OR20001650	16.50	2.00	OR27901701	17.01	2.79	OR26001790	17.90	2.60
OR17001600	16.00	1.70	OR22001650	16.50	2.20	OR27901701	17.01	2.79	OR27001790	17.90	2.70
OR17501600	16.00	1.75	OR25001650	16.50	2.50	OR35301704	17.04	3.53	OR13501791	17.91	1.35
OR17801600	16.00	1.78	OR27001650	16.50	2.70	OR16001710	17.10	1.60	OR26201796	17.96	2.62
OR18001600	16.00	1.80	OR27501650	16.50	2.75	OR18001710	17.10	1.80	OR10001800	18.00	1.00
OR19001600	16.00	1.90	OR28501650	16.50	2.85	OR32001710	17.10	3.20	OR12000180	18.00	1.20
OR20001600	16.00	2.00	OR30001650	16.50	3.00	OR26201711	17.11	2.62	OR13001800	18.00	1.30
OR22001600	16.00	2.20	OR32001650	16.50	3.20	OR26201712	17.12	2.62	OR14001800	18.00	1.40
OR23001600	16.00	2.30	OR33001650	16.50	3.30	OR26201713	17.13	2.62	OR15001800	18.00	1.50
OR24001600	16.00	2.40	OR73001650	16.50	7.30	OR15001715	17.15	1.50	OR17501800	18.00	1.75
OR24001600	16.00	2.40	OR17801656	16.56	1.78	OR17801717	17.17	1.78	OR18001800	18.00	1.80

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR20001800	18.00	2.00	OR34201854	18.54	3.42	OR38001900	19.00	3.80	OR16002000	20.00	1.60
OR21001800	18.00	2.10	OR100001854	18.54	10.00	OR40001900	19.00	4.00	OR17802000	20.00	1.78
OR22501800	18.00	2.25	OR17001850	18.58	1.70	OR50001900	19.00	5.00	OR18002000	20.00	1.80
OR24001800	18.00	2.40	OR15001860	18.60	1.50	OR60001900	19.00	6.00	OR20002000	20.00	2.00
OR25001800	18.00	2.50	OR20001860	18.60	2.00	OR65001900	19.00	6.50	OR22002000	20.00	2.20
OR26201800	18.00	2.62	OR24001860	18.60	2.40	OR70001900	19.00	7.00	OR24002000	20.00	2.40
OR26501800	18.00	2.65	OR30001860	18.60	3.00	OR26201905	19.05	2.62	OR25002000	20.00	2.50
OR29001800	18.00	2.90	OR40001860	18.60	4.00	OR31701905	19.05	3.17	OR26002000	20.00	2.60
OR30001800	18.00	3.00	OR50001860	18.60	5.00	OR35301905	19.05	3.53	OR26202000	20.00	2.62
OR32501800	18.00	3.25	OR35301864	18.64	3.53	OR63501905	19.05	6.35	OR27002000	20.00	2.70
OR35001800	18.00	3.50	OR55301864	18.64	5.53	OR16001910	19.10	1.60	OR30002000	20.00	3.00
OR35301800	18.00	3.53	OR35301866	18.66	3.53	OR24601917	19.17	2.46	OR31502000	20.00	3.15
OR37001800	18.00	3.70	OR35301868	18.68	3.53	OR24601918	19.18	2.46	OR31702000	20.00	3.17
OR40001800	18.00	4.00	OR17801870	18.70	1.78	OR30001920	19.20	3.00	OR35002000	20.00	3.50
OR45001800	18.00	4.50	OR19001870	18.70	1.90	OR31001920	19.20	3.10	OR35302000	20.00	3.53
OR50001800	18.00	5.00	OR26001870	18.70	2.60	OR17801925	19.25	1.78	OR35502000	20.00	3.55
OR60001800	18.00	6.00	OR27001870	18.70	2.70	OR15001930	19.30	1.50	OR40002000	20.00	4.00
OR70001800	18.00	7.00	OR33501870	18.70	3.35	OR18001930	19.30	1.80	OR42002000	20.00	4.20
OR07001810	18.10	7.00	OR35001870	18.70	3.50	OR20001930	19.30	2.00	OR42502000	20.00	4.25
OR16001810	18.10	1.60	OR35301870	18.70	3.53	OR22001930	19.30	2.20	OR45002000	20.00	4.50
OR17801814	18.14	1.78	OR35501870	18.70	3.55	OR24001930	19.30	2.40	OR46002000	20.00	4.60
OR15001820	18.20	1.50	OR26201871	18.71	2.62	OR30001930	19.30	3.00	OR50002000	20.00	5.00
OR17501820	18.20	1.75	OR26201872	18.72	2.62	OR46001930	19.30	4.60	OR55002000	20.00	5.50
OR22001820	18.20	2.20	OR17801874	18.74	1.78	OR56001930	19.30	5.60	OR60002000	20.00	6.00
OR27001820	18.20	2.70	OR17801877	18.77	1.78	OR21001940	19.40	2.10	OR65002000	20.00	6.50
OR30001820	18.20	3.00	OR17001880	18.80	1.70	OR24001940	19.40	2.40	OR75002000	20.00	7.50
OR31001820	18.20	3.10	OR17701880	18.80	1.77	OR54001940	19.40	5.40	OR80002000	20.00	8.00
OR35701825	18.25	3.57	OR18801880	18.80	1.88	OR10001950	19.50	1.00	OR85002000	20.00	8.50
OR20001830	18.30	2.00	OR20001880	18.80	2.00	OR15001950	19.50	1.50	OR90002000	20.00	9.00
OR24001830	18.30	2.40	OR24001880	18.80	2.40	OR18001950	19.50	1.80	OR30002020	20.20	3.00
OR20001840	18.40	2.00	OR33001880	18.80	3.30	OR25001950	19.50	2.50	OR35002020	20.20	3.50
OR27001840	18.40	2.70	OR35301880	18.80	3.53	OR26001950	19.50	2.60	OR35302020	20.20	3.53
OR53301842	18.42	5.33	OR35301884	18.84	3.53	OR27001950	19.50	2.70	OR35302021	20.21	3.53
OR15001850	18.50	1.50	OR24001885	18.85	2.40	OR28001950	19.50	2.80	OR35302022	20.22	3.53
OR16001850	18.50	1.60	OR23001890	18.90	2.30	OR30001950	19.50	3.00	OR26202024	20.24	2.62
OR16501850	18.50	1.65	OR12001900	19.00	1.20	OR35001950	19.50	3.50	OR22902029	20.29	2.29
OR17801850	18.50	1.78	OR15001900	19.00	1.50	OR15001960	19.60	1.50	OR26202029	20.29	2.62
OR18001850	18.50	1.80	OR16001900	19.00	1.60	OR20001960	19.60	2.00	OR17802030	20.30	1.78
OR18501850	18.50	1.85	OR17801900	19.00	1.78	OR22001960	19.60	2.20	OR20002030	20.30	2.00
OR20001850	18.50	2.00	OR17801900	19.00	1.78	OR23001960	19.60	2.30	OR24002030	20.30	2.40
OR22501850	18.50	2.25	OR18001900	19.00	1.80	OR24001960	19.60	2.40	OR25002030	20.30	2.50
OR25001850	18.50	2.50	OR19001900	19.00	1.90	OR11401968	19.68	1.14	OR26002030	20.30	2.60
OR27501850	18.50	2.75	OR20001900	19.00	2.00	OR15001970	19.70	1.50	OR26202030	20.30	2.62
OR30001850	18.50	3.00	OR24001900	19.00	2.40	OR35001970	19.70	3.50	OR27002030	20.30	2.70
OR32001850	18.50	3.20	OR25001900	19.00	2.50	OR14000198	19.80	1.40	OR31002030	20.30	3.10
OR35001850	18.50	3.50	OR26001900	19.00	2.60	OR20001980	19.80	2.00	OR35002030	20.30	3.50
OR37501850	18.50	3.75	OR26501900	19.00	2.65	OR24001980	19.80	2.40	OR26502032	20.32	2.65
OR40001850	18.50	4.00	OR27501900	19.00	2.75	OR25601980	19.80	2.56	OR17802034	20.34	1.78
OR45001850	18.50	4.50	OR28001900	19.00	2.80	OR30001980	19.80	3.00	OR17802035	20.35	1.78
OR47501850	18.50	4.75	OR30001900	19.00	3.00	OR26001990	19.90	2.60	OR17702040	20.40	1.77
OR50001850	18.50	5.00	OR31501900	19.00	3.15	OR69901990	19.90	6.99	OR18002040	20.40	1.80
OR60001850	18.50	6.00	OR32001900	19.00	3.20	OR53301999	19.99	5.33	OR25002040	20.40	2.50
OR70001850	18.50	7.00	OR35001900	19.00	3.50	OR10002000	20.00	1.00	OR26202040	20.40	2.62
OR13501851	18.51	1.35	OR35501900	19.00	3.55	OR15002000	20.00	1.50	OR31502040	20.40	3.15

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR32002040	20.40	3.20	OR17002130	21.30	1.70	OR17002200	22.00	1.70	OR30002250	22.50	3.00
OR17502050	20.50	1.75	OR20002130	21.30	2.00	OR17802200	22.00	1.78	OR65002250	22.50	6.50
OR20002050	20.50	2.00	OR24002130	21.30	2.40	OR18002200	22.00	1.80	OR26202252	22.52	2.62
OR25002050	20.50	2.50	OR35002130	21.30	3.50	OR20002200	22.00	2.00	OR20002260	22.60	2.00
OR30002050	20.50	3.00	OR36002130	21.30	3.60	OR23002200	22.00	2.30	OR24002260	22.60	2.40
OR35002050	20.50	3.50	OR46002130	21.30	4.60	OR24002200	22.00	2.40	OR25002260	22.60	2.50
OR37502050	20.50	3.75	OR55002130	21.30	5.50	OR25002200	22.00	2.50	OR21802268	22.68	2.18
OR18002060	20.60	1.80	OR15002140	21.40	1.50	OR26002200	22.00	2.60	OR25502270	22.70	2.55
OR23002060	20.60	2.30	OR17802140	21.40	1.78	OR26202200	22.00	2.62	OR26202279	22.79	2.62
OR24002060	20.60	2.40	OR18002140	21.40	1.80	OR26202200	22.00	2.62	OR10002289	22.89	1.00
OR26002060	20.60	2.60	OR20002140	21.40	2.00	OR28002200	22.00	2.80	OR26202290	22.90	2.62
OR32002060	20.60	3.20	OR36002140	21.40	3.60	OR30002200	22.00	3.00	OR30002290	22.90	3.00
OR35302060	20.60	3.53	OR38002140	21.40	3.80	OR31002200	22.00	3.10	OR10002300	23.00	1.00
OR31702062	20.62	3.17	OR35702143	21.43	3.57	OR31502200	22.00	3.15	OR15002300	23.00	1.50
OR26202063	20.63	2.62	OR10002150	21.50	1.00	OR32002200	22.00	3.20	OR20002300	23.00	2.00
OR31702063	20.63	3.17	OR15002150	21.50	1.50	OR33002200	22.00	3.30	OR22502300	23.00	2.25
OR38002070	20.70	3.80	OR20002150	21.50	2.00	OR35002200	22.00	3.50	OR25002300	23.00	2.50
OR40002075	20.75	4.00	OR22502150	21.50	2.25	OR35302200	22.00	3.53	OR26202300	23.00	2.62
OR18502080	20.80	1.85	OR25002150	21.50	2.50	OR37002200	22.00	3.70	OR27002300	23.00	2.70
OR20002080	20.80	2.00	OR27502150	21.50	2.75	OR40002200	22.00	4.00	OR28002300	23.00	2.80
OR24002080	20.80	2.40	OR30002150	21.50	3.00	OR45002200	22.00	4.50	OR30002300	23.00	3.00
OR34002080	20.80	3.40	OR35002150	21.50	3.50	OR50002200	22.00	5.00	OR35002300	23.00	3.50
OR10002100	21.00	1.00	OR36002150	21.50	3.60	OR60002200	22.00	6.00	OR35302300	23.00	3.53
OR15002100	21.00	1.50	OR53302159	21.59	5.33	OR65002200	22.00	6.50	OR36002300	23.00	3.60
OR17802100	21.00	1.78	OR15002160	21.60	1.50	OR70002200	22.00	7.00	OR36002300	23.00	3.60
OR18002100	21.00	1.80	OR24002160	21.60	2.40	OR115002200	22.00	11.50	OR38002300	23.00	3.80
OR20002100	21.00	2.00	OR25002160	21.60	2.50	OR16002210	22.10	1.60	OR40002300	23.00	4.00
OR22002100	21.00	2.20	OR35002160	21.60	3.50	OR35002210	22.10	3.50	OR45002300	23.00	4.50
OR23302100	21.00	2.33	OR53302160	21.60	5.33	OR26002220	22.20	2.60	OR50002300	23.00	5.00
OR24002100	21.00	2.40	OR35002170	21.70	3.50	OR27002220	22.20	2.70	OR56502300	23.00	5.65
OR25002100	21.00	2.50	OR50002170	21.70	5.00	OR30002220	22.20	3.00	OR65002300	23.00	6.50
OR30002100	21.00	3.00	OR17802175	21.75	1.78	OR35302220	22.20	3.50	OR16002310	23.10	1.60
OR32002100	21.00	3.20	OR17802180	21.80	1.78	OR47002220	22.20	4.70	OR20002310	23.10	2.00
OR35002100	21.00	3.50	OR20002180	21.80	2.00	OR48002220	22.20	4.80	OR17802312	23.12	1.78
OR39002100	21.00	3.90	OR24002180	21.80	2.40	OR80002220	22.20	8.00	OR53302316	23.16	5.33
OR40002100	21.00	4.00	OR26002180	21.80	2.60	OR26202222	22.22	2.62	OR20002320	23.20	2.00
OR45002100	21.00	4.50	OR26202180	21.80	2.62	OR31702222	22.22	3.17	OR26002320	23.20	2.60
OR50002100	21.00	5.00	OR35002180	21.80	3.50	OR26202223	22.23	2.62	OR31002320	23.20	3.10
OR55002100	21.00	5.50	OR36002180	21.80	3.60	OR32002225	22.25	3.20	OR35302320	23.20	3.53
OR60002100	21.00	6.00	OR35302181	21.81	3.53	OR15002230	22.30	1.50	OR24002330	23.30	2.40
OR65002100	21.00	6.50	OR17802182	21.82	1.78	OR20002230	22.30	2.00	OR30002330	23.30	3.00
OR70002100	21.00	7.00	OR26202182	21.82	2.62	OR24002230	22.30	2.40	OR45002330	23.30	4.50
OR13502108	21.08	1.35	OR35302182	21.82	3.53	OR18002240	22.40	1.80	OR46002330	23.30	4.60
OR28002110	21.10	2.80	OR35302185	21.85	3.53	OR25002240	22.40	2.50	OR31702339	23.39	3.17
OR24002118	21.18	2.40	OR35302187	21.87	3.53	OR26502240	22.40	2.65	OR35302339	23.39	3.53
OR14002120	21.20	1.40	OR26002189	21.89	2.60	OR30002240	22.40	3.00	OR28002340	23.40	2.80
OR17802120	21.20	1.78	OR26202189	21.89	2.62	OR31502240	22.40	3.15	OR30002340	23.40	3.00
OR18002120	21.20	1.80	OR26502189	21.89	2.65	OR35302240	22.40	3.53	OR35002340	23.40	3.50
OR20002120	21.20	2.00	OR16002190	21.90	1.60	OR15002250	22.50	1.50	OR35302340	23.40	3.53
OR24002120	21.20	2.40	OR17802195	21.95	1.78	OR20002250	22.50	2.00	OR57502340	23.40	5.75
OR26502120	21.20	2.65	OR10002200	22.00	1.00	OR21502250	22.50	2.15	OR26202347	23.47	2.62
OR30002120	21.20	3.00	OR14002200	22.00	1.40	OR25002250	22.50	2.50	OR29502347	23.47	2.95
OR35502120	21.20	3.55	OR15002200	22.00	1.50	OR25502250	22.50	2.55	OR29502347	23.47	2.95
OR15002130	21.30	1.50	OR16002200	22.00	1.60	OR26302250	22.50	2.63	OR35002347	23.47	3.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR17502350	23.50	1.75	OR45002400	24.00	4.50	OR15302500	25.00	1.53	OR32002540	25.40	3.20
OR18002350	23.50	1.80	OR49002400	24.00	4.90	OR17502500	25.00	1.75	OR33002540	25.40	3.30
OR22502350	23.50	2.25	OR50002400	24.00	5.00	OR20002500	25.00	2.00	OR34002540	25.40	3.40
OR23702350	23.50	2.38	OR60002400	24.00	6.00	OR24002500	25.00	2.40	OR35002540	25.40	3.50
OR25002350	23.50	2.50	OR30002410	24.10	3.00	OR25002500	25.00	2.50	OR35302540	25.40	3.53
OR26202350	23.50	2.62	OR26002415	24.15	2.60	OR26002500	25.00	2.60	OR38002540	25.40	3.80
OR30002350	23.50	3.00	OR20002420	24.20	2.00	OR26202500	25.00	2.62	OR47602540	25.40	4.76
OR32502350	23.50	3.25	OR30002420	24.20	3.00	OR26502500	25.00	2.65	OR53002540	25.40	5.30
OR33002350	23.50	3.30	OR13502426	24.26	1.35	OR27502500	25.00	2.75	OR63502540	25.40	6.35
OR34002350	23.50	3.40	OR20002430	24.30	2.00	OR28002500	25.00	2.80	OR64002540	25.40	6.40
OR35002350	23.50	3.50	OR31702430	24.30	3.17	OR30002500	25.00	3.00	OR111102540	25.40	11.11
OR35302350	23.50	3.53	OR18002440	24.40	1.80	OR32002500	25.00	3.20	OR20002550	25.50	2.00
OR40002350	23.50	4.00	OR25002440	24.40	2.50	OR32502500	25.00	3.25	OR22002550	25.50	2.20
OR17802352	23.52	1.78	OR26002440	24.40	2.60	OR35002500	25.00	3.50	OR25002550	25.50	2.50
OR20002360	23.60	2.00	OR31002440	24.40	3.10	OR35302500	25.00	3.53	OR27502550	25.50	2.75
OR25002360	23.60	2.50	OR35002440	24.40	3.50	OR35502500	25.00	3.55	OR30002550	25.50	3.00
OR30002360	23.60	3.00	OR37002440	24.40	3.70	OR35702500	25.00	3.57	OR35302550	25.50	3.53
OR35502360	23.60	3.55	OR60002440	24.40	6.00	OR36002500	25.00	3.60	OR50002550	25.50	5.00
OR26202361	23.61	2.62	OR26202443	24.43	2.62	OR40002500	25.00	4.00	OR15002560	25.60	1.50
OR24002370	23.70	2.40	OR42702446	24.46	4.27	OR45002500	25.00	4.50	OR23002560	25.60	2.30
OR26002370	23.70	2.60	OR15502450	24.50	1.55	OR50002500	25.00	5.00	OR24002560	25.60	2.40
OR35002370	23.70	3.50	OR16002450	24.50	1.60	OR55002500	25.00	5.50	OR37002560	25.60	3.70
OR36002370	23.70	3.60	OR20002450	24.50	2.00	OR60002500	25.00	6.00	OR35302561	25.61	3.53
OR26202371	23.71	2.62	OR22002450	24.50	2.20	OR65002500	25.00	6.50	OR26202570	25.70	2.62
OR24002380	23.80	2.40	OR28002450	24.50	2.80	OR70002500	25.00	7.00	OR31502570	25.70	3.15
OR25002380	23.80	2.50	OR30002450	24.50	3.00	OR75002500	25.00	7.50	OR35002570	25.70	3.50
OR25502380	23.80	2.55	OR31002450	24.50	3.10	OR80002500	25.00	8.00	OR35302570	25.70	3.53
OR26002380	23.80	2.60	OR33002450	24.50	3.30	OR90002500	25.00	9.00	OR40002570	25.70	4.00
OR26102380	23.80	2.61	OR35002450	24.50	3.50	OR100002500	25.00	10.00	OR33002580	25.80	3.30
OR31002380	23.80	3.10	OR40002450	24.50	4.00	OR26202502	25.02	2.62	OR35302580	25.80	3.53
OR15802381	23.81	1.58	OR46002450	24.50	4.60	OR26202507	25.07	2.62	OR35502580	25.80	3.55
OR26202381	23.81	2.62	OR55002450	24.50	5.50	OR16002510	25.10	1.60	OR27002590	25.90	2.70
OR31702381	23.81	3.17	OR17802460	24.60	1.78	OR17802512	25.12	1.78	OR10002600	26.00	1.00
OR22002390	23.90	2.20	OR20002460	24.60	2.00	OR17802517	25.17	1.78	OR15002600	26.00	1.50
OR38002398	23.98	3.80	OR24002460	24.60	2.40	OR35302519	25.19	3.53	OR17502600	26.00	1.75
OR10002400	24.00	1.00	OR26202460	24.60	2.62	OR30002520	25.20	3.00	OR20002600	26.00	2.00
OR14002400	24.00	1.40	OR27002460	24.60	2.70	OR35002520	25.20	3.50	OR22002600	26.00	2.20
OR15002400	24.00	1.50	OR30002460	24.60	3.00	OR35602523	25.23	3.56	OR24002600	26.00	2.40
OR17802400	24.00	1.78	OR36002460	24.60	3.60	OR22002525	25.25	2.20	OR25002600	26.00	2.50
OR18002400	24.00	1.80	OR20002470	24.70	2.00	OR18002530	25.30	1.80	OR26002600	26.00	2.60
SOR20002400	24.00	2.00	OR35002470	24.70	3.50	OR20002530	25.30	2.00	OR27002600	26.00	2.70
OR22002400	24.00	2.20	OR53302477	24.77	5.33	OR24002530	25.30	2.40	OR28002600	26.00	2.80
OR24002400	24.00	2.40	OR57702477	24.77	5.77	OR26002530	25.30	2.60	OR30002600	26.00	3.00
OR25002400	24.00	2.50	OR20002480	24.80	2.00	OR30002530	25.30	3.00	OR35002600	26.00	3.50
OR28002400	24.00	2.80	OR35002480	24.80	3.50	OR46002530	25.30	4.60	OR40002600	26.00	4.00
OR30002400	24.00	3.00	OR36002480	24.80	3.60	OR26202532	25.32	2.62	OR45002600	26.00	4.50
OR31002400	24.00	3.10	OR66502480	24.80	6.65	OR15002540	25.40	1.50	OR50002600	26.00	5.00
OR31502400	24.00	3.15	OR35302490	24.90	3.53	OR15902540	25.40	1.59	OR75002600	26.00	7.50
OR33002400	24.00	3.30	OR35302294	24.94	3.53	OR16002540	25.40	1.60	OR80002600	26.00	8.00
OR35002400	24.00	3.50	OR35302494	24.94	3.53	OR17802540	25.40	1.78	OR95002600	26.00	9.50
OR35302400	24.00	3.53	OR35302499	24.99	3.53	OR23002540	25.40	2.30	OR100002600	26.00	10.00
OR36002400	24.00	3.60	OR10002500	25.00	1.00	OR24002540	25.40	2.40	OR31302618	26.18	3.13
OR37002400	24.00	3.70	OR13502500	25.00	1.35	OR30002540	25.40	3.00	OR30002620	26.20	3.00
OR40002400	24.00	4.00	OR15002500	25.00	1.50	OR31702540	25.40	3.17	OR69902620	26.20	6.99

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR26202625	26.25	2.62	OR24002730	27.30	2.40	OR50002800	28.00	5.00	OR20002870	28.70	2.00
OR24002630	26.30	2.40	OR30002730	27.30	3.00	OR56002800	28.00	5.60	OR35002870	28.70	3.50
OR46002630	26.30	4.60	OR39002730	27.30	3.90	OR60002800	28.00	6.00	OR20002877	28.77	2.00
OR53302634	26.34	5.33	OR46002730	27.30	4.60	OR70002800	28.00	7.00	OR20002880	28.80	2.00
OR25002636	26.36	2.50	OR16002740	27.40	1.60	OR80002800	28.00	8.00	OR31002880	28.80	3.10
OR35002640	26.40	3.50	OR25002740	27.40	2.50	OR100002800	28.00	10.00	OR36002880	28.80	3.60
OR15002650	26.50	1.50	OR35302740	27.40	3.53	OR35302801	28.01	3.53	OR18002890	28.90	1.80
OR20002650	26.50	2.00	OR48002740	27.40	4.80	OR26202807	28.07	2.62	OR33002890	28.90	3.30
OR25002650	26.50	2.50	OR50002740	27.40	5.00	OR35302816	28.16	3.53	OR15002900	29.00	1.50
OR27502650	26.50	2.75	OR25002742	27.42	2.50	OR35302817	28.17	3.53	OR16002900	29.00	1.60
OR30002650	26.50	3.00	OR21602743	27.43	2.16	OR37302817	28.17	3.73	OR20002900	29.00	2.00
OR35002650	26.50	3.50	OR15002750	27.50	1.50	OR16002820	28.20	1.60	OR24002900	29.00	2.40
OR65002650	26.50	6.50	OR20002750	27.50	2.00	OR17502820	28.20	1.75	OR25002900	29.00	2.50
OR80002650	26.50	8.00	OR22502750	27.50	2.25	OR30002820	28.20	3.00	OR26002900	29.00	2.60
OR35302656	26.56	3.53	OR30002750	27.50	3.00	OR31002820	28.20	3.10	OR30002900	29.00	3.00
OR35302657	26.57	3.53	OR35002750	27.50	3.50	OR26102824	28.24	2.61	OR31002900	29.00	3.10
OR35302658	26.58	3.53	OR36002750	27.50	3.60	OR26202824	28.24	2.62	OR31702900	29.00	3.17
OR20002660	26.60	2.00	OR44002750	27.50	4.40	OR17002830	28.30	1.70	OR32002900	29.00	3.20
OR26002660	26.60	2.60	OR48002750	27.50	4.80	OR17702830	28.30	1.77	OR35002900	29.00	3.50
OR26202662	26.62	2.62	OR65002750	27.50	6.50	OR17802830	28.30	1.78	OR40002900	29.00	4.00
OR26202664	26.64	2.62	OR15002760	27.60	1.50	OR17802830	28.30	1.78	OR45002900	29.00	4.50
OR26202665	26.65	2.62	OR20002760	27.60	2.00	OR20002830	28.30	2.00	OR50002900	29.00	5.00
OR26202665	26.65	2.62	OR23002760	27.60	2.30	OR24002830	28.30	2.40	OR26202908	29.08	2.62
OR17802670	26.70	1.78	OR35002760	27.60	3.50	OR26502830	28.30	2.65	OR16002910	29.10	1.60
OR25002670	26.70	2.50	OR1782764-	27.64	1.78	OR29000283	28.30	2.90	OR26002910	29.10	2.60
OR34002670	26.70	3.40	OR24002770	27.70	2.40	OR29002830	28.30	2.90	OR20002920	29.20	2.00
OR20002680	26.80	2.00	OR35002770	27.70	3.50	OR34002830	28.30	3.40	OR30002920	29.20	3.00
OR30002680	26.80	3.00	OR17802780	27.80	1.78	OR25002840	28.40	2.50	OR32002920	29.20	3.20
OR25002690	26.90	2.50	OR25002780	27.80	2.50	OR28002840	28.40	2.80	OR35002920	29.20	3.50
OR23802698	26.98	2.38	OR27002780	27.80	2.70	OR35002840	28.40	3.50	OR24002930	29.30	2.40
OR31702698	26.98	3.17	OR35302780	27.80	3.53	OR35302840	28.40	3.53	OR32002930	29.30	3.20
OR31702699	26.99	3.17	OR55002780	27.80	5.50	OR38002840	28.40	3.80	OR36002930	29.30	3.60
OR15002700	27.00	1.50	OR21502785	27.85	2.15	OR16002850	28.50	1.60	OR46002930	29.30	4.60
OR16002700	27.00	1.60	OR26202786	27.86	2.62	OR20002850	28.50	2.00	OR25002940	29.40	2.50
OR18002700	27.00	1.80	OR35002790	27.90	3.50	OR24002850	28.50	2.40	OR31002940	29.40	3.10
OR20002700	27.00	2.00	OR53302794	27.94	5.33	OR25002850	28.50	2.50	OR40002940	29.40	4.00
OR24002700	27.00	2.40	OR10002800	28.00	1.00	OR30002850	28.50	3.00	OR35302945	29.45	3.53
OR25002700	27.00	2.50	OR15002800	28.00	1.50	OR32002850	28.50	3.20	OR15002950	29.50	1.50
OR26002700	27.00	2.60	OR17002800	28.00	1.70	OR32502850	28.50	3.25	OR20002950	29.50	2.00
OR27002700	27.00	2.70	OR17802800	28.00	1.78	OR35002850	28.50	3.50	OR21502950	29.50	2.15
OR30002700	27.00	3.00	OR18002800	28.00	1.80	OR38002850	28.50	3.80	OR24002950	29.50	2.40
OR32002700	27.00	3.20	OR20002800	28.00	2.00	OR40002850	28.50	4.00	OR27502950	29.50	2.75
OR35002700	27.00	3.50	OR23002800	28.00	2.30	OR45002850	28.50	4.50	OR30002950	29.50	3.00
OR35302700	27.00	3.53	OR25002800	28.00	2.50	OR53302850	28.50	5.33	OR31002950	29.50	3.10
OR38002700	27.00	3.80	OR26502800	28.00	2.65	OR57002850	28.50	5.70	OR32502950	29.50	3.25
OR40002700	27.00	4.00	OR27002800	28.00	2.70	OR95002850	28.50	9.50	OR33502950	29.50	3.35
OR50002700	27.00	5.00	OR28002800	28.00	2.80	OR15802857	28.57	1.58	OR35002950	29.50	3.50
OR60002700	27.00	6.00	OR30002800	28.00	3.00	OR15902857	28.57	1.59	OR37002950	29.50	3.70
OR65002700	27.00	6.50	OR35002800	28.00	3.50	OR31702857	28.57	3.17	OR40002950	29.50	4.00
OR16002710	27.10	1.60	OR37002800	28.00	3.70	OR35302857	28.57	3.53	OR53302950	29.50	5.33
OR20002720	27.20	2.00	OR38002800	28.00	3.80	OR15002860	28.60	1.50	OR57002950	29.50	5.70
OR36002720	27.20	3.60	OR40002800	28.00	4.00	OR32002860	28.60	3.20	OR80002950	29.50	8.00
OR33802721	27.21	3.38	OR42502800	28.00	4.25	OR35502860	28.60	3.55	OR53302951	29.51	5.33
OR20002730	27.30	2.00	OR45002800	28.00	4.50	OR47002860	28.60	4.70	OR54802951	29.51	5.48

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR57502955	29.55	5.75	OR35003000	30.00	3.50	OR35003050	30.50	3.50	OR35503150	31.50	3.55
OR17802960	29.60	1.78	OR35301870	30.00	3.53	OR38003050	30.50	3.80	OR35503150	31.50	3.55
OR24002960	29.60	2.40	OR35503000	30.00	3.55	OR40003050	30.50	4.00	OR40003150	31.50	4.00
OR29002960	29.60	2.90	OR35505000	30.00	3.55	OR45003050	30.50	4.50	OR42503150	31.50	4.25
OR32502960	29.60	3.25	OR35510600	30.00	3.55	OR24003060	30.60	2.40	OR47503150	31.50	4.75
OR35302963	29.63	3.53	OR35520280	30.00	3.55	OR21803063	30.63	2.18	OR50003150	31.50	5.00
OR24002970	29.70	2.40	OR37506760	30.00	3.75	OR35003070	30.70	3.50	OR63003150	31.50	6.30
OR28002970	29.70	2.80	OR37507700	30.00	3.75	OR20003080	30.80	2.00	OR17003160	31.60	1.70
OR31002970	29.70	3.10	OR37510000	30.00	3.75	OR26003080	30.80	2.60	OR32003160	31.60	3.20
OR35002970	29.70	3.50	OR38003000	30.00	3.80	OR36003080	30.80	3.60	OR47003160	31.60	4.70
OR35002970	29.70	3.50	OR40003000	30.00	4.00	OR40003080	30.80	4.00	OR50003160	31.60	5.00
OR29402974	29.74	2.94	OR40003000	30.00	4.00	OR46003080	30.80	4.60	OR35003163	31.63	3.50
OR29502974	29.74	2.95	OR40018600	30.00	4.00	OR44003090	30.90	4.40	OR31703170	31.70	3.17
OR29502974	29.74	2.95	OR40022000	30.00	4.00	OR15003100	31.00	1.50	OR35003170	31.70	3.50
OR35302974	29.74	3.53	OR40051400	30.00	4.00	OR18003100	31.00	1.80	OR35303170	31.70	3.53
OR35302975	29.75	3.53	OR42003000	30.00	4.20	OR20003100	31.00	2.00	OR42003170	31.70	4.20
OR11002980	29.80	1.10	OR42510450	30.00	4.25	OR25003100	31.00	2.50	OR25003175	31.75	2.50
OR20002980	29.80	2.00	OR43006400	30.00	4.30	OR28003100	31.00	2.80	OR31703175	31.75	3.17
OR26002980	29.80	2.60	OR45003000	30.00	4.50	OR29003100	31.00	2.90	OR31753175	31.75	3.17
OR26202982	29.82	2.62	OR46003000	30.00	4.60	OR30003100	31.00	3.00	OR32003175	31.75	3.20
OR35302982	29.82	3.53	OR50003000	30.00	5.00	OR35003100	31.00	3.50	OR35003175	31.75	3.50
OR26202986	29.86	2.62	OR53002480	30.00	5.30	OR40003100	31.00	4.00	OR47003175	31.75	4.70
OR17802987	29.87	1.78	OR53308190	30.00	5.33	OR45003100	31.00	4.50	OR16003180	31.80	1.60
OR26002990	29.90	2.60	OR54009350	30.00	5.40	OR50003100	31.00	5.00	OR18003180	31.80	1.80
OR50002998	29.98	5.00	OR55001150	30.00	5.50	OR60003100	31.00	6.00	OR20003180	31.80	2.00
OR10003000	30.00	1.00	OR55506500	30.00	5.55	OR80003100	31.00	8.00	OR27003180	31.80	2.70
OR15006800	30.00	1.50	OR57004250	30.00	5.70	OR53303112	31.12	5.33	OR28003180	31.80	2.80
OR16013300	30.00	1.60	OR57516800	30.00	5.75	OR35003113	31.13	3.50	OR30003180	31.80	3.00
OR17202035	30.00	1.72	OR58007800	30.00	5.80	OR37503115	31.15	3.75	OR35003180	31.80	3.50
OR17504750	30.00	1.75	OR60003000	30.00	6.00	OR20003120	31.20	2.00	OR40003180	31.80	4.00
OR17801020	30.00	1.78	OR63014500	30.00	6.30	OR26203120	31.20	2.62	OR48003180	31.80	4.80
OR18003000	30.00	1.80	OR63517767	30.00	6.35	OR30003120	31.20	3.00	OR52003180	31.80	5.20
OR18803050	30.00	1.88	OR65007250	30.00	6.50	OR13503130	31.30	1.35	OR63503180	31.80	6.35
OR20003000	30.00	2.00	OR69926600	30.00	6.99	OR24003130	31.30	2.40	OR14003200	32.00	1.40
OR20503000	30.00	2.05	OR70009000	30.00	7.00	OR36003130	31.30	3.60	OR15003200	32.00	1.50
OR22001200	30.00	2.20	OR75003000	30.00	7.50	OR35003134	31.34	3.50	OR17703200	32.00	1.77
OR24001880	30.00	2.40	OR80003000	30.00	8.00	OR35303134	31.34	3.53	OR18003200	32.00	1.80
OR25003000	30.00	2.50	OR84065000	30.00	8.40	OR38303134	31.34	3.83	OR20003200	32.00	2.00
OR25001320	30.00	2.50	OR85003000	30.00	8.50	OR25003135	31.35	2.50	OR22503200	32.00	2.25
OR26001500	30.00	2.60	OR90010080	30.00	9.00	OR17803140	31.40	1.78	OR23003200	32.00	2.30
OR26205992	30.00	2.62	OR100003000	30.00	10.00	OR26203142	31.42	2.62	OR24003200	32.00	2.40
OR26503000	30.00	2.65	OR140003000	30.00	14.00	OR35303144	31.44	3.53	OR25003200	32.00	2.50
OR27002350	30.00	2.70	OR31703016	30.16	3.17	OR17803147	31.47	1.78	OR30003200	32.00	3.00
OR27501150	30.00	2.75	OR20003020	30.20	2.00	OR16003150	31.50	1.60	OR31003200	32.00	3.10
OR27704920	30.00	2.77	OR30003020	30.20	3.00	OR17203150	31.50	1.72	OR32003200	32.00	3.20
OR28003000	30.00	2.80	OR48003020	30.20	4.80	OR18003150	31.50	1.80	OR32503200	32.00	3.25
OR30003000	30.00	3.00	OR30003024	30.24	3.00	OR20003150	31.50	2.00	OR33303200	32.00	3.33
OR31003000	30.00	3.10	OR24003030	30.30	2.40	OR25003150	31.50	2.50	OR35003200	32.00	3.50
OR31502000	30.00	3.15	OR48003030	30.30	4.80	OR26503150	31.50	2.65	OR38003200	32.00	3.80
OR31812065	30.00	3.18	OR36003040	30.40	3.60	OR27003150	31.50	2.70	OR40003200	32.00	4.00
OR32003000	30.00	3.20	OR17503050	30.50	1.75	OR28003150	31.50	2.80	OR44003200	32.00	4.40
OR32503000	30.00	3.25	OR19003050	30.50	1.90	OR30003150	31.50	3.00	OR45003200	32.00	4.50
OR33005750	30.00	3.30	OR20003050	30.50	2.00	OR31503150	31.50	3.15	OR50003200	32.00	5.00
OR34003000	30.00	3.40	OR34003050	30.50	3.40	OR35003150	31.50	3.50	OR60003200	32.00	6.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR32001700	32.00	6.50	OR35003300	33.00	3.50	OR10003400	34.00	1.00	OR46003450	34.50	4.60
OR65003200	32.00	6.50	OR35303300	33.00	3.53	OR15003400	34.00	1.50	OR50003450	34.50	5.00
OR70003200	32.00	7.00	OR35503300	33.00	3.55	OR18003400	34.00	1.80	OR35303451	34.51	3.53
OR80003200	32.00	8.00	OR36003300	33.00	3.60	OR20003400	34.00	2.00	OR35303452	34.52	3.53
OR90003200	32.00	9.00	OR37003300	33.00	3.70	OR22503400	34.00	2.25	OR26203459	34.59	2.62
OR10003210	32.10	1.00	OR40003300	33.00	4.00	OR23003400	34.00	2.30	OR26503459	34.59	2.65
OR16003210	32.10	1.60	OR50003300	33.00	5.00	OR25003400	34.00	2.50	OR27203459	34.59	2.72
OR20003220	32.20	2.00	OR60003300	33.00	6.00	OR28003400	34.00	2.80	OR17803460	34.60	1.78
OR30003220	32.20	3.00	OR30003302	33.02	3.00	OR30003400	34.00	3.00	OR20003460	34.60	2.00
OR26203239	32.39	2.62	OR17803305	33.05	1.78	OR31003400	34.00	3.10	OR26203460	34.60	2.62
OR33003240	32.40	3.30	OR35003310	33.10	3.50	OR32003400	34.00	3.20	OR47003460	34.60	4.70
OR16003250	32.50	1.60	OR89003315	33.15	8.90	OR33003400	34.00	3.30	OR26203464	34.64	2.62
OR20003250	32.50	2.00	OR20003320	33.20	2.00	OR33303400	34.00	3.30	OR17803465	34.65	1.78
OR22503250	32.50	2.25	OR27003320	33.20	2.70	OR35003400	34.00	3.50	OR17803468	34.68	1.78
OR25003250	32.50	2.50	OR37003320	33.20	3.70	OR35503400	34.00	3.55	OR26203469	34.69	2.62
OR26503250	32.50	2.65	OR35003326	33.26	3.50	OR38003400	34.00	3.80	OR35003470	34.70	3.50
OR27003250	32.50	2.70	OR26203329	33.29	2.62	OR40003400	34.00	4.00	OR50003475	34.75	5.00
OR30003250	32.50	3.00	OR16003330	33.30	1.60	OR45003400	34.00	4.50	OR17803479	34.79	1.78
OR32003250	32.50	3.20	OR24003330	33.30	2.40	OR46003400	34.00	4.60	OR20003480	34.80	2.00
OR35003250	32.50	3.50	OR55003330	33.30	5.50	OR50003400	34.00	5.00	OR25003480	34.80	2.50
OR35303250	32.50	3.53	OR79503330	33.30	7.95	OR60003400	34.00	6.00	OR26003480	34.80	2.60
OR35503250	32.50	3.55	OR15803333	33.33	1.58	OR100003400	34.00	10.00	OR31503480	34.80	3.15
OR36003250	32.50	3.60	OR15903333	33.33	1.59	OR32003410	34.10	3.20	OR16003490	34.9	1.60
OR53003250	32.50	5.30	OR31703333	33.33	3.17	OR53303410	34.10	5.33	OR18003490	34.90	1.80
OR38103251	32.51	3.81	OR35303334	33.34	3.53	OR31703413	34.13	3.17	OR31003490	34.90	3.10
OR36003260	32.60	3.60	OR18003340	33.40	1.80	OR25503415	34.15	2.55	OR15903492	34.92	1.59
OR19403261	32.61	1.94	OR24003340	33.40	2.40	OR35303415	34.15	3.53	OR23803492	34.92	2.38
OR53303269	32.69	5.33	OR83003340	33.40	8.30	OR20003420	34.20	2.00	OR26203492	34.92	2.62
OR20003270	32.70	2.00	OR17803350	33.50	1.78	OR30003420	34.20	3.00	OR31703492	34.92	3.17
OR25003270	32.70	2.50	OR20003350	33.50	2.00	OR45003420	34.20	4.50	OR31803493	34.93	3.18
OR28003270	32.70	2.80	OR22503350	33.50	2.25	OR17803426	34.26	1.78	OR10003500	35.00	1.00
OR34003270	32.70	3.40	OR23303350	33.50	2.33	OR53303429	34.29	5.33	OR12003500	35.00	1.20
OR42003270	32.70	4.20	OR24003350	33.50	2.40	OR18003430	34.30	1.80	OR15003500	35.00	1.50
OR45003270	32.70	4.50	OR25003350	33.50	2.40	OR22003430	34.30	2.20	OR17003500	35.00	1.70
OR25003276	32.76	2.50	OR25003350	33.50	2.50	OR27503430	34.30	2.75	OR17803500	35.00	1.78
OR20003280	32.80	2.00	OR26003350	33.50	2.60	OR30003430	34.30	3.00	OR20003500	35.00	2.00
OR37003280	32.80	3.70	OR26203350	33.50	2.62	OR35003430	34.30	3.50	OR24003500	35.00	2.40
OR35003290	32.90	3.50	OR26503350	33.50	2.65	OR46003430	34.30	4.60	OR25003500	35.00	2.50
OR35303290	32.90	3.53	OR30003350	33.50	3.00	OR91003430	34.30	9.10	OR25503500	35.00	2.55
OR35303291	32.91	3.53	OR31503350	33.50	3.15	OR16003440	34.40	1.60	OR26003500	35.00	2.60
OR35303292	32.92	3.53	OR35003350	33.50	3.50	OR28003440	34.40	2.80	OR27003500	35.00	2.70
OR53303292	32.92	5.33	OR40003350	33.50	4.00	OR31003410	34.40	3.10	OR27503500	35.00	2.75
OR26203299	32.99	2.62	OR45003350	33.50	4.50	OR31003440	34.40	3.10	OR30003500	35.00	3.00
OR35303299	32.99	3.53	OR75003350	33.50	7.50	OR10003450	34.50	1.00	OR31003500	35.00	3.10
OR10003300	33.00	1.00	OR53303353	33.53	5.33	OR17203450	34.50	1.72	OR32003500	35.00	3.20
OR15003300	33.00	1.50	OR29003360	33.60	2.90	OR17803450	34.50	1.78	OR32503500	35.00	3.25
OR17203300	33.00	1.72	OR34003360	33.60	3.40	OR26003450	34.50	2.60	OR35003500	35.00	3.50
OR20003300	33.00	2.00	OR43003360	33.60	4.30	OR27003450	34.50	2.70	OR35303500	35.00	3.53
OR25003300	33.00	2.50	OR25503370	33.70	2.55	OR30003450	34.50	3.00	OR37003500	35.00	3.70
OR26003300	33.00	2.60	OR30003370	33.70	3.00	OR35003450	34.50	3.50	OR37503500	35.00	3.75
OR26203300	33.00	2.62	OR35003370	33.70	3.50	OR35303450	34.50	3.53	OR40003500	35.00	4.00
OR28003300	33.00	2.80	OR20003380	33.80	2.00	OR36003450	34.50	3.60	OR45003500	35.00	4.50
OR30003300	33.00	3.00	OR30003380	33.80	3.00	OR37503450	34.50	3.75	OR50003500	35.00	5.00
OR31003300	33.00	3.10	OR31003380	33.80	3.10	OR40003450	34.50	4.00	OR55003500	35.00	5.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR60003500	35.00	6.00	OR30003620	36.20	3.00	OR36003730	37.30	3.60	OR20003800	38.00	2.00
OR64003500	35.00	6.40	OR30003620	36.20	3.00	OR46003730	37.30	4.60	OR20003800	38.00	2.00
OR70003500	35.00	7.00	OR57003620	36.20	5.70	OR48003730	37.30	4.80	OR24003800	38.00	2.40
OR75003500	35.00	7.50	OR64003620	36.20	6.40	OR76003730	37.30	7.60	OR25003800	38.00	2.50
OR80003500	35.00	8.00	OR17803627	36.27	1.78	OR26003736	37.36	2.60	OR30003800	38.00	3.00
OR96003500	35.00	9.60	OR17803630	36.30	1.78	OR26203736	37.36	2.62	OR35003800	38.00	3.50
OR135003500	35.00	13.50	OR44003630	36.30	4.40	OR30003740	37.40	3.00	OR35303800	38.00	3.53
OR16003510	35.10	1.60	OR46003630	36.30	4.60	OR35003740	37.40	3.50	OR37503800	38.00	3.75
OR30003520	35.20	3.00	OR23303632	36.32	2.33	OR37003740	37.40	3.70	OR38003800	38.00	3.80
OR35003520	35.20	3.50	OR26003632	36.32	2.60	OR29903746	37.46	2.99	OR40003800	38.00	4.00
OR14003532	35.32	1.40	OR23003640	36.40	2.30	OR53303746	37.46	5.33	OR45003800	38.00	4.50
OR13503538	35.38	1.35	OR18003650	36.50	1.80	OR30003747	37.47	3.00	OR50003800	38.00	5.00
OR15003540	35.40	1.50	OR20003650	36.50	2.00	OR53303747	37.47	5.33	OR55003800	38.00	5.50
OR47003540	35.40	4.70	OR24003650	36.50	2.40	OR53403747	37.47	5.34	OR56003800	38.00	5.60
OR17503550	35.50	1.75	OR25003650	36.50	2.50	OR84603749	37.49	8.46	OR60003800	38.00	6.00
OR25003550	35.50	2.50	OR26003650	36.50	2.60	OR17503750	37.50	1.75	OR70003800	38.00	7.00
OR30003550	35.50	3.00	OR26503650	36.50	2.65	OR20003750	37.50	2.00	OR75003800	38.00	7.50
OR35003550	35.50	3.50	OR30003650	36.50	3.00	OR25003750	37.50	2.50	OR77003800	38.00	7.70
OR35503550	35.50	3.55	OR35003650	36.50	3.50	OR30003750	37.50	3.00	OR80003800	38.00	8.00
OR47003550	35.50	4.70	OR35503650	36.50	3.55	OR35003750	37.50	3.50	OR32003805	38.05	3.20
OR30003556	35.56	3.00	OR37503650	36.50	3.75	OR35303750	37.50	3.53	OR31703810	38.10	3.17
OR23003560	35.60	2.30	OR65003650	36.50	6.50	OR35503750	37.50	3.55	OR31803810	38.10	3.18
OR28003560	35.60	2.80	OR31703651	36.51	3.17	OR37503750	37.50	3.75	OR32003810	38.10	3.20
OR36003560	35.60	3.60	OR31703652	36.52	3.17	OR40003750	37.50	4.00	OR38003810	38.10	3.80
OR35003570	35.70	3.50	OR33003663	36.63	3.30	OR45003750	37.50	4.50	OR40003810	38.10	4.00
OR18003575	35.75	1.80	OR35303669	36.69	3.53	OR50003750	37.50	5.00	OR47503810	38.10	4.75
OR26203576	35.76	2.62	OR35003670	36.70	3.50	OR57503750	37.50	5.75	OR47603810	38.10	4.76
OR20003580	35.80	2.00	OR26203677	36.77	2.62	OR89003755	37.55	8.90	OR53003810	38.10	5.30
OR31003580	35.80	3.10	OR26503777	36.77	2.65	OR22803756	37.56	2.28	OR63503810	38.10	6.35
OR26203596	35.96	2.62	OR20003680	36.80	2.00	OR16003760	37.60	1.60	OR64003810	38.10	6.40
OR10003600	36.00	1.00	OR21003698	36.98	2.10	OR24003760	37.60	2.40	OR79003810	38.10	7.90
OR16503600	36.00	1.65	OR21803698	36.98	2.18	OR37003760	37.60	3.70	OR26203830	38.30	2.62
OR17803600	36.00	1.78	OR35303698	36.98	3.53	OR37003760	37.60	3.70	OR26203834	38.34	2.62
OR20003600	36.00	2.00	OR15003700	37.00	1.50	OR52003760	37.60	5.20	OR32003840	38.40	3.20
OR24003600	36.00	2.40	OR20003700	37.00	2.00	OR26203769	37.69	2.62	OR33003840	38.40	3.30
OR25003600	36.00	2.50	OR25003700	37.00	2.50	OR35303769	37.69	3.53	OR15003850	38.50	1.50
OR26003600	36.00	2.60	OR27503700	37.00	2.75	OR35503769	37.69	3.55	OR20003850	38.50	2.00
OR26503600	36.00	2.65	OR29003700	37.00	2.90	OR35003770	37.70	3.50	OR37003850	38.50	3.70
OR27503600	36.00	2.75	OR30003700	37.00	3.00	OR35303770	37.70	3.53	OR42503850	38.50	4.25
OR30003600	36.00	3.00	OR31003700	37.00	3.10	OR35503770	37.70	3.55	OR53303850	38.52	5.33
OR32203600	36.00	3.22	OR35003700	37.00	3.50	OR36003770	37.70	3.60	OR53303852	38.52	5.33
OR35003600	36.00	3.50	OR35303700	37.00	3.53	OR37003770	37.70	3.70	OR53303852	38.52	5.33
OR35303600	36.00	3.53	OR40003700	37.00	4.00	OR45003770	37.70	4.50	OR35303855	38.55	3.53
OR37503600	36.00	3.75	OR50003700	37.00	5.00	OR52503770	37.70	5.25	OR21803856	38.56	2.18
OR40003600	36.00	4.00	OR52503700	37.00	5.25	OR53303770	37.70	5.33	OR29003860	38.60	2.90
OR45003600	36.00	4.50	OR60003700	37.00	6.00	OR45003775	37.75	4.50	OR57003860	38.60	5.70
OR50003600	36.00	5.00	OR85003700	37.00	8.50	OR26203777	37.77	2.62	OR57503860	38.60	5.75
OR52503600	36.00	5.25	OR12003710	37.10	1.20	OR20003780	37.80	2.00	OR20003870	38.70	2.00
OR60003600	36.00	6.00	OR16003710	37.10	1.60	OR45003780	37.80	4.50	OR26503870	38.70	2.65
OR85003600	36.00	8.50	OR45003710	37.10	4.50	OR90003780	37.80	9.00	OR30003870	38.70	3.00
OR35303609	36.09	3.53	OR29001750	37.20	2.90	OR17803782	37.82	1.78	OR35003870	38.70	3.50
OR67003610	36.10	6.70	OR29003720	37.20	2.90	OR12003800	38.00	1.20	OR42003870	38.70	4.20
OR26203617	36.17	2.62	OR25003730	37.30	2.50	OR13003800	38.00	1.30	OR20003880	38.80	2.00
OR25003620	36.20	2.50	OR32003730	37.30	3.20	OR15003800	38.00	1.50	OR31003880	38.80	3.10

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR20003900	39.00	2.00	OR26003970	39.70	2.60	OR54004070	40.70	5.40	OR30004160	41.60	3.00
OR23003900	39.00	2.30	OR30003970	39.70	3.00	OR20004080	40.80	2.00	OR26204170	41.70	2.62
OR24003900	39.00	2.40	OR35003970	39.70	3.50	OR26204080	40.80	2.62	OR35004170	41.70	3.50
OR25003900	39.00	2.50	OR35303970	39.70	3.53	OR47004080	40.80	4.70	OR42004170	41.70	4.20
OR26003900	39.00	2.60	OR40003970	39.70	4.00	OR35304087	40.87	3.53	OR26504180	41.80	2.65
OR27003900	39.00	2.70	OR60003970	39.70	6.00	OR26204090	40.90	2.62	OR31004180	41.80	3.10
OR30003900	39.00	3.00	OR25003980	39.80	2.50	OR26204094	40.94	2.62	OR37004180	41.80	3.70
OR31703900	39.00	3.17	OR35303992	39.92	3.53	OR26204095	40.95	2.62	OR45004180	41.80	4.50
OR32003900	39.00	3.20	OR10004000	40.00	1.00	OR26504095	40.95	2.65	OR30004187	41.87	3.00
OR34003900	39.00	3.40	OR15004000	40.00	1.50	OR10004100	41.00	1.00	OR82004190	41.90	8.20
OR35003900	39.00	3.50	OR20004000	40.00	2.00	OR15004100	41.00	1.50	OR15004200	42.00	1.50
OR40003900	39.00	4.00	OR23004000	40.00	2.30	OR16004100	41.00	1.60	OR18004200	42.00	1.80
OR50003900	39.00	5.00	OR24004000	40.00	2.40	OR17204100	41.00	1.72	SOR20004200	42.00	2.00
OR55003900	39.00	5.50	OR25004000	40.00	2.50	OR17804100	41.00	1.78	OR25004200	42.00	2.50
OR80003900	39.00	8.00	OR25504000	40.00	2.55	OR18004100	41.00	1.80	OR27004200	42.00	2.70
OR100003900	39.00	10.00	OR26004000	40.00	2.60	OR20004100	41.00	2.00	OR27504200	42.00	2.75
OR28003910	39.10	2.80	OR26504000	40.00	2.65	OR25004100	41.00	2.50	OR30004200	42.00	3.00
OR58003910	39.10	5.80	OR27004000	40.00	2.70	OR27004100	41.00	2.70	OR32004200	42.00	3.20
OR18503920	39.20	1.85	OR28004000	40.00	2.80	OR30004100	41.00	3.00	OR35004200	42.00	3.50
OR24003920	39.20	2.40	OR30004000	40.00	3.00	OR32004100	41.00	3.20	OR36004200	42.00	3.60
OR26003920	39.20	2.60	OR31004000	40.00	3.10	OR32504100	41.00	3.25	OR37204200	42.00	3.72
OR30003920	39.20	3.00	OR34004000	40.00	3.40	OR34004100	41.00	3.40	OR40004200	42.00	4.00
OR57003920	39.20	5.70	OR35004000	40.00	3.50	OR35004100	41.00	3.50	OR45004200	42.00	4.50
OR45003930	39.30	4.50	OR35304000	40.00	3.53	OR36004100	41.00	3.60	OR50004200	42.00	5.00
OR57003930	39.30	5.70	OR38004000	40.00	3.80	OR40004100	41.00	4.00	OR59004200	42.00	5.90
OR50003932	39.32	5.00	OR40004000	40.00	4.00	OR42004100	41.00	4.20	OR60004200	42.00	6.00
OR26203934	39.34	2.62	OR45004000	40.00	4.50	OR45004100	41.00	4.50	OR55004200	42.00	6.50
OR26203934	39.34	2.62	OR50004000	40.00	5.00	OR50004100	41.00	5.00	OR80004200	42.00	8.00
OR26203934	39.34	2.62	OR53004000	40.00	5.30	OR52004100	41.00	5.20	OR90004200	42.00	9.00
OR26003935	39.35	2.60	OR55004000	40.00	5.50	OR55004100	41.00	5.50	OR36004210	42.10	3.60
OR18003940	39.40	1.80	OR60004000	40.00	6.00	OR60004100	41.00	6.00	OR17804216	42.16	1.78
OR20003940	39.40	2.00	OR63004000	40.00	6.30	OR50004110	41.10	5.00	OR26204220	42.20	2.62
OR26203940	39.40	2.62	OR65004000	40.00	6.50	OR58004110	41.10	5.80	OR30004220	42.20	3.00
OR30003940	39.40	3.00	OR100004000	40.00	10.00	OR24004120	41.20	2.40	OR57004220	42.20	5.70
OR31003940	39.40	3.10	OR110004000	40.00	11.00	OR30004120	41.20	3.00	OR20004230	42.30	2.00
OR31703940	39.40	3.17	OR17704010	40.10	1.77	OR35504100	41.20	3.55	OR35304230	42.30	3.53
OR20003944	39.44	2.00	OR35304016	40.16	3.53	OR35504122	41.22	3.55	OR100004230	42.30	10.00
OR17803945	39.45	1.78	OR17804020	40.20	1.78	OR47604127	41.27	4.76	OR18004246	42.46	1.80
OR20003950	39.50	2.00	OR34004020	40.20	3.40	OR95204127	41.27	9.52	OR17804250	42.50	1.78
OR25003950	39.50	2.50	OR53304020	40.20	5.33	OR35304128	41.28	3.53	OR26204250	42.50	2.62
OR25303950	39.50	2.53	OR35004030	40.30	3.50	OR16004130	41.30	1.60	OR26504250	42.50	2.65
OR26003950	39.50	2.60	OR30004045	40.45	3.00	OR32004130	41.30	3.20	OR30004250	42.50	3.00
OR28003950	39.50	2.80	OR15004050	40.50	1.50	OR35504130	41.30	3.55	OR35004250	42.50	3.50
OR30003950	39.50	3.00	OR23004050	40.50	2.30	OR47504130	41.30	4.75	OR35304250	42.50	3.53
OR31003950	39.50	3.10	OR30004050	40.50	3.00	OR20004138	41.38	2.00	OR40004250	42.50	4.00
OR50003900	39.50	5.00	OR35004050	40.50	3.50	OR26204140	41.40	2.62	OR45004250	42.50	4.50
OR50003950	39.50	5.00	OR37504050	40.50	3.75	OR35004140	41.40	3.50	OR49004250	42.50	4.90
OR24003960	39.60	2.40	OR40004050	40.50	4.00	OR28004150	41.50	2.80	OR53004250	42.50	5.30
OR31403960	39.60	3.14	OR53304050	40.50	5.33	OR29004150	41.50	2.90	OR26204252	42.52	2.62
OR58003960	39.60	5.80	OR53304064	40.64	5.33	OR30004150	41.50	3.00	OR32004260	42.60	3.20
OR26203964	39.64	2.62	OR25004070	40.70	2.50	OR32504150	41.50	3.25	OR40004260	42.60	4.00
OR23803969	39.69	2.38	OR35004070	40.70	3.50	OR35004150	41.50	3.50	OR53304268	42.68	5.33
OR16003970	39.70	1.60	OR35304070	40.70	3.53	OR40004150	41.50	4.00	OR20004280	42.80	2.00
OR20003970	39.70	2.00	OR36004070	40.70	3.60	OR17004160	41.60	1.70	OR26204280	42.80	2.62

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR35304285	42.85	3.53	OR10004400	44.00	1.00	OR45004450	44.50	4.50	OR24004560	45.60	2.40
OR23804286	42.86	2.38	OR15004400	44.00	1.50	OR50004450	44.50	5.00	OR38004560	45.60	3.80
OR35304286	42.86	3.53	OR16004400	44.00	1.60	OR52504450	44.50	5.25	OR54004560	45.60	5.40
OR47004290	42.90	4.70	OR20004400	44.00	2.00	OR53304450	44.50	5.33	OR26204569	45.69	2.62
OR15004300	43.00	1.50	OR24004400	44.00	2.40	OR60004450	44.50	6.00	OR35004570	45.70	3.50
OR17004300	43.00	1.70	OR25004400	44.00	2.50	OR63504450	44.50	6.35	OR55304570	45.70	5.53
OR20004300	43.00	2.00	OR25304400	44.00	2.53	OR65004450	44.50	6.50	OR35304579	45.79	3.53
OR25004300	43.00	2.50	OR27504400	44.00	2.75	OR67504450	44.50	6.75	OR57004580	45.80	5.70
OR27004300	43.00	2.70	OR30004400	44.00	3.00	OR83004450	44.50	8.30	OR35004590	45.90	3.50
OR30004300	43.00	3.00	OR32004400	44.00	3.20	OR95004450	44.50	9.50	OR18004600	46.00	1.80
OR34004300	43.00	3.40	OR32504400	44.00	3.25	OR24004460	44.60	2.40	OR20004600	46.00	2.00
OR35004300	43.00	3.50	OR35004400	44.00	3.50	OR29004460	44.60	2.90	OR25004600	46.00	2.50
OR35304300	43.00	3.53	OR35504400	44.00	3.55	OR32004460	44.60	3.20	OR30004600	46.00	3.00
OR40004300	43.00	4.00	OR40004400	44.00	4.00	OR20004470	44.70	2.00	OR35004600	46.00	3.50
OR50004300	43.00	5.00	OR45004400	44.00	4.50	OR28004470	44.70	2.80	OR35304600	46.00	3.53
OR52504300	43.00	5.25	OR47004400	44.00	4.70	OR35004470	44.70	3.50	OR40004600	46.00	4.00
OR52604300	43.00	5.26	OR50004400	44.00	5.00	OR35304470	44.70	3.53	OR45004600	46.00	4.50
OR55004300	43.00	5.50	OR53204400	44.00	5.32	OR20004480	44.80	2.00	OR50004600	46.00	5.00
OR60004300	43.00	6.00	OR54004400	44.00	5.40	OR30004480	44.80	3.00	OR60004600	46.00	6.00
OR32004310	43.10	3.20	OR55004400	44.00	5.50	OR18004500	45.00	1.80	OR70004600	46.00	7.00
OR35304315	43.15	3.53	OR60004400	44.00	6.00	OR20004500	45.00	2.00	OR90004600	46.00	9.00
OR23004320	43.20	2.30	OR35304404	44.04	3.53	OR24004500	45.00	2.40	OR120004600	46.00	12.00
OR26004320	43.20	2.60	OR57004410	44.10	5.70	OR25004500	45.00	2.50	OR35304602	46.02	3.53
OR35004330	43.30	3.50	OR69904410	44.10	6.99	OR26204500	45.00	2.62	OR35304604	46.04	3.53
OR35304333	43.33	3.53	OR17804412	44.12	1.78	OR27504500	45.00	2.75	OR35504620	46.20	3.55
OR53304334	43.34	5.33	OR26204412	44.12	2.62	OR30004500	45.00	3.00	OR75004620	46.20	7.50
OR33004340	43.40	3.30	OR26204415	44.15	2.62	OR31004500	45.00	3.10	OR36004630	46.30	3.60
OR29404343	43.43	2.94	OR26204416	44.16	2.62	OR32504500	45.00	3.25	OR24004640	46.40	2.40
OR30004343	43.43	3.00	OR17804417	44.17	1.78	OR35004500	45.00	3.50	OR35004640	46.40	3.50
OR33004350	43.50	3.30	OR16004420	44.20	1.60	OR35304500	45.00	3.53	OR12504650	46.50	1.25
OR35304350	43.50	3.53	OR30004420	44.20	3.00	OR35504500	45.00	3.55	OR15004650	46.50	1.50
OR40004350	43.50	4.00	OR40004420	44.20	4.00	OR36004500	45.00	3.60	OR27004650	46.50	2.70
OR50004350	43.50	5.00	OR57004420	44.20	5.70	OR36504500	45.00	3.65	OR30004650	46.50	3.00
OR26204352	43.52	2.62	OR20004430	44.30	2.00	OR40004500	45.00	4.00	OR35004650	46.50	3.50
OR38104356	43.56	3.81	OR31704430	44.30	3.17	OR42004500	45.00	4.20	OR35304650	46.50	3.53
OR30004369	43.69	3.00	OR30004435	44.35	3.00	OR45004500	45.00	4.50	OR45004650	46.50	4.50
OR26504370	43.70	2.65	OR26204440	44.40	2.62	OR50004500	45.00	5.00	OR26204678	46.78	2.62
OR35004370	43.70	3.50	OR31004440	44.40	3.10	OR53304500	45.00	5.33	OR20004680	46.80	2.00
OR35304370	43.70	3.53	OR32004440	44.40	3.20	OR54004500	45.00	5.40	OR41004680	46.80	4.10
OR35504370	43.70	3.55	OR35304440	44.40	3.53	OR55004500	45.00	5.50	OR53304699	46.99	5.33
OR35504370	43.70	3.55	OR48004440	44.40	4.80	OR57004500	45.00	5.70	OR10004700	47.00	1.00
OR45004370	43.70	4.50	OR15804445	44.45	1.58	OR60004500	45.00	6.00	OR15004700	47.00	1.50
OR53004370	43.70	5.30	OR17784445	44.45	1.78	OR65004500	45.00	6.50	OR16004700	47.00	1.60
OR30004380	43.80	3.00	OR23804445	44.45	2.38	OR80004500	45.00	8.00	OR17504700	47.00	1.75
OR31004380	43.80	3.10	OR31704445	44.45	3.17	OR35304504	45.04	3.53	OR20004700	47.00	2.00
OR35004380	43.80	3.50	OR47604445	44.45	4.76	OR32504510	45.10	3.25	OR22504700	47.00	2.25
OR53304380	43.80	5.33	OR18004450	44.50	1.80	OR35604510	45.10	3.56	OR25004700	47.00	2.50
OR53304381	43.81	5.33	OR20004450	44.50	2.00	OR53304520	45.20	5.33	OR26004700	47.00	2.60
OR35004382	43.82	3.50	OR25004450	44.50	2.50	OR53304532	45.32	5.33	OR30004700	47.00	3.00
OR40004382	43.82	4.00	OR30004450	44.50	3.00	OR35304536	45.36	3.53	OR35004700	47.00	3.50
OR53004382	43.82	5.30	OR31004450	44.50	3.10	OR18004540	45.40	1.80	OR35304700	47.00	3.53
OR53304382	43.82	5.33	OR31504450	44.50	3.15	OR53304548	45.48	5.33	OR36704700	47.00	3.67
OR53404382	43.82	5.34	OR32504450	44.50	3.25	OR50004550	45.50	5.00	OR40004700	47.00	4.00
OR26004398	43.98	2.60	OR37504450	44.50	3.75	OR23004560	45.60	2.30	OR45004700	47.00	4.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR50004700	47.00	5.00	OR32004800	48.00	3.20	OR57049300	49.30	5.70	OR53305017	50.17	5.33
OR53304700	47.00	5.33	OR35004800	48.00	3.50	OR70004930	49.30	7.00	OR5330501	50.17	5.33
OR53404700	47.00	5.34	OR37504800	48.00	3.75	OR31004940	49.40	3.10	OR16005020	50.20	1.60
OR55004700	47.00	5.50	OR40004800	48.00	4.00	OR31704940	49.40	3.17	OR1700502	50.20	1.70
OR56004700	47.00	5.60	OR45004800	48.00	4.50	OR50004940	49.40	5.00	OR53005020	50.20	5.30
OR57004700	47.00	5.70	OR50004800	48.00	5.00	OR20004950	49.50	2.00	OR53305020	50.20	5.33
OR60004700	47.00	6.00	OR55004800	48.00	5.50	OR30004950	49.50	3.00	OR157005031	50.31	15.70
OR70004700	47.00	7.00	OR60004800	48.00	6.00	OR31704950	49.50	3.17	OR17805039	50.39	1.78
OR32004720	47.20	3.20	OR64004800	48.00	6.40	OR32504950	49.50	3.25	OR35305039	50.39	3.53
OR35004720	47.20	3.50	OR67004800	48.00	6.70	OR34004950	49.50	3.40	OR3530503	50.39	3.53
OR35304720	47.20	3.53	OR70004800	48.00	7.00	OR35004950	49.50	3.50	OR53305039	50.39	5.33
OR35504720	47.20	3.55	OR125004800	48.00	12.5	OR42504950	49.50	4.25	OR19005040	50.40	1.90
OR40004720	47.20	4.00	OR17804820	48.20	1.78	OR45004950	49.50	4.50	OR35005040	50.40	3.50
OR57004720	47.20	5.70	OR26004850	48.50	2.60	OR17804960	49.60	1.78	OR35305040	50.40	3.53
OR33304722	47.22	3.33	OR30004850	48.50	3.00	OR18004960	49.60	1.80	OR26205047	50.47	2.62
OR35004722	47.22	3.50	OR37004850	48.50	3.70	OR57004960	49.60	5.70	OR35005050	50.50	3.50
OR35304722	47.22	3.53	OR18004860	48.60	1.80	OR29004965	49.65	2.90	OR50005050	50.50	5.00
OR26204729	47.29	2.62	OR12704864	48.64	1.27	OR35304968	49.68	3.53	OR17805052	50.52	1.78
OR11004730	47.30	1.10	OR38104864	48.64	3.81	OR35004970	49.70	3.50	OR24005060	50.60	2.40
OR26204730	47.30	2.62	OR35004870	48.70	3.50	OR28304971	49.71	2.83	OR16005080	50.80	1.60
OR40004730	47.30	4.00	OR35504870	48.70	3.55	OR31004975	49.75	3.10	OR17205080	50.80	1.72
OR17804735	47.35	1.78	OR20004880	48.80	2.00	OR57004980	49.80	5.70	OR20005080	50.80	2.00
OR29104742	47.42	2.91	OR31004880	48.80	3.10	OR24004982	49.82	2.40	OR23805080	50.80	2.38
OR12504750	47.50	1.25	OR53004880	48.80	5.30	OR21504995	49.95	2.15	OR24005080	50.80	2.40
OR19004750	47.50	1.90	OR26204889	48.89	2.62	OR10005000	50.00	1.00	OR29205080	50.80	2.92
OR20004750	47.50	2.00	OR26204890	48.90	2.62	OR13005000	50.00	1.30	OR31705080	50.80	3.17
OR25004750	47.50	2.50	OR44004890	48.90	4.40	OR20005000	50.00	2.00	OR32005080	50.80	3.20
OR27504750	47.50	2.75	OR15004900	49.00	1.50	OR23005000	50.00	2.30	OR35005080	50.80	3.50
OR30004750	47.50	3.00	OR18004900	49.00	1.80	OR25005000	50.00	2.50	OR35305080	50.80	3.53
OR32504750	47.50	3.25	OR20004900	49.00	2.00	OR26005000	50.00	2.60	OR47605080	50.80	4.76
OR35504750	47.50	3.55	OR24004900	49.00	2.40	OR30005000	50.00	3.00	OR48005080	50.80	4.80
OR55004750	47.50	5.50	OR25004900	49.00	2.50	OR3000500	50.00	3.00	OR55005080	50.80	5.50
OR68004755	47.55	6.80	OR30004900	49.00	3.00	OR31005000	50.00	3.10	OR63505080	50.80	6.35
OR16004760	47.60	1.60	OR33004900	49.00	3.30	OR31705000	50.00	3.17	OR96005080	50.80	9.60
OR24004760	47.60	2.40	OR35004900	49.00	3.50	OR35005000	50.00	3.50	OR127005080	50.80	12.70
OR25004760	47.60	2.50	OR40004900	49.00	4.00	OR35305000	50.00	3.53	OR95005090	50.90	9.50
OR27004760	47.60	2.70	OR45004900	49.00	4.50	OR35505000	50.00	3.55	OR10005100	51.00	1.00
OR53304760	47.60	5.33	OR46004900	49.00	4.60	OR37505000	50.00	3.75	OR14005100	51.00	1.40
OR55004760	47.60	5.50	OR50004900	49.00	5.00	OR40005000	50.00	4.00	OR15005100	51.00	1.50
OR57004760	47.60	5.70	OR55004900	49.00	5.50	OR45005000	50.00	4.50	OR16005100	51.00	1.60
OR47604762	47.62	4.76	OR60004900	49.00	6.00	OR47005000	50.00	4.70	OR20005100	51.00	2.00
OR53304763	47.63	5.33	OR65004900	49.00	6.50	OR50005000	50.00	5.00	OR25005100	51.00	2.50
OR32004770	47.70	3.20	OR80004900	49.00	8.00	OR60005000	50.00	6.00	OR27005100	51.00	2.70
OR35304770	47.70	3.53	OR100004900	49.00	10.00	OR65005000	50.00	6.50	OR28005100	51.00	2.80
OR47504770	47.70	4.75	OR24004920	49.20	2.40	OR66005000	50.00	6.60	OR30005100	51.00	3.00
OR35304772	47.72	3.53	OR26004920	49.20	2.60	OR67505000	50.00	6.75	OR35005100	51.00	3.50
OR35004780	47.80	3.50	OR30004920	49.20	3.00	OR70005000	50.00	7.00	OR38005100	51.00	3.80
OR55004790	47.90	5.50	OR32004920	49.20	3.20	OR75005000	50.00	7.50	OR40005100	51.00	4.00
OR15004800	48.00	1.50	OR35304920	49.20	3.53	OR8000500	50.00	8.00	OR45005100	51.00	4.50
OR17504800	48.00	1.75	OR57004920	49.20	5.70	OR160005000	50.00	16.00	OR50005100	51.00	5.00
OR17804800	48.00	1.78	OR23804921	49.21	2.38	OR5700501	50.10	5.70	OR53505100	51.00	5.35
OR20004800	48.00	2.00	OR35304921	49.21	3.53	OR53005016	50.16	5.30	OR60005100	51.00	6.00
OR25004800	48.00	2.50	OR53404930	49.30	5.34	OR5330501	50.16	5.33	OR69905100	51.00	6.99
OR30004800	48.00	3.00	OR57004930	49.30	5.70	OR53405016	50.16	5.34	OR100005100	51.00	10.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR28005110	51.10	2.80	OR10005300	53.00	1.00	OR35305373	53.73	3.53	OR22005470	54.70	2.20
OR21005120	51.20	2.10	OR15005300	53.00	1.50	OR40005374	53.74	4.00	OR20005480	54.80	2.00
OR24005120	51.20	2.40	OR18005300	53.00	1.80	OR31005380	53.80	3.10	OR31005495	54.95	3.10
OR30005120	51.20	3.00	OR20005300	53.00	2.00	OR15805397	53.97	1.58	OR10005500	55.00	1.00
OR20005150	51.50	2.00	SOR25005300	53.00	2.50	OR35305397	53.97	3.53	OR15005500	55.00	1.50
OR35005150	51.50	3.50	OR26205300	53.00	2.62	OR47605397	53.97	4.76	OR20005500	55.00	2.00
OR40005150	51.50	4.00	OR26505300	53.00	2.65	OR47705397	53.97	4.77	OR25005500	55.00	2.50
OR17505160	51.60	1.75	OR27005300	53.00	2.70	OR79405397	53.97	7.94	OR26005500	55.00	2.60
OR24005160	51.60	2.40	OR28005300	53.00	2.80	OR15005400	54.00	1.50	OR30005500	55.00	3.00
OR27005160	51.60	2.70	OR30005300	53.00	3.00	OR20005400	54.00	2.00	OR31005500	55.00	3.10
OR57005160	51.60	5.70	OR35005300	53.00	3.50	OR25005400	54.00	2.50	OR35005500	55.00	3.50
OR26505167	51.67	2.65	OR35305300	53.00	3.53	OR26205400	54.00	2.62	OR35305500	55.00	3.53
OR57005170	51.70	5.70	OR35505300	53.00	3.55	OR30005400	54.00	3.00	OR37505500	55.00	3.75
OR10005200	52.00	1.00	OR36005300	53.00	3.60	OR31705400	54.00	3.17	OR40005500	55.00	4.00
OR20005200	52.00	2.00	OR40005300	53.00	4.00	OR32005400	54.00	3.20	OR45005500	55.00	4.50
OR25005200	52.00	2.50	OR45005300	53.00	4.50	OR33005400	54.00	3.30	OR50005500	55.00	5.00
OR26005200	52.00	2.60	OR46505300	53.00	4.65	OR35005400	54.00	3.50	OR53005500	55.00	5.30
OR30005200	52.00	3.00	OR50005300	53.00	5.00	OR40005400	54.00	4.00	OR55005500	55.00	5.50
OR32005200	52.00	3.20	OR53005300	53.00	5.30	OR45005400	54.00	4.50	OR60005500	55.00	6.00
OR32505200	52.00	3.25	OR55005300	53.00	5.50	OR46505400	54.00	4.65	OR62005500	55.00	6.20
OR35005200	52.00	3.50	OR56005300	53.00	5.60	OR48005400	54.00	4.80	OR65005500	55.00	6.50
OR35305200	52.00	3.53	OR60005300	53.00	6.00	OR50005400	54.00	5.00	OR70005500	55.00	7.00
OR36005200	52.00	3.60	OR76005300	53.00	7.60	OR54005400	54.00	5.40	OR80005500	55.00	8.00
OR40005200	52.00	4.00	OR90005300	53.00	9.00	OR55005400	54.00	5.50	OR85005500	55.00	8.50
OR43005200	52.00	4.30	OR80005309	53.09	8.00	OR56005400	54.00	5.60	OR20005510	55.10	2.00
OR45005200	52.00	4.50	OR53005310	53.10	5.30	OR60005400	54.00	6.00	OR20005520	55.20	2.00
OR50005200	52.00	5.00	OR30005320	53.20	3.00	OR62505400	54.00	6.25	OR25005520	55.20	2.50
OR53005200	52.00	5.30	OR31005320	53.20	3.10	OR70005400	54.00	7.00	OR30005520	55.20	3.00
OR53305200	52.00	5.33	OR52005320	53.20	5.20	OR80005400	54.00	8.00	OR26205525	55.25	2.62
OR55005200	52.00	5.50	OR17805330	53.30	1.78	OR100005400	54.00	10.00	OR26005530	55.30	2.60
OR58005200	52.00	5.80	OR35305330	53.30	3.53	OR52005410	54.10	5.20	OR57005530	55.30	5.70
OR60005200	52.00	6.00	OR53005300	53.34	5.30	OR50005411	54.11	5.00	OR100005534	55.34	10.00
OR69905200	52.00	6.99	OR53305334	53.34	5.33	OR20005420	54.20	2.00	OR35305540	55.40	3.53
OR70005200	52.00	7.00	OR53405334	53.34	5.34	OR57005420	54.20	5.70	OR32005550	55.50	3.20
OR90005200	52.00	9.00	OR31005340	53.40	3.10	OR23805430	54.30	2.38	OR35005550	55.50	3.50
OR95005200	52.00	9.50	OR50005340	53.40	5.00	OR57005430	54.30	5.70	OR40005550	55.50	4.00
OR26205207	52.07	2.62	OR51005340	53.40	5.10	OR31005440	54.40	3.10	OR50005550	55.50	5.00
OR53305216	52.16	5.33	OR25005350	53.50	2.50	OR40005440	54.40	4.00	OR55005550	55.50	5.50
OR35005220	52.20	3.50	OR26005350	53.50	2.60	OR20005443	54.43	2.00	OR15905556	55.56	1.59
OR57005230	52.30	5.70	OR28005350	53.50	2.80	OR20005450	54.50	2.00	OR18005556	55.56	1.80
OR35305239	52.39	3.53	OR30005350	53.50	3.00	OR26205450	54.50	2.62	OR18505556	55.56	1.85
OR24005240	52.40	2.40	OR34005350	53.50	3.40	OR26505450	54.50	2.65	OR35005560	55.60	3.50
OR35305240	52.40	3.53	OR35005350	53.50	3.50	OR30005450	54.50	3.00	OR50005560	55.60	5.00
OR48005240	52.40	4.80	OR35305350	53.50	3.53	OR35505450	54.50	3.55	OR57005560	55.60	5.70
OR37505250	52.50	3.75	OR40005350	53.50	4.00	OR36005450	54.50	3.60	OR80005560	55.60	8.00
OR50005250	52.50	5.00	OR50005350	53.50	5.00	OR45005450	54.50	4.50	OR20005570	55.70	2.00
OR55005250	52.50	5.50	OR53305350	53.50	5.33	OR53005450	54.50	5.30	OR37505570	55.70	3.75
OR65005250	52.50	6.50	OR55005350	53.50	5.50	OR53305450	54.50	5.33	OR26205580	55.80	2.62
OR40005260	52.60	4.00	OR35305357	53.57	3.53	OR55005450	54.50	5.50	OR26005590	55.90	2.60
OR57005260	52.60	5.70	OR32005360	53.60	3.20	OR57005450	54.50	5.70	OR35305594	55.94	3.53
OR20005280	52.80	2.00	OR26205364	53.64	2.62	OR26205454	54.54	2.62	OR12000560	56.00	1.20
OR55005280	52.80	5.50	OR26505364	53.64	2.65	OR24005460	54.60	2.40	OR17505600	56.00	1.75
OR35005283	52.83	3.50	OR32005365	53.65	3.20	OR31705460	54.60	3.17	OR17805600	56.00	1.78
OR19005295	52.95	1.90	OR17805370	53.70	1.78	OR57005460	54.60	5.70	OR20005600	56.00	2.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR25005600	56.00	2.50	OR30005700	57.00	3.00	OR55005800	58.00	5.50	OR31005940	59.40	3.10
OR30005600	56.00	3.00	OR31005700	57.00	3.10	OR60005800	58.00	6.00	OR20005950	59.50	2.00
OR35005600	56.00	3.50	OR35005700	57.00	3.50	OR80005800	58.00	8.00	OR25005950	59.50	2.50
OR35305600	56.00	3.53	OR35305700	57.00	3.53	OR20005812	58.12	2.00	OR30005950	59.50	3.00
OR35505600	56.00	3.55	OR37005700	57.00	3.70	OR20005815	58.15	2.00	OR31705950	59.50	3.17
OR40005600	56.00	4.00	OR38005700	57.00	3.80	OR30005820	58.20	3.00	OR36005950	59.50	3.60
OR45005600	56.00	4.50	OR40005700	57.00	4.00	OR42005840	58.40	4.20	OR55005950	59.50	5.50
OR48005600	56.00	4.80	OR45005700	57.00	4.50	OR58005840	58.40	5.80	OR24005960	59.60	2.40
OR50005600	56.00	5.00	OR48505700	57.00	4.85	OR26205842	58.42	2.62	OR57005960	59.60	5.70
OR53005600	56.00	5.30	OR50005700	57.00	5.00	OR35305842	58.42	3.53	OR53005969	59.69	5.30
OR60005600	56.00	6.00	OR54005700	57.00	5.40	OR22505850	58.50	2.25	OR53305969	59.69	5.33
OR70005600	56.00	7.00	OR57005700	57.00	5.70	OR25005850	58.50	2.50	OR53405969	59.69	5.34
OR77005600	56.00	7.70	OR65005700	57.00	6.50	OR27005850	58.50	2.70	OR11005970	59.70	1.10
OR35305603	56.03	3.53	OR100005700	57.00	10.00	OR30005850	58.50	3.00	OR53005970	59.70	5.30
OR53005610	56.10	5.30	OR26005710	57.10	2.60	OR33005850	58.50	3.30	OR53305970	59.70	5.33
OR30005620	56.20	3.00	OR26505710	57.10	2.65	OR53305850	58.50	5.33	OR35305990	59.90	3.53
OR37005620	56.20	3.70	OR53005710	57.10	5.30	OR70005850	58.50	7.00	OR35305992	59.92	3.53
OR50005636	56.36	5.00	OR57005710	57.10	5.70	OR57005860	58.60	5.70	OR42005992	59.92	4.20
OR30005640	56.40	3.00	OR15805715	57.15	1.58	OR30005865	58.65	3.00	OR26205999	59.99	2.62
OR36005640	56.40	3.60	OR31705715	57.15	3.17	OR24005870	58.70	2.40	OR10006000	60.00	1.00
OR12505650	56.50	1.25	OR31805715	57.15	3.18	OR32005870	58.70	3.20	OR15006000	60.00	1.50
OR20005650	56.50	2.00	OR35305715	57.15	3.53	OR35505870	58.70	3.55	OR20006000	60.00	2.00
OR22505650	56.50	2.25	OR47605715	57.15	4.76	OR53305870	58.72	5.33	OR25006000	60.00	2.50
OR35005650	56.50	3.50	OR63505715	57.15	6.35	OR35305874	58.74	3.53	OR26206000	60.00	2.62
OR50005650	56.50	5.00	OR16005720	57.20	1.60	OR31005880	58.80	3.10	OR30006000	60.00	3.00
OR52005650	56.50	5.20	OR32005720	57.20	3.20	OR53305880	58.80	5.33	OR31006000	60.00	3.10
OR53005650	56.50	5.30	OR57005720	57.20	5.70	OR15005900	59.00	1.50	OR32006000	60.00	3.20
OR53305650	56.50	5.33	OR63005720	57.20	6.30	OR18005900	59.00	1.80	OR33506000	60.00	3.35
OR53305650	56.50	5.33	OR65005720	57.20	6.50	OR20005900	59.00	2.00	OR35006000	60.00	3.50
OR55005650	56.50	5.50	OR35305730	57.30	3.53	OR25005900	59.00	2.50	OR35306000	60.00	3.53
OR53305652	56.52	5.33	OR70005730	57.30	7.00	OR26205900	59.00	2.62	OR35506000	60.00	3.55
OR69905652	56.52	6.99	OR20005750	57.50	2.00	OR30005900	59.00	3.00	OR40006000	60.00	4.00
OR35305657	56.57	3.53	OR25005750	57.50	2.50	OR35005900	59.00	3.50	OR41006000	60.00	4.10
OR12505660	56.60	1.25	OR30005750	57.50	3.00	OR35305900	59.00	3.53	OR44006000	60.00	4.40
OR35505668	56.68	3.55	OR31005750	57.50	3.10	OR40005900	59.00	4.00	OR45006000	60.00	4.50
OR35005670	56.70	3.50	OR34005750	57.50	3.40	OR46005900	59.00	4.60	OR47506000	60.00	4.75
OR35305670	56.70	3.53	OR50005756	57.56	5.00	OR47005900	59.00	4.70	OR50006000	60.00	5.00
OR35505670	56.70	3.55	OR17505760	57.60	1.75	OR50005900	59.00	5.00	OR53006000	60.00	5.30
OR36005670	56.70	3.60	OR24005760	57.60	2.40	OR55005900	59.00	5.50	OR53306000	60.00	5.33
OR35305673	56.73	3.53	OR57005760	57.60	5.70	OR56005900	59.00	5.60	OR55006000	60.00	5.50
OR26205674	56.74	2.62	OR68005760	57.60	6.80	OR58005900	59.00	5.80	OR57006000	60.00	5.70
OR35305674	56.74	3.53	OR55005770	57.70	5.50	OR60005900	59.00	6.00	OR58006000	60.00	5.80
OR40005674	56.74	4.00	OR50005780	57.80	5.00	OR65005900	59.00	6.50	OR60006000	60.00	6.00
OR35305675	56.75	3.53	OR13005800	58.00	1.30	OR67005900	59.00	6.70	OR63006000	60.00	6.30
OR35305676	56.76	3.53	OR20005800	58.00	2.00	OR75005900	59.00	7.50	OR70006000	60.00	7.00
OR60005680	56.80	6.00	OR25005800	58.00	2.50	OR78005900	59.00	7.80	OR75006000	60.00	7.50
OR26205682	56.82	2.62	OR30005800	58.00	3.00	OR11005900	59.00	11.00	OR80006000	60.00	8.00
OR17805687	56.87	1.78	OR35005800	58.00	3.50	OR16005910	59.10	1.60	OR90006000	60.00	9.00
OR11005690	56.90	1.10	OR35505800	58.00	3.55	OR35305912	59.12	3.53	OR95006000	60.00	9.50
OR32505690	56.90	3.25	OR40005800	58.00	4.00	OR53305920	59.20	5.33	OR100006000	60.00	10.00
OR10005700	57.00	1.00	OR42005800	58.00	4.20	OR57005920	59.20	5.70	OR160006000	60.00	16.00
OR15005700	57.00	1.50	OR45005800	58.00	4.50	OR57005921	59.21	5.70	OR17806005	60.05	1.78
OR20005700	57.00	2.00	OR50005800	58.00	5.00	OR57005930	59.30	5.70	OR54006005	60.05	5.40
OR25005700	57.00	2.50	OR53305800	58.00	5.33	OR10005934	59.34	1.00	OR29006030	60.30	2.90

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR40006030	60.30	4.00	OR21006180	61.80	2.10	OR55006300	63.00	5.50	OR57006420	64.20	5.70
OR48006030	60.30	4.80	OR25006180	61.80	2.50	OR60006300	63.00	6.00	OR31706430	64.30	3.17
OR76006030	60.30	7.60	OR26206190	61.90	2.62	OR62006300	63.00	6.20	OR57006430	64.30	5.70
OR17506032	60.32	1.75	OR35306190	61.90	3.53	OR65006300	63.00	6.50	OR30006431	64.31	3.00
OR31706032	60.32	3.17	OR23806191	61.91	2.38	OR67006300	63.00	6.70	OR31006440	64.40	3.10
OR35306032	60.32	3.53	OR35306191	61.91	3.53	OR70006300	63.00	7.00	OR45006440	64.40	4.50
OR67306032	60.32	6.73	OR111806198	61.98	11.18	OR80006300	63.00	8.00	OR30006450	64.50	3.00
OR35306033	60.33	3.53	OR15006200	62.00	1.50	OR35306309	63.09	3.53	OR60006450	64.50	6.00
OR17806040	60.40	1.78	OR20006200	62.00	2.00	OR35306310	63.10	3.53	OR70006450	64.50	7.00
OR30006040	60.40	3.00	OR25006200	62.00	2.50	OR26206317	63.17	2.62	OR24006460	64.60	2.40
OR35306045	60.45	3.53	OR30006200	62.00	3.00	OR26006320	63.20	2.60	OR57006460	64.60	5.70
OR15006050	60.50	1.50	OR33006200	62.00	3.30	OR17806322	63.22	1.78	OR57006470	64.70	5.70
OR17806050	60.50	1.78	OR35006200	62.00	3.50	OR35306340	63.40	3.53	OR20006477	64.77	2.00
OR20006050	60.50	2.00	OR35306200	62.00	3.53	OR15806350	63.50	1.58	OR26206477	64.77	2.62
OR30006050	60.50	3.00	OR40006200	62.00	4.00	OR25006350	63.50	2.50	OR35006492	64.92	3.53
OR35006050	60.50	3.50	OR47506200	62.00	4.75	OR26206350	63.50	2.62	OR15006500	65.00	1.50
OR35006050	60.50	3.50	OR50006200	62.00	5.00	OR30006350	63.50	3.00	OR16006500	65.00	1.60
OR45006050	60.50	4.50	SOR60006200	62.00	6.00	OR31006350	63.50	3.10	OR20006500	65.00	2.00
OR55306050	60.50	5.33	OR63006200	62.00	6.30	OR31706350	63.50	3.17	OR22506500	65.00	2.25
OR78506050	60.50	7.85	OR70006200	62.00	7.00	OR32506350	63.50	3.25	OR25006500	65.00	2.50
OR26006080	60.80	2.60	OR10006200	62.00	10.00	OR35006350	63.50	3.50	OR26006500	65.00	2.60
OR31706085	60.85	3.17	OR58006210	62.10	5.80	OR35306350	63.50	3.53	OR27006500	65.00	2.70
OR16006090	60.90	1.60	OR30006220	62.20	3.00	OR35806350	63.50	3.58	OR30006500	65.00	3.00
OR12006100	61.00	1.20	OR50006220	62.20	5.00	OR40006350	63.50	4.00	OR31006500	65.00	3.10
OR17506100	61.00	1.75	OR57006220	62.20	5.70	OR43006350	63.50	4.30	OR35006500	65.00	3.50
OR20006100	61.00	2.00	OR20006240	62.40	2.00	OR47006350	63.50	4.70	OR36006500	65.00	3.60
OR25006100	61.00	2.50	OR35006240	62.40	3.50	OR47506350	63.50	4.75	OR40006500	65.00	4.00
OR26206100	61.00	2.62	OR53006240	62.40	5.30	OR50006350	63.50	5.00	OR45006500	65.00	4.50
OR30006100	61.00	3.00	OR17506250	62.50	1.75	OR55506350	63.50	5.55	OR50006500	65.00	5.00
OR35006100	61.00	3.50	OR30006250	62.50	3.00	OR57006300	63.50	5.70	OR55006500	65.00	5.50
OR35306100	61.00	3.53	OR36006250	62.50	3.60	OR95006350	63.50	9.50	OR56006500	65.00	5.60
OR38006100	61.00	3.80	OR55006250	62.50	5.50	OR95306350	63.50	9.53	OR58006500	65.00	5.80
OR40006100	61.00	4.00	OR70006269	62.69	7.00	OR35306369	63.69	3.53	OR60006500	65.00	6.00
OR45006100	61.00	4.50	OR24006270	62.70	2.40	OR18006380	63.80	1.80	OR70006500	65.00	7.00
OR50006100	61.00	5.00	OR28806271	62.71	2.88	OR53306380	63.80	5.33	OR80006500	65.00	8.00
OR58006100	61.00	5.80	OR53006280	62.80	5.30	OR15006400	64.00	1.50	OR10006500	65.00	10.00
OR60006100	61.00	6.00	OR17806284	62.84	1.78	OR20006400	64.00	2.00	OR35306509	65.09	3.53
OR26206111	61.11	2.62	OR95206286	62.86	9.52	OR25006400	64.00	2.50	OR80006520	65.20	8.00
OR57006120	61.20	5.70	OR53006287	62.87	5.30	OR26006400	64.00	2.60	OR15006530	65.30	1.50
OR53306140	61.40	5.33	OR53306287	62.87	5.33	OR30006400	64.00	3.00	OR35006530	65.30	3.50
OR15006150	61.50	1.50	OR53406287	62.87	5.34	OR31506400	64.00	3.15	OR17806540	65.40	1.78
OR47006150	61.50	4.70	OR16006290	62.90	1.60	OR35006400	64.00	3.50	OR25006550	65.50	2.50
OR53006150	61.50	5.30	OR18006300	63.00	1.80	OR35306400	64.00	3.53	OR31006550	65.50	3.10
OR53306150	61.50	5.33	OR20006300	63.00	2.00	OR40006400	64.00	4.00	OR50006550	65.50	5.00
OR55006150	61.50	5.50	OR25006300	63.00	2.50	OR50006400	64.00	5.00	OR35306577	65.77	3.53
OR23806159	61.59	2.38	OR30006300	63.00	3.00	OR55006400	64.00	5.50	OR52006580	65.80	5.20
OR20006160	61.60	2.00	OR31006300	63.00	3.10	OR60006400	64.00	6.00	OR20006600	66.00	2.00
OR24006160	61.60	2.40	OR35006300	63.00	3.50	OR63506400	64.00	6.35	OR25006600	66.00	2.50
OR26206160	61.60	2.62	OR35506300	63.00	3.55	OR70006400	64.00	7.00	OR26006600	66.00	2.60
OR57006160	61.60	5.70	OR40006300	63.00	4.00	OR110006400	64.00	11.00	OR30006600	66.00	3.00
OR60006160	61.60	6.00	OR45006300	63.00	4.50	OR57006410	64.10	5.70	OR35006600	66.00	3.50
OR26206162	61.62	2.62	OR45306300	63.00	4.53	OR84006410	64.10	8.40	OR35306600	66.00	3.53
OR20006170	61.70	2.00	OR50006300	63.00	5.00	OR31706420	64.20	3.17	OR40006600	66.00	4.00
OR53306173	61.73	5.33	OR53006300	63.00	5.30	OR36006420	64.20	3.60	OR45006600	66.00	4.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR50006600	66.00	5.00	OR33006776	67.76	3.30	OR80006900	69.00	8.00	OR57007000	70.00	5.70
OR53006600	66.00	5.30	OR35306784	67.84	3.53	OR31006910	69.10	3.10	OR58007000	70.00	5.80
OR55006600	66.00	5.50	OR26206795	67.95	2.62	OR35006910	69.10	3.50	OR60007000	70.00	6.00
OR60006600	66.00	6.00	OR20006800	68.00	2.00	OR57006910	69.10	5.70	OR65007000	70.00	6.50
OR65006600	66.00	6.50	OR25006800	68.00	2.50	OR53306920	69.20	5.33	OR69907000	70.00	6.99
OR70006600	66.00	7.00	OR26006800	68.00	2.60	OR57006920	69.20	5.70	OR70007000	70.00	7.00
OR80006600	66.00	8.00	OR27206800	68.00	2.72	OR58306920	69.20	5.83	OR75007000	70.00	7.50
OR53306604	66.04	5.33	OR30006800	68.00	3.00	OR53306922	69.22	5.33	OR80007000	70.00	8.00
OR30006620	66.20	3.00	OR31006800	68.00	3.10	OR17806923	69.23	1.78	OR100007000	70.00	10.00
OR53006620	66.20	5.30	OR35006800	68.00	3.50	OR57006930	69.30	5.70	OR38007050	70.50	3.80
OR35306627	66.27	3.53	OR35306800	68.00	3.53	OR28006940	69.40	2.80	OR57007060	70.60	5.70
OR26206634	66.34	2.62	OR38006800	68.00	3.80	OR31006940	69.40	3.10	OR60007060	70.60	6.00
OR26206635	66.35	2.62	OR40006800	68.00	4.00	OR35506940	69.40	3.55	OR25007070	70.70	2.50
OR17806640	66.40	1.78	OR45006800	68.00	4.50	OR35306944	69.44	3.53	OR55007075	70.75	5.50
OR17506600	66.50	1.75	OR50006800	68.00	5.00	OR35306945	69.45	3.53	OR15007100	71.00	1.50
OR17506650	66.50	1.75	OR58006800	68.00	5.80	OR26306950	69.50	2.63	OR20007100	71.00	2.00
OR35006650	66.50	3.50	OR60006800	68.00	6.00	OR30006950	69.50	3.00	OR25007100	71.00	2.50
OR40006650	66.50	4.00	OR65006800	68.00	6.50	OR31706950	69.50	3.17	OR26207100	71.00	2.62
OR50006650	66.50	5.00	OR70006800	68.00	7.00	OR35006950	69.50	3.50	OR26507100	71.00	2.65
OR53306650	66.50	5.33	OR85006800	68.00	8.50	OR45006950	69.50	4.50	OR30007100	71.00	3.00
OR57006650	66.50	5.70	OR26206820	68.20	2.62	OR53006950	69.50	5.30	OR35007100	71.00	3.50
OR36006659	66.59	3.60	OR30006820	68.20	3.00	OR57006950	69.50	5.70	OR35507100	71.00	3.55
OR57006660	66.60	5.70	OR35306826	68.26	3.53	OR76406950	69.50	7.64	OR40007100	71.00	4.00
OR77006660	66.60	7.70	OR35006830	68.30	3.50	OR130006950	69.50	13.00	OR45007100	71.00	4.50
OR31706667	66.67	3.17	OR47006830	68.30	4.70	OR26206952	69.52	2.62	OR50007100	71.00	5.00
OR35306667	66.67	3.53	OR53006830	68.30	5.30	OR17806957	69.57	1.78	OR75007100	71.00	7.50
OR47606667	66.67	4.76	OR25006850	68.50	2.50	OR35006960	69.60	3.50	OR26207112	71.12	2.62
OR47506670	66.70	4.75	OR35006850	68.50	3.50	OR57006960	69.60	5.70	OR26207118	71.18	2.62
OR64006670	66.70	6.40	OR35306850	68.50	3.53	OR35306974	69.74	3.53	OR31007120	71.20	3.10
OR80006670	66.70	8.00	OR35406850	68.50	3.54	OR35006975	69.75	3.50	OR26207130	71.30	2.62
OR31706685	66.85	3.17	OR37006850	68.50	3.70	OR63006980	69.80	6.30	OR51007130	71.30	5.10
OR15006700	67.00	1.50	OR40006850	68.50	4.00	OR31706985	69.85	3.17	OR56007130	71.30	5.60
OR16006700	67.00	1.60	OR50006850	68.50	5.00	OR35006985	69.85	3.50	OR40007140	71.40	4.00
OR16506700	67.00	1.65	OR58006850	68.50	5.80	OR47606985	69.85	4.76	OR85007140	71.40	8.50
OR20006700	67.00	2.00	OR30006860	68.60	3.00	OR32006990	69.90	3.20	OR17807144	71.44	1.78
OR25006700	67.00	2.50	OR57006860	68.60	5.70	OR48006990	69.90	4.80	OR35307144	71.44	3.53
OR26206700	67.00	2.62	OR35006870	68.70	3.50	OR15007000	70.00	1.50	OR25007160	71.60	2.50
OR30006700	67.00	3.00	OR52006870	68.70	5.20	OR16007000	70.00	1.60	OR35307160	71.60	3.53
OR32006700	67.00	3.20	OR32006880	68.80	3.20	OR19007000	70.00	1.90	OR35307190	71.90	3.53
OR35006700	67.00	3.50	OR15006900	69.00	1.50	OR20007000	70.00	2.00	OR53007190	71.90	5.30
OR35306700	67.00	3.53	OR23006900	69.00	2.30	OR25007000	70.00	2.50	OR15007200	72.00	1.50
OR35506700	67.00	3.55	OR25006900	69.00	2.50	OR30007000	70.00	3.00	OR20007200	72.00	2.00
OR40006700	67.00	4.00	OR30006900	69.00	3.00	OR31007000	70.00	3.10	OR25007200	72.00	2.50
OR40006700	67.00	4.00	OR33006900	69.00	3.30	OR32007000	70.00	3.20	OR30007200	72.00	3.00
OR47006700	67.00	4.70	OR35006900	69.00	3.50	OR32507000	70.00	3.25	OR32007200	72.00	3.20
OR50006700	67.00	5.00	OR35306900	69.00	3.53	OR35007000	70.00	3.50	OR35007200	72.00	3.50
OR53306700	67.00	5.33	OR35506900	69.00	3.55	OR35307000	70.00	3.53	OR35307200	72.00	3.53
OR55006700	67.00	5.50	OR39006900	69.00	3.90	OR40007000	70.00	4.00	OR40007200	72.00	4.00
OR75006700	67.00	7.50	OR40006900	69.00	4.00	OR45007000	70.00	4.50	OR45007200	72.00	4.50
OR35706729	67.29	3.57	OR45006900	69.00	4.50	OR50007000	70.00	5.00	OR46007200	72.00	4.60
OR50206731	67.31	5.02	OR50006900	69.00	5.00	OR53007000	70.00	5.30	OR50007200	72.00	5.00
OR53306740	67.40	5.33	OR53306900	69.00	5.33	OR53307000	70.00	5.33	OR52507200	72.00	5.25
OR40006750	67.50	4.00	OR55006900	69.00	5.50	OR53507000	70.00	5.35	OR53307200	72.00	5.33
OR24006760	67.60	2.40	OR60006900	69.00	6.00	OR55007000	70.00	5.50	OR55007200	72.00	5.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR57007200	72.00	5.70	OR30007370	73.70	3.00	OR35007500	75.00	3.50	OR55007600	76.00	5.50
OR60007200	72.00	6.00	OR35007375	73.75	3.50	OR35307500	75.00	3.53	OR57007600	76.00	5.70
OR65007200	72.00	6.50	OR18007400	74.00	1.80	OR40007500	75.00	4.00	OR60007600	76.00	6.00
OR70007200	72.00	7.00	OR20007400	74.00	2.00	OR45007500	75.00	4.50	OR69907600	76.00	6.99
OR72007200	72.00	7.20	OR25007400	74.00	2.50	OR50007500	75.00	5.00	OR95007600	76.00	9.50
OR80007200	72.00	8.00	OR26207400	74.00	2.62	OR53007500	75.00	5.30	OR25007620	76.20	2.50
OR85007200	72.00	8.50	OR30007400	74.00	3.00	OR53307500	75.00	5.33	OR31707620	76.20	3.17
OR30007220	72.20	3.00	OR31007400	74.00	3.10	OR55007500	75.00	5.50	OR32007620	76.20	3.20
OR35007230	72.30	3.50	OR33007400	74.00	3.30	OR60007500	75.00	6.00	OR35307620	76.20	3.53
OR53507230	72.30	5.35	OR35007400	74.00	3.50	OR65007500	75.00	6.50	OR47607620	76.20	4.76
OR53307239	72.39	5.33	OR37007400	74.00	3.70	OR70007500	75.00	7.00	OR48007620	76.20	4.80
OR53007240	72.40	5.30	OR40007400	74.00	4.00	OR80007500	75.00	8.00	OR51007620	76.20	5.10
OR53307240	72.40	5.33	OR45007400	74.00	4.50	OR90007500	75.00	9.00	OR52507620	76.20	5.25
OR35007250	72.50	3.50	OR50007400	74.00	5.00	OR100007500	75.00	10.00	OR63007620	76.20	6.30
OR40007250	72.50	4.00	OR52007400	74.00	5.20	OR52507510	75.10	5.25	OR64007620	76.20	6.40
OR50007250	72.50	5.00	OR55007400	74.00	5.50	OR32007530	75.30	3.20	OR65007620	76.20	6.50
OR31007260	72.60	3.10	OR57007400	74.00	5.70	OR35307542	75.42	3.53	OR50007630	76.30	5.00
OR35007260	72.60	3.50	OR60007400	74.00	6.00	OR17807550	75.50	1.78	OR53007630	76.30	5.30
OR35307262	72.62	3.53	OR35007410	74.10	3.50	OR32507550	75.50	3.25	OR15807631	76.31	1.58
OR35307266	72.66	3.53	OR30007420	74.20	3.00	OR34007550	75.50	3.40	OR20007650	76.50	2.00
OR26207269	72.69	2.62	OR31007420	74.20	3.10	OR40007550	75.50	4.00	OR25007650	76.50	2.50
OR30007273	72.73	3.00	OR53607420	74.20	5.36	OR45007550	75.50	4.50	OR30007650	76.50	3.00
OR17807275	72.75	1.78	OR57007420	74.20	5.70	OR55007550	75.50	5.50	OR30007650	76.50	3.00
OR25007275	72.75	2.50	OR26207430	74.30	2.62	OR53307557	75.57	5.33	OR67007650	76.50	6.70
OR35007280	72.80	3.50	OR57007430	74.30	5.70	OR55007557	75.57	5.50	OR50007680	76.80	5.00
OR15007300	73.00	1.50	OR60007430	74.30	6.00	OR35307559	75.59	3.53	OR60007680	76.80	6.00
OR20007300	73.00	2.00	OR31007440	74.40	3.10	OR53307560	75.60	5.33	OR15007700	77.00	1.50
OR26507300	73.00	2.65	OR31007442	74.42	3.10	OR15007570	75.70	1.50	OR20007700	77.00	2.00
OR30007300	73.00	3.00	OR30007450	74.50	3.00	OR53007570	75.70	5.30	OR25007700	77.00	2.50
OR31007300	73.00	3.10	OR31707450	74.50	3.17	OR53307570	75.70	5.33	OR30007700	77.00	3.00
OR32007300	73.00	3.20	OR35007450	74.50	3.50	OR17807572	75.72	1.78	OR35007700	77.00	3.50
OR35007300	73.00	3.50	OR58007450	74.50	5.80	OR35307579	75.79	3.53	OR35307700	77.00	3.53
OR35507300	73.00	3.55	OR31007460	74.60	3.10	OR16007580	75.80	1.60	OR38007700	77.00	3.80
OR36007300	73.00	3.60	OR35307460	74.60	3.53	OR17507580	75.80	1.75	OR40007700	77.00	4.00
OR40007300	73.00	4.00	OR53007460	74.60	5.30	OR26007580	75.80	2.60	OR60007700	77.00	6.00
OR50007300	73.00	5.00	OR57007460	74.60	5.70	OR26207580	75.80	2.62	OR74007730	77.30	7.40
OR53307300	73.00	5.33	OR35307461	74.61	3.53	OR35307580	75.80	3.53	OR19007750	77.50	1.90
OR55007300	73.00	5.50	OR37507465	74.65	3.75	OR26507586	75.86	2.65	OR26207750	77.50	2.62
OR60007300	73.00	6.00	OR31707470	74.70	3.17	OR26207587	75.87	2.62	OR36007750	77.50	3.60
OR63007300	73.00	6.30	OR31007478	74.78	3.10	OR17807592	75.92	1.78	OR45007750	77.50	4.50
OR64007300	73.00	6.40	OR32007482	74.82	3.20	OR17207594	75.94	1.72	OR50007750	77.50	5.00
OR90007300	73.00	9.00	OR15007500	75.00	1.50	OR17507600	76.00	1.75	OR55007750	77.50	5.50
OR35307302	73.02	3.53	OR17807500	75.00	1.78	OR17807600	76.00	1.78	OR63507770	77.70	6.35
OR127007302	73.02	12.70	OR20007500	75.00	2.00	OR20007600	76.00	2.00	OR28007780	77.80	2.80
OR35307303	73.03	3.53	OR23007500	75.00	2.30	OR22507600	76.00	2.25	OR56007780	77.80	5.60
OR32007310	73.10	3.20	OR25007500	75.00	2.50	OR25007600	76.00	2.50	OR30007790	77.90	3.00
OR35007320	73.20	3.50	OR25307500	75.00	2.53	OR26007600	76.00	2.60	OR15007800	78.00	1.50
OR33007340	73.40	3.30	OR26207500	75.00	2.62	OR26207600	76.00	2.62	OR20007800	78.00	2.00
OR41007340	73.40	4.10	OR26307500	75.00	2.63	OR30007600	76.00	3.00	OR25007800	78.00	2.50
OR53007340	73.40	5.30	OR26507500	75.00	2.65	OR35007600	76.00	3.50	OR27507800	78.00	2.75
OR40007350	73.50	4.00	OR30007500	75.00	3.00	OR40007600	76.00	4.00	OR30007800	78.00	3.00
OR50007350	73.50	5.00	OR31007500	75.00	3.10	OR45007600	76.00	4.50	OR35007800	78.00	3.50
OR36007355	73.55	3.60	OR31707500	75.00	3.17	OR50007600	76.00	5.00	OR40007800	78.00	4.00
OR34007365	73.65	3.40	OR32007500	75.00	3.20	OR53307600	76.00	5.33	OR42507800	78.00	4.25

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR50007800	78.00	5.00	OR50007940	79.40	5.00	OR20508100	81.00	2.05	OR30008250	82.50	3.00
OR55007800	78.00	5.50	OR67507940	79.40	6.75	OR30008100	81.00	3.00	OR32008250	82.50	3.20
OR60007800	78.00	6.00	OR110007940	79.40	11.00	OR32008100	81.00	3.20	OR35508250	82.50	3.55
OR80007800	78.00	8.00	OR18007943	79.43	1.80	OR35008100	81.00	3.50	OR47508250	82.50	4.75
OR90007800	78.00	9.00	OR15807947	79.47	1.58	OR35308100	81.00	3.53	OR57008250	82.50	5.70
OR57007810	78.10	5.70	OR12007950	79.50	1.20	OR37508100	81.00	3.75	OR60008250	82.50	6.00
OR35007820	78.20	3.50	OR17507950	79.50	1.75	OR40008100	81.00	4.00	OR23808255	82.55	2.38
OR18007840	78.40	1.80	OR30007950	79.50	3.00	OR45008100	81.00	4.50	OR31708255	82.55	3.17
OR30007850	78.50	3.00	OR35007950	79.50	3.50	OR48008100	81.00	4.80	OR12708260	82.60	12.7
OR58007850	78.50	5.80	OR40007950	79.50	4.00	OR50008100	81.00	5.00	OR20008300	83.00	2.00
OR80007850	78.50	8.00	OR60007950	79.50	6.00	OR52008100	81.00	5.20	OR25008300	83.00	2.50
OR35007860	78.60	3.50	OR82507950	79.50	8.25	OR95008100	81.00	9.50	OR26308300	83.00	2.63
OR35007870	78.70	3.50	OR57007960	79.60	5.70	OR35008130	81.30	3.50	OR30008300	83.00	3.00
OR53007870	78.70	5.30	OR53307973	79.73	5.33	OR34008134	81.34	3.40	OR31008300	83.00	3.10
OR35307874	78.74	3.53	OR53307977	79.77	5.33	OR20008140	81.40	2.00	OR35008300	83.00	3.50
OR53307874	78.74	5.33	OR53307978	79.78	5.33	OR53308140	81.40	5.33	OR40008300	83.00	4.00
OR53407874	78.74	5.34	OR53007980	79.80	5.30	OR18008150	81.50	1.80	OR45008300	83.00	4.50
OR69907874	78.74	6.99	OR53307980	79.80	5.33	OR63508150	81.50	6.35	OR50008300	83.00	5.00
OR25007880	78.80	2.50	OR15508000	80.00	1.55	OR70008150	81.50	7.00	OR53308300	83.00	5.33
OR48007880	78.80	4.80	OR20008000	80.00	2.00	OR36008180	81.80	3.60	OR55008300	83.00	5.50
OR73507890	78.90	7.35	OR25008000	80.00	2.50	OR53308190	81.90	5.33	OR60008300	83.00	6.00
OR35307897	78.97	3.53	OR26208000	80.00	2.62	OR70008190	81.90	7.00	OR67008300	83.00	6.70
OR17507900	79.00	1.75	OR26508000	80.00	2.65	OR110008190	81.90	11.00	OR70008300	83.00	7.00
OR17807900	79.00	1.78	OR30008000	80.00	3.00	OR53308192	81.92	5.33	OR37008311	83.11	3.70
OR17807900	79.00	1.78	OR31008000	80.00	3.10	OR20008200	82.00	2.00	OR58008340	83.40	5.80
OR18007900	79.00	1.80	OR35008000	80.00	3.50	OR25008200	82.00	2.50	OR35008350	83.50	3.50
OR25007900	79.00	2.50	OR35308000	80.00	3.53	OR26008200	82.00	2.60	OR40008350	83.50	4.00
OR30007900	79.00	3.00	OR36008000	80.00	3.60	OR30008200	82.00	3.00	OR42508350	83.50	4.25
OR31007900	79.00	3.10	OR40008000	80.00	4.00	OR35008200	82.00	3.50	OR26208380	83.80	2.62
OR33007900	79.00	3.30	OR45008000	80.00	4.50	OR35308200	82.00	3.53	OR15008400	84.00	1.50
OR35007900	79.00	3.50	OR50008000	80.00	5.00	OR40008200	82.00	4.00	OR20008400	84.00	2.00
OR35307900	79.00	3.53	OR52508000	80.00	5.25	OR46008200	82.00	4.60	OR24008400	84.00	2.40
OR40007900	79.00	4.00	OR53008000	80.00	5.30	OR50008200	82.00	5.00	OR25008400	84.00	2.50
OR45007900	79.00	4.50	OR53308000	80.00	5.33	OR51208200	82.00	5.12	OR30008400	84.00	3.00
OR50007900	79.00	5.00	OR55008000	80.00	5.50	OR53008200	82.00	5.30	OR30008400	84.00	3.00
OR52007900	79.00	5.20	OR57008000	80.00	5.70	OR54008200	82.00	5.40	OR35008400	84.00	3.50
OR55007900	79.00	5.50	OR58008000	80.00	5.80	OR55008200	82.00	5.50	OR35308400	84.00	3.53
OR57007900	79.00	5.70	OR60008000	80.00	6.00	OR60008200	82.00	6.00	OR40008400	84.00	4.00
OR60007900	79.00	6.00	OR65008000	80.00	6.50	OR80008200	82.00	8.00	OR50008400	84.00	5.00
OR65007900	79.00	6.50	OR70008000	80.00	7.00	OR90008200	82.00	9.00	OR53308400	84.00	5.33
OR70007900	79.00	7.00	OR80008000	80.00	8.00	OR120008200	82.00	12.00	OR55008400	84.00	5.50
OR57007920	79.20	5.70	OR95008000	80.00	9.50	OR34208214	82.14	3.42	OR60008400	84.00	6.00
OR30007930	79.30	3.00	OR120008000	80.00	12.00	OR35308214	82.14	3.53	OR80008400	84.00	8.00
OR32007930	79.30	3.20	OR24008010	80.10	2.40	OR26208220	82.20	2.62	OR90008400	84.00	9.00
OR47607930	79.30	4.76	OR91008010	80.10	9.10	OR26208222	82.22	2.62	OR47008410	84.10	4.70
OR57007930	79.30	5.70	OR27008020	80.20	2.70	OR17808227	82.27	1.78	OR53308410	84.10	5.33
OR60007930	79.30	6.00	OR56008035	80.35	5.60	OR35008230	82.30	3.50	OR50008422	84.22	5.00
OR31707937	79.37	3.17	OR15008050	80.50	1.50	OR40008230	82.30	4.00	OR31008430	84.30	3.10
OR36107937	79.37	3.61	OR30008050	80.50	3.00	OR50008230	82.30	5.00	OR57008430	84.30	5.70
OR37007937	79.37	3.70	OR35008050	80.50	3.50	OR53008230	82.30	5.30	OR36208432	84.32	3.62
OR47607937	79.37	4.76	OR26208060	80.60	2.62	OR66508230	82.30	6.65	OR31008440	84.40	3.10
OR18007940	79.40	1.80	OR16008080	80.80	1.60	OR53008231	82.31	5.30	OR53008440	84.40	5.30
OR31007940	79.40	3.10	OR19008100	81.00	1.90	OR35308246	82.46	3.53	OR35308443	84.43	3.53
OR47007940	79.40	4.70	OR20008100	81.00	2.00	OR26308250	82.50	2.63	OR30008450	84.50	3.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR55308450	84.50	5.53	OR45008600	86.00	4.50	OR50008800	88.00	5.00	OR120008900	89.00	12.00
OR57008460	84.60	5.70	OR50008600	86.00	5.00	OR55008800	88.00	5.50	OR190008900	89.00	19.00
OR30008470	84.70	3.00	OR52008600	86.00	5.20	OR60008800	88.00	6.00	OR23908902	89.02	2.39
OR94508470	84.70	9.45	OR53308600	86.00	5.33	OR65008800	88.00	6.50	OR25008902	89.02	2.50
OR16008500	85.00	1.60	OR55008600	86.00	5.50	OR70008800	88.00	7.00	OR26208902	89.02	2.62
OR20008500	85.00	2.00	OR60008600	86.00	6.00	OR75008800	88.00	7.50	OR57008910	89.10	5.70
OR25008500	85.00	2.50	OR65008600	86.00	6.50	OR80008800	88.00	8.00	OR35008917	89.17	3.50
OR26008500	85.00	2.60	OR75008600	86.00	7.50	OR84008800	88.00	8.40	OR35008920	89.20	3.50
OR26208500	85.00	2.62	OR160008600	86.00	16.00	OR30008820	88.20	3.00	OR35308920	89.20	3.53
OR26508500	85.00	2.65	OR33008610	86.10	3.30	OR53008820	88.20	5.30	OR57008920	89.20	5.70
OR28008500	85.00	2.80	OR18008620	86.20	1.80	OR35308827	88.27	3.53	OR53308922	89.22	5.33
OR30008500	85.00	3.00	OR50008625	86.25	5.00	OR53308827	88.27	5.33	OR24008930	89.30	2.40
OR31008500	85.00	3.10	OR35308650	86.50	3.53	OR53408827	88.27	5.34	OR30008930	89.30	3.00
OR33008500	85.00	3.30	OR30008670	86.70	3.00	OR54008830	88.30	5.40	OR57008930	89.30	5.70
OR35008500	85.00	3.50	OR15008690	86.90	1.50	OR47608848	88.48	4.76	OR31008940	89.40	3.10
OR35308500	85.00	3.53	OR15008700	87.00	1.50	OR35308849	88.49	3.53	OR28008950	89.50	2.80
OR35508500	85.00	3.55	OR19008700	87.00	1.90	OR15008850	88.50	1.50	OR30008950	89.50	3.00
OR36208500	85.00	3.62	OR20008700	87.00	2.00	OR26208850	88.50	2.62	OR55008950	89.50	5.50
OR37008500	85.00	3.70	OR23008700	87.00	2.30	OR30008850	88.50	3.00	OR127008953	89.53	12.7
OR40008500	85.00	4.00	OR25008700	87.00	2.50	OR35008850	88.50	3.50	OR57008960	89.60	5.70
OR50008500	85.00	5.00	OR30008700	87.00	3.00	OR35308850	88.50	3.53	OR53308969	89.69	5.33
OR52008500	85.00	5.20	OR35008700	87.00	3.50	OR40008850	88.50	4.00	OR53408969	89.69	5.34
OR53008500	85.00	5.30	OR40008700	87.00	4.00	OR26208857	88.57	2.62	OR16008980	89.80	1.60
OR53308500	85.00	5.33	OR45008700	87.00	4.50	OR26508860	88.60	2.65	OR30008990	89.90	3.00
OR55008500	85.00	5.50	OR50008700	87.00	5.00	OR32008860	88.60	3.20	OR15009000	90.00	1.50
OR60008500	85.00	6.00	OR53008700	87.00	5.30	OR57008860	88.60	5.70	OR20009000	90.00	2.00
OR64008500	85.00	6.40	OR55008700	87.00	5.50	OR17808862	88.62	1.78	OR25009000	90.00	2.50
OR69908500	85.00	6.99	OR70008700	87.00	7.00	OR35008870	88.70	3.50	OR30009000	90.00	3.00
OR70008500	85.00	7.00	OR78008700	87.00	7.80	OR35308877	88.77	3.53	OR31009000	90.00	3.10
OR86008500	85.00	8.60	OR90008700	87.00	9.00	OR38008880	88.80	3.80	OR31709000	90.00	3.17
OR100008500	85.00	10.00	OR100008700	87.00	10.00	OR33508885	88.85	3.35	OR33009000	90.00	3.30
OR53308509	85.09	5.33	OR115008700	87.00	11.50	OR15208890	88.90	1.52	OR35009000	90.00	3.50
OR69908500	85.09	6.99	OR30008720	87.20	3.00	OR32008890	88.90	3.20	OR35309000	90.00	3.53
OR53008510	85.10	5.30	OR55008730	87.30	5.50	OR36508890	88.90	3.65	OR35509000	90.00	3.55
OR53308510	85.10	5.33	OR63508730	87.30	6.35	OR37008890	88.90	3.70	OR40009000	90.00	4.00
OR30008520	85.20	3.00	OR37608731	87.31	3.76	OR47508890	88.90	4.75	OR43509000	90.00	4.35
OR35508530	85.30	3.55	OR39608731	87.31	3.96	OR47608890	88.90	4.76	OR45009000	90.00	4.50
OR93008530	85.30	9.30	OR39708731	87.31	3.97	OR50008890	88.90	5.00	OR50009000	90.00	5.00
OR35308532	85.32	3.53	OR27708750	87.50	2.77	OR95208890	88.90	9.52	OR53009000	90.00	5.30
OR17808534	85.34	1.78	OR35008750	87.50	3.50	OR15008900	89.00	1.50	OR53309000	90.00	5.33
OR93008547	85.47	9.30	OR50008750	87.50	5.00	OR20508900	89.00	2.05	OR54009000	90.00	5.40
OR47008570	85.70	4.70	OR53008750	87.50	5.30	OR25008900	89.00	2.50	OR55009000	90.00	5.50
OR48008570	85.70	4.80	OR53308750	87.50	5.33	OR26008900	89.00	2.60	OR57009000	90.00	5.70
OR80008570	85.70	8.00	OR55008750	87.50	5.50	OR26208900	89.00	2.62	OR60009000	90.00	6.00
OR47608572	85.72	4.76	OR53308753	87.53	5.33	OR30008900	89.00	3.00	OR63509000	90.00	6.35
OR35308573	85.73	3.53	OR35308777	87.77	3.53	OR35008900	89.00	3.50	OR70009000	90.00	7.00
OR15008600	86.00	1.50	OR35308794	87.94	3.53	OR35308900	89.00	3.53	OR75009000	90.00	7.50
OR20008600	86.00	2.00	OR20008800	88.00	2.00	OR37008900	89.00	3.70	OR100009000	90.00	10.00
OR25008600	86.00	2.50	OR25008800	88.00	2.50	OR40008900	89.00	4.00	OR120009000	90.00	12.00
OR25308600	86.00	2.53	OR27708800	88.00	2.77	OR50008900	89.00	5.00	OR53309024	90.24	5.33
OR30008600	86.00	3.00	OR30008800	88.00	3.00	OR53308900	89.00	5.33	OR23009030	90.30	2.30
OR35008600	86.00	3.50	OR35008800	88.00	3.50	OR55008900	89.00	5.50	OR55609048	90.48	5.56
OR35508600	86.00	3.55	OR40008800	88.00	4.00	OR57008900	89.00	5.70	OR25009050	90.50	2.50
OR40008600	86.00	4.00	OR45008800	88.00	4.50	OR64008900	89.00	6.40	OR64009050	90.50	6.40

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR57009060	90.60	5.70	OR26209250	92.50	2.62	OR31009440	94.40	3.10	OR43009600	96.00	4.30
OR27609093	90.93	2.76	OR30009250	92.50	3.00	OR20009450	94.50	2.00	OR45009600	96.00	4.50
OR17509100	91.00	1.75	OR35009250	92.50	3.50	OR30009450	94.50	3.00	OR50009600	96.00	5.00
OR25009100	91.00	2.50	OR37009250	92.50	3.70	OR40009450	94.50	4.00	OR58009600	96.00	5.80
OR26209100	91.00	2.62	OR50009250	92.50	5.00	OR53309450	94.50	5.33	OR60009600	96.00	6.00
OR30009100	91.00	3.00	OR53009250	92.50	5.30	OR57009450	94.50	5.70	OR67009600	96.00	6.70
OR32009100	91.00	3.20	OR35009254	92.54	3.50	OR53309460	94.60	5.33	OR70009600	96.00	7.00
OR35009100	91.00	3.50	OR40009286	92.86	4.00	OR57009460	94.60	5.70	OR72009600	96.00	7.00
OR40009100	91.00	4.00	OR15009300	93.00	1.50	OR53309462	94.62	5.33	OR80009600	96.00	8.00
OR50009100	91.00	5.00	OR20009300	93.00	2.00	OR53409471	94.71	5.34	OR90009600	96.00	9.00
OR53009100	91.00	5.30	OR25009300	93.00	2.50	OR33009474	94.74	3.30	OR150009600	96.00	15.00
OR55009100	91.00	5.50	OR28009300	93.00	2.80	OR30009480	94.80	3.00	OR25009650	96.50	2.50
OR55509100	91.00	5.55	OR30009300	93.00	3.00	OR35309484	94.84	3.53	OR45009650	96.50	4.50
OR57009100	91.00	5.70	OR31009300	93.00	3.10	OR26209492	94.92	2.62	OR56009650	96.50	5.60
OR70009100	91.00	7.00	OR32509300	93.00	3.25	OR17809497	94.97	1.78	OR31509652	96.52	3.15
OR30009120	91.20	3.00	OR35009300	93.00	3.50	OR15009500	95.00	1.50	OR50009676	96.76	5.00
OR34009130	91.30	3.40	OR40009300	93.00	4.00	OR19009500	95.00	1.90	OR53009690	96.90	5.30
OR52009130	91.30	5.20	OR48009300	93.00	4.80	OR20009500	95.00	2.00	OR15009700	97.00	1.50
OR22609140	91.40	2.26	OR50009300	93.00	5.00	OR25009500	95.00	2.50	OR20009700	97.00	2.00
OR50009140	91.40	5.00	OR65009300	93.00	6.50	OR27809500	95.00	2.78	OR25009700	97.00	2.50
OR53309144	91.44	5.33	OR10009300	93.00	10.00	OR30009500	95.00	3.00	OR30009700	97.00	3.00
OR53409144	91.44	5.34	OR55009320	93.20	5.50	OR31509500	95.00	3.15	OR35009700	97.00	3.50
OR53309145	91.45	5.33	OR51509340	93.40	5.15	OR31709500	95.00	3.17	OR35309700	97.00	3.53
OR35009150	91.50	3.50	OR90009340	93.40	9.00	OR32009500	95.00	3.20	OR38009700	97.00	3.80
OR40009150	91.50	4.00	OR30009350	93.50	3.00	OR35009500	95.00	3.50	OR40009700	97.00	4.00
OR50009150	91.50	5.00	OR35009350	93.50	3.50	OR35309500	95.00	3.53	OR50009700	97.00	5.00
OR35009160	91.60	3.50	OR27009360	93.60	2.70	OR37009500	95.00	3.70	OR55009700	97.00	5.50
OR50009160	91.60	5.00	OR32009360	93.60	3.20	OR40009500	95.00	4.00	OR57009700	97.00	5.70
OR77009160	91.60	7.70	OR35009370	93.70	3.50	OR45009500	95.00	4.50	OR60009700	97.00	6.00
OR35309167	91.67	3.53	OR40009370	93.70	4.00	OR50009500	95.00	5.00	OR85009700	97.00	8.50
OR17809170	91.70	1.78	OR50009370	93.70	5.00	OR55009500	95.00	5.50	OR35309740	97.40	3.53
OR53309170	91.70	5.33	OR55009370	93.70	5.50	OR57009500	95.00	5.70	OR35009750	97.50	3.50
OR127009190	91.90	12.70	OR31009380	93.80	3.10	OR60009500	95.00	6.00	OR35509750	97.50	3.55
OR35309195	91.95	3.53	OR19009400	94.00	1.90	OR63009500	95.00	6.30	OR53009750	97.50	5.30
OR16009200	92.00	1.60	OR20009400	94.00	2.00	OR65009500	95.00	6.50	OR56009750	97.50	5.60
OR20009200	92.00	2.00	OR25009400	94.00	2.50	OR70009500	95.00	7.00	OR53309760	97.60	5.33
OR25009200	92.00	2.50	OR30009400	94.00	3.00	OR75009500	95.00	7.50	OR48009770	97.70	4.80
OR26209200	92.00	2.62	OR35009400	94.00	3.50	OR53309502	95.02	5.33	OR53309779	97.79	5.33
OR30009200	92.00	3.00	OR35309400	94.00	3.53	OR32009510	95.10	3.20	OR53409779	97.79	5.34
OR31009200	92.00	3.10	OR40009400	94.00	4.00	OR48009520	95.20	4.80	OR53309780	97.80	5.33
OR32009200	92.00	3.20	OR45009400	94.00	4.50	OR79409524	95.24	7.94	OR102009780	97.80	10.20
OR35009200	92.00	3.50	OR50009400	94.00	5.00	OR31709525	95.25	3.17	OR53309799	97.99	5.33
OR40009200	92.00	4.00	OR60009400	94.00	6.00	OR54009540	95.40	5.40	OR12009800	98.00	1.20
OR50009200	92.00	5.00	OR65009400	94.00	6.50	OR30009550	95.50	3.00	OR20009800	98.00	2.00
OR53009200	92.00	5.30	OR70009400	94.00	7.00	OR35009550	95.50	3.50	OR25009800	98.00	2.50
OR53509200	92.00	5.35	OR94009400	94.00	9.40	OR35309550	95.50	3.53	OR30009800	98.00	3.00
OR54009200	92.00	5.40	OR95009400	94.00	9.50	OR20009560	95.60	2.00	OR35009800	98.00	3.50
OR60009200	92.00	6.00	OR10009400	94.00	10.00	OR53309574	95.74	5.33	OR35309800	98.00	3.53
OR70009200	92.00	7.00	OR29609408	94.08	2.96	OR20009600	96.00	2.00	OR38009800	98.00	3.80
OR80009200	92.00	8.00	OR45009410	94.10	4.50	OR25009600	96.00	2.50	OR40009800	98.00	4.00
OR79409207	92.07	7.94	OR57009410	94.10	5.70	OR30009600	96.00	3.00	OR45009800	98.00	4.50
OR47609208	92.08	4.76	OR57009420	94.20	5.70	SOR35009600	96.00	3.50	OR50009800	98.00	5.00
OR35009220	92.20	3.50	OR57009430	94.30	5.70	OR36009600	96.00	3.60	OR53009800	98.00	5.30
OR43709247	92.47	4.37	OR28009440	94.40	2.80	OR40009600	96.00	4.00	OR55009800	98.00	5.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR58009800	98.00	5.80	OR40010000	100.00	4.00	OR63010160	101.60	6.30	OR60010400	104.00	6.00
OR60009800	98.00	6.00	OR45010000	100.00	4.50	OR71010160	101.60	7.10	OR120010400	104.00	12.00
OR70009800	98.00	7.00	OR47010000	100.00	4.70	OR79010160	101.60	7.90	OR53310414	104.14	5.33
OR80009800	98.00	8.00	OR50010000	100.00	5.00	OR15010200	102.00	1.50	OR30010420	104.20	3.00
OR35309802	98.02	3.53	OR50001000	100.00	5.00	OR20010200	102.00	2.00	OR57010420	104.20	5.70
OR35309804	98.04	3.53	OR52310000	100.00	5.23	OR25010200	102.00	2.50	OR57010430	104.30	5.70
OR17809805	98.05	1.78	OR53010000	100.00	5.30	OR26210200	102.00	2.62	OR30010435	104.35	3.00
OR70009830	98.30	7.00	OR53310000	100.00	5.33	OR26210200	102.00	2.62	OR30010437	104.37	3.00
OR35309832	98.32	3.53	OR55010000	100.00	5.50	OR30010200	102.00	3.00	OR35310437	104.37	3.53
OR40009840	98.40	4.00	OR55310000	100.00	5.53	OR35010200	102.00	3.50	OR36010438	104.38	3.60
OR47009840	98.40	4.70	OR57010000	100.00	5.70	OR40010200	102.00	4.00	OR31010440	104.40	3.10
OR95009840	98.40	9.50	OR57010000	100.00	5.70	OR45010200	102.00	4.50	OR32010440	104.40	3.20
OR47609842	98.42	4.76	OR58510000	100.00	5.85	OR50010200	102.00	5.00	OR30010450	104.50	3.00
OR16009850	98.50	1.60	OR60010000	100.00	6.00	OR53310200	102.00	5.33	OR53310460	104.60	5.33
OR35009850	98.50	3.50	OR70010000	100.00	7.00	OR55010200	102.00	5.50	OR57010460	104.60	5.70
OR52009850	98.50	5.20	OR75010000	100.00	7.50	OR60010200	102.00	6.00	OR46210475	104.75	4.62
OR15009900	99.00	1.50	OR100010000	100.00	10.00	OR90010200	102.00	9.00	OR31710477	104.77	3.17
OR18009900	99.00	1.80	OR150010000	100.00	15.00	OR37310211	102.11	3.73	OR48010480	104.80	4.80
OR20009900	99.00	2.00	OR40010040	100.40	4.00	OR25010250	102.50	2.50	OR53010480	104.80	5.30
OR30009900	99.00	3.00	OR30010050	100.50	3.00	OR27510250	102.50	2.75	OR57010480	104.80	5.70
OR35009900	99.00	3.50	OR45010050	100.50	4.50	OR42010250	102.50	4.20	OR95010480	104.80	9.50
OR37809900	99.00	3.78	OR40010055	100.55	4.00	OR47010250	102.50	4.70	OR20010500	105.00	2.00
OR40009900	99.00	4.00	OR53310096	100.96	5.33	OR16010260	102.60	1.60	OR25010500	105.00	2.50
OR51009900	99.00	5.10	OR47610097	100.97	4.76	OR82510260	102.60	8.25	OR26010500	105.00	2.60
OR55009900	99.00	5.50	OR53310097	100.97	5.33	OR25310275	102.75	2.53	OR30010500	105.00	3.00
OR56009900	99.00	5.60	OR17810100	101.00	1.78	OR20010300	103.00	2.00	OR34010500	105.00	3.40
OR60009900	99.00	6.00	OR18010100	101.00	1.80	OR25010300	103.00	2.50	OR35010500	105.00	3.50
OR69909900	99.00	6.99	OR25010100	101.00	2.50	OR30010300	103.00	3.00	OR40010500	105.00	4.00
OR57009910	99.10	5.70	OR30010100	101.00	3.00	OR32010300	103.00	3.20	OR45010500	105.00	4.50
OR30009920	99.20	3.00	OR35010100	101.00	3.50	OR35010300	103.00	3.50	OR50010500	105.00	5.00
OR57009920	99.20	5.70	OR39010100	101.00	3.90	OR40010300	103.00	4.00	OR53010500	105.00	5.30
OR57009930	99.30	5.70	OR39010100	101.00	3.90	OR42510300	103.00	4.25	OR53310500	105.00	5.33
OR53309934	99.34	5.33	OR40010100	101.00	4.00	OR50010300	103.00	5.00	OR55010500	105.00	5.50
OR31009940	99.40	3.10	OR45010100	101.00	4.50	OR53310300	103.00	5.33	OR60010500	105.00	6.00
OR23509950	99.50	2.35	OR47510100	101.00	4.75	OR60010300	103.00	6.00	OR65010500	105.00	6.50
OR25009950	99.50	2.50	OR50010100	101.00	5.00	OR64010300	103.00	6.40	OR69910500	105.00	6.99
OR30009950	99.50	3.00	OR53510100	101.00	5.35	OR65010300	103.00	6.50	OR70010500	105.00	7.00
OR35309950	99.50	3.53	OR80010100	101.00	8.00	OR69910300	103.00	6.99	OR75010500	105.00	7.50
OR50009950	99.50	5.00	OR35310119	101.19	3.53	OR100010300	103.00	10.00	OR100105000	105.00	10.00
OR63509950	99.50	6.35	OR35310120	101.20	3.53	OR51510350	103.50	5.15	OR33010540	105.40	3.30
OR57009960	99.60	5.70	OR36010120	101.20	3.60	OR30010360	103.60	3.00	OR26010550	105.50	2.60
OR20009980	99.80	2.00	OR26210127	101.27	2.62	OR57010360	103.60	5.70	OR60010550	105.50	6.00
OR57009980	99.80	5.70	OR18010130	101.30	1.80	OR35010370	103.70	3.50	OR23010560	105.60	2.30
OR51009990	99.90	5.10	OR47610160	101.30	4.76	OR53310380	103.80	5.33	OR20010600	106.00	2.00
OR15010000	100.00	1.50	OR17810132	101.32	1.78	OR17810400	104.00	1.78	OR24010600	106.00	2.40
OR18010000	100.00	1.80	OR19010150	101.50	1.90	OR20010400	104.00	2.00	OR25010600	106.00	2.50
OR20010000	100.00	2.00	OR26510150	101.50	2.65	OR25010400	104.00	2.50	OR26510600	106.00	2.65
OR25010000	100.00	2.50	OR50010150	101.50	5.00	OR30010400	104.00	3.00	OR30010600	106.00	3.00
OR30010000	100.00	3.00	OR31710160	101.60	3.17	OR35010400	104.00	3.50	OR35010600	106.00	3.50
OR31010000	100.00	3.10	OR35010160	101.60	3.50	OR35310400	104.00	3.53	OR40010600	106.00	4.00
OR32010000	100.00	3.20	OR47010160	101.60	4.70	OR40010400	104.00	4.00	OR45010600	106.00	4.50
OR35010000	100.00	3.50	OR47710160	101.60	4.77	OR50010400	104.00	5.00	OR50010600	106.00	5.00
OR35310000	100.00	3.53	OR52010160	101.60	5.20	OR54010400	104.00	5.40	OR53010600	106.00	5.30
OR35510000	100.00	3.55	OR57010160	101.60	5.70	OR55010400	104.00	5.50	OR55010600	106.00	5.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR57010600	106.00	5.70	OR57010860	108.60	5.70	OR70011000	110.00	7.00	OR50011300	113.00	5.00
OR60010600	106.00	6.00	OR86010870	108.70	8.60	OR75011000	110.00	7.50	OR55011300	113.00	5.50
OR70010600	106.00	7.00	OR95010875	108.75	9.50	OR80011000	110.00	8.00	OR58011300	113.00	5.80
OR230010600	106.00	23.00	OR31010880	108.80	3.10	OR110011000	110.00	11.00	OR60011300	113.00	6.00
OR28010640	106.40	2.80	OR18010900	109.00	1.80	OR30011020	110.20	3.00	OR80011300	113.00	8.00
OR30010650	106.50	3.00	OR20010900	109.00	2.00	OR35011030	110.30	3.50	OR35511337	113.37	3.55
OR55010650	106.50	5.50	OR30010900	109.00	3.00	OR53311049	110.49	5.33	OR35011350	113.50	3.50
OR97010650	106.50	9.70	OR35010900	109.00	3.50	OR30011050	110.50	3.00	OR40011350	113.50	4.00
OR64010660	106.60	6.40	OR35310900	109.00	3.53	OR53311050	110.50	5.33	OR55011350	113.50	5.50
OR35310680	106.80	3.53	OR35510900	109.00	3.55	OR54011050	110.50	5.40	OR60011350	113.50	6.00
OR53010690	106.90	5.30	OR40010900	109.00	4.00	OR35011070	110.70	3.50	OR57011360	113.60	5.70
OR15010700	107.00	1.50	OR45010900	109.00	4.50	OR35311070	110.70	3.53	OR53011366	113.66	5.30
OR18010700	107.00	1.80	OR50010900	109.00	5.00	OR35311072	110.72	3.53	OR53311367	113.67	5.33
OR20010700	107.00	2.00	OR55010900	109.00	5.50	OR17811074	110.74	1.78	OR53411367	113.67	5.34
OR25010700	107.00	2.50	OR60010900	109.00	6.00	OR53011083	110.83	5.30	OR69911367	113.67	6.99
OR26010700	107.00	2.60	OR70010900	109.00	7.00	OR25011100	111.00	2.50	OR86011370	113.70	8.60
OR30010700	107.00	3.00	OR79510900	109.00	7.95	OR30011100	111.00	3.00	OR35311379	113.79	3.53
OR35010700	107.00	3.50	OR35310920	109.20	3.53	OR40011100	111.00	4.00	OR35811379	113.79	3.58
OR36010700	107.00	3.60	OR57010920	109.20	5.70	OR48011100	111.00	4.80	OR35311389	113.89	3.53
OR40010700	107.00	4.00	OR57010930	109.30	5.70	OR50011100	111.00	5.00	OR53311389	113.89	5.33
OR50010700	107.00	5.00	OR57010930	109.30	5.70	OR55011100	111.00	5.50	OR26211397	113.97	2.62
OR53510700	107.00	5.35	OR110010930	109.30	11.00	OR60011100	111.00	6.00	OR15011400	114.00	1.50
OR55010700	107.00	5.50	OR30010940	109.40	3.00	OR35011110	111.10	3.50	OR20011400	114.00	2.00
OR53310732	107.32	5.33	OR31010940	109.40	3.10	OR31711112	111.12	3.17	OR25011400	114.00	2.50
OR53410732	107.32	5.34	OR31710940	109.40	3.17	OR47611112	111.12	4.76	OR30011400	114.00	3.00
OR35310754	107.54	3.53	OR57010940	109.40	5.70	OR32011120	111.20	3.20	OR35011400	114.00	3.50
OR17810760	107.60	1.78	OR30010950	109.50	3.00	OR50011140	111.40	5.00	OR35311400	114.00	3.53
OR26210762	107.62	2.62	OR50010950	109.50	5.00	OR53011140	111.40	5.30	OR40011400	114.00	4.00
OR17810767	107.67	1.78	OR53310950	109.50	5.33	OR57011160	111.60	5.70	OR47611400	114.00	4.76
OR55310775	107.75	5.53	OR53410950	109.50	5.34	OR15011200	112.00	1.50	OR50011400	114.00	5.00
OR31710795	107.95	3.17	OR54010950	109.50	5.40	OR25011200	112.00	2.50	OR55011400	114.00	5.50
OR47610795	107.95	4.76	OR79510950	109.50	7.95	OR26511200	112.00	2.65	OR60011400	114.00	6.00
OR16010800	108.00	1.60	OR30010960	109.60	3.00	OR30011200	112.00	3.00	OR65011400	114.00	6.50
OR30010800	108.00	3.00	OR35510960	109.60	3.55	OR35011200	112.00	3.50	OR69911400	114.00	6.99
OR32010800	108.00	3.20	OR57010960	109.60	5.70	OR35511200	112.00	3.55	OR70011400	114.00	7.00
OR35010800	108.00	3.50	OR58510987	109.87	5.85	OR38011200	112.00	3.80	OR100011400	114.00	10.00
OR40010800	108.00	4.00	OR15011000	110.00	1.50	OR40011200	112.00	4.00	OR17811402	114.02	1.78
OR40010800	108.00	4.00	OR17811000	110.00	1.78	OR47211200	112.00	4.72	OR35311418	114.18	3.53
OR45010800	108.00	4.50	OR20011000	110.00	2.00	OR50011200	112.00	5.00	OR31011420	114.20	3.10
OR50010800	108.00	5.00	OR23811000	110.00	2.38	OR60011200	112.00	6.00	OR57011420	114.20	5.70
OR55010800	108.00	5.50	OR25011000	110.00	2.50	OR64011200	112.00	6.40	OR16011425	114.25	1.60
OR60010800	108.00	6.00	OR26211000	110.00	2.62	OR69911200	112.00	6.99	OR22511430	114.30	2.25
OR69910800	108.00	6.99	OR30011000	110.00	3.00	OR70011200	112.00	7.00	OR23811430	114.30	2.38
OR70010800	108.00	7.00	OR31011000	110.00	3.10	OR75011200	112.00	7.50	OR30011430	114.30	3.00
OR79010800	108.00	7.90	OR35011000	110.00	3.50	OR30011220	112.20	3.00	OR31011430	114.30	3.10
OR100010800	108.00	10.00	OR40011000	110.00	4.00	OR15011230	112.30	1.50	OR31711430	114.30	3.17
OR150010800	108.00	15.00	OR45011000	110.00	4.50	OR25011230	112.30	2.50	OR47611430	114.30	4.76
OR35310822	108.22	3.53	OR50011000	110.00	5.00	OR30011250	112.50	3.00	OR57011430	114.30	5.70
OR24010830	108.30	2.40	OR53311000	110.00	5.33	OR20011300	113.00	2.00	OR63511430	114.30	6.35
OR25010830	108.30	2.50	OR55011000	110.00	5.50	OR30011300	113.00	3.00	OR80011430	114.30	8.00
OR58010840	108.40	5.80	OR58011000	110.00	5.80	OR35011300	113.00	3.50	OR127011430	114.30	12.70
OR35010850	108.50	3.50	OR60011000	110.00	6.00	OR35311300	113.00	3.53	OR127114300	114.30	12.70
OR52010850	108.50	5.20	OR63011000	110.00	6.30	OR37011300	113.00	3.70	OR31011440	114.40	3.10
OR55010850	108.50	5.50	OR65011000	110.00	6.50	OR40011300	113.00	4.00	OR30011450	114.50	3.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR55011450	114.50	5.50	OR17811691	116.91	1.78	Or40011900	119.00	4.00	OR53312002	120.02	5.33
OR56011450	114.50	5.60	OR25011700	117.00	2.50	OR50011900	119.00	5.00	OR69912002	120.02	6.99
OR60011450	114.50	6.00	OR30011700	117.00	3.00	OR57011900	119.00	5.70	OR69912019	120.19	6.99
OR57011460	114.60	5.70	OR35311700	117.00	3.53	OR60011900	119.00	6.00	OR35312024	120.24	3.53
OR57011470	114.70	5.70	OR40011700	117.00	4.00	OR70011900	119.00	7.00	OR25012031	120.31	2.50
OR71011480	114.80	7.10	OR45011700	117.00	4.50	OR75011900	119.00	7.50	OR26212032	120.32	2.62
OR20011500	115.00	2.00	OR50011700	117.00	5.00	OR80011900	119.00	8.00	OR17812037	120.37	1.78
OR25011500	115.00	2.50	OR53011700	117.00	5.30	OR100011900	119.00	10.00	OR45012050	120.50	4.50
OR27011500	115.00	2.70	OR55011700	117.00	5.50	OR35011920	119.20	3.50	OR50012050	120.50	5.00
OR30011500	115.00	3.00	OR70011700	117.00	7.00	OR55011920	119.20	5.50	OR24812062	120.62	2.48
OR31511500	115.00	3.15	OR35311707	117.07	3.53	OR57011920	119.20	5.70	OR31712065	120.65	3.17
OR35011500	115.00	3.50	OR17811710	117.10	1.78	OR35311930	119.30	3.53	OR31712065	120.65	3.18
OR35311500	115.00	3.53	OR69911717	117.17	6.99	OR57011930	119.30	5.70	OR53312065	120.65	5.33
OR35511500	115.00	3.55	OR26011730	117.30	2.60	OR31011940	119.40	3.10	OR60012065	120.65	6.00
OR37011500	115.00	3.70	OR35311734	117.34	3.53	OR20011950	119.50	2.00	OR63512065	120.65	6.35
OR40011500	115.00	4.00	OR35311739	117.39	3.53	OR30011950	119.50	3.00	OR70012067	120.67	7.00
OR45011500	115.00	4.50	OR95211747	117.47	9.52	OR50011950	119.50	5.00	OR47012070	120.70	4.70
OR50011500	115.00	5.00	OR37611748	117.48	3.76	OR53311955	119.55	5.33	OR53012070	120.70	5.30
OR53011500	115.00	5.30	OR63511748	117.48	6.35	OR57011960	119.60	5.70	OR66012070	120.70	6.60
OR53311500	115.00	5.33	OR57011760	117.60	5.70	OR48011970	119.70	4.80	OR95012070	120.70	9.50
OR55011500	115.00	5.50	OR20011800	118.00	2.00	OR31011980	119.80	3.10	OR17812100	121.00	1.78
OR57011500	115.00	5.70	OR25011800	118.00	2.50	OR35011990	119.90	3.50	OR30012100	121.00	3.00
OR60011500	115.00	6.00	OR30011800	118.00	3.00	OR15012000	120.00	1.50	OR35012100	121.00	3.50
OR67011500	115.00	6.70	OR31011800	118.00	3.10	OR17512000	120.00	1.75	OR35312100	121.00	3.53
OR70011500	115.00	7.00	OR35011800	118.00	3.50	OR20012000	120.00	2.00	OR55012100	121.00	5.50
OR75011500	115.00	7.50	OR35511800	118.00	3.55	OR22012000	120.00	2.20	OR70012100	121.00	7.00
OR80011500	115.00	8.00	OR40011800	118.00	4.00	OR25012000	120.00	2.50	OR54012150	121.50	5.40
OR90011500	115.00	9.00	OR45011800	118.00	4.50	OR30012000	120.00	3.00	OR60012150	121.50	6.00
OR105011500	115.00	10.50	OR50011800	118.00	5.00	OR31012000	120.00	3.10	OR60012160	121.60	6.00
OR47611548	115.48	4.76	OR53011800	118.00	5.30	OR31712000	120.00	3.17	OR20012200	122.00	2.00
OR50011550	115.50	5.00	OR55011800	118.00	5.50	OR32012000	120.00	3.20	OR25012200	122.00	2.50
OR53311560	115.60	5.33	OR57011800	118.00	5.70	OR35012000	120.00	3.50	OR30012200	122.00	3.00
OR53311566	115.66	5.33	OR58011800	118.00	5.80	OR35312000	120.00	3.53	OR35012200	122.00	3.50
OR35011590	115.90	3.50	OR60011800	118.00	6.00	OR37012000	120.00	3.70	OR35312200	122.00	3.53
OR67011590	115.90	6.70	OR65011800	118.00	6.50	OR40012000	120.00	4.00	OR35512200	122.00	3.55
OR20011600	116.00	2.00	OR70011800	118.00	7.00	OR42012000	120.00	4.20	OR36012200	122.00	3.60
OR25011600	116.00	2.50	OR80011800	118.00	8.00	OR45012000	120.00	4.50	OR38212200	122.00	3.82
OR30011600	116.00	3.00	OR85011800	118.00	8.50	OR50012000	120.00	5.00	OR40012200	122.00	4.00
OR40011600	116.00	4.00	OR90011800	118.00	9.00	OR53312000	120.00	5.33	OR50012200	122.00	5.00
OR50011600	116.00	5.00	OR31011840	118.40	3.10	OR55012000	120.00	5.50	OR57012200	122.00	5.70
OR55011600	116.00	5.50	OR35011850	118.50	3.50	OR56012000	120.00	5.60	OR70012200	122.00	7.00
OR60011600	116.00	6.00	OR32011860	118.60	3.20	OR57012000	120.00	5.70	OR80012200	122.00	8.00
OR20001160	116.00	20.00	OR57011860	118.60	5.70	OR58012000	120.00	5.80	OR83012200	122.00	8.30
OR70011620	116.20	7.00	OR86011870	118.70	8.60	OR60012000	120.00	6.00	OR90012200	122.00	9.00
OR65001163	116.30	6.50	OR31011880	118.80	3.10	OR61012000	120.00	6.10	OR140012200	122.00	14.00
OR35011650	116.50	3.50	OR40011880	118.80	4.00	OR70012000	120.00	7.00	OR53312202	122.02	5.33
OR40011650	116.50	4.00	OR15811887	118.87	1.58	OR75012000	120.00	7.50	OR27012220	122.20	2.70
OR35011660	116.60	3.50	OR20011900	119.00	2.00	OR70012000	120.00	7.80	OR35012250	122.50	3.50
OR70011680	116.80	7.00	OR25011900	119.00	2.50	OR80012000	120.00	8.00	OR100012250	122.50	10.00
OR35311684	116.84	3.53	OR30011900	119.00	3.00	OR90012000	120.00	9.00	OR18012300	123.00	1.80
OR53011684	116.84	5.30	OR31011900	119.00	3.10	OR100012000	120.00	10.00	OR20012300	123.00	2.00
OR53311684	116.84	5.33	OR32011900	119.00	3.20	OR120012000	120.00	12.00	OR30012300	123.00	3.00
OR54011684	116.84	5.40	OR35011900	119.00	3.50	OR125012000	120.00	12.50	OR35012300	123.00	3.50
OR69911684	116.84	6.99	OR37811900	119.00	3.78	OR53312001	120.01	5.33	OR40012300	123.00	4.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR45012300	123.00	4.50	OR31712500	125.00	3.17	OR40012700	127.00	4.00	OR57012930	129.30	5.70
OR50012300	123.00	5.00	OR33312500	125.00	3.33	OR50012700	127.00	5.00	OR17812940	129.40	1.78
OR53312300	123.00	5.33	OR35012500	125.00	3.50	OR53312700	127.00	5.33	OR31012940	129.40	3.10
OR53312300	123.00	5.33	OR35512500	125.00	3.55	OR53412700	127.00	5.34	OR26112943	129.43	2.61
OR60012300	123.00	6.00	OR40012500	125.00	4.00	OR55012700	127.00	5.50	OR30012950	129.50	3.00
OR53312319	123.19	5.33	OR47012500	125.00	4.70	OR60012700	127.00	6.00	OR50012950	129.50	5.00
OR57012319	123.19	5.70	OR50012500	125.00	5.00	OR63012700	127.00	6.30	OR53312950	129.50	5.33
OR69912319	123.19	6.99	OR53012500	125.00	5.30	OR63512700	127.00	6.35	OR53312954	129.54	5.33
OR70012320	123.20	7.00	OR53312500	125.00	5.33	OR64012700	127.00	6.40	OR53412954	129.54	5.34
OR35012300	123.40	3.50	OR55012500	125.00	5.50	OR70012700	127.00	7.00	OR69912954	129.54	6.99
OR35012340	123.40	3.50	OR56512500	125.00	5.65	OR71412700	127.00	7.14	OR20012960	129.60	2.00
OR35312340	123.40	3.53	OR60012500	125.00	6.00	OR80012700	127.00	8.00	OR35312960	129.60	3.53
OR35012342	123.42	3.50	OR70012500	125.00	7.00	OR95212700	127.00	9.52	OR57012960	129.60	5.70
OR35312342	123.42	3.53	OR75012500	125.00	7.50	OR114012700	127.00	11.40	OR35312977	129.77	3.53
OR35312343	123.43	3.53	OR80012500	125.00	8.00	OR30012720	127.20	3.00	OR46012980	129.80	4.60
OR17812344	123.44	1.78	OR85012500	125.00	8.50	OR30012730	127.30	3.00	OR60012980	129.80	6.00
OR30012350	123.50	3.00	OR100012500	125.00	10.00	OR30012749	127.49	3.00	OR26212990	129.90	2.62
OR35012350	123.50	3.50	OR120012500	125.00	12.00	OR50012750	127.50	5.00	OR20013000	130.00	2.00
OR45012380	123.80	4.50	OR51012530	125.30	5.10	OR60012750	127.50	6.00	OR25013000-	130.00	2.50
OR53412380	123.80	5.34	OR65012543	125.43	6.50	OR67012750	127.50	6.70	OR25013000	130.00	2.50
OR63012380	123.80	6.30	OR30012550	125.50	3.00	OR15012800	128.00	1.50	OR30013000	130.00	3.00
OR35312382	123.82	3.53	OR35012550	125.50	3.50	OR20012800	128.00	2.00	OR31013000	130.00	3.10
OR47612382	123.82	4.76	OR50012561	125.61	5.00	OR25012800	128.00	2.50	OR32013000	130.00	3.20
OR63512382	123.82	6.35	OR36012580	125.80	3.60	OR30012800	128.00	3.00	OR33013000	130.00	3.30
OR65012382	123.82	6.50	OR25012600	126.00	2.50	OR35012800	128.00	3.50	OR35013000	130.00	3.50
OR15012400	124.00	1.50	OR30012600	126.00	3.00	OR35512800	128.00	3.55	OR40013000	130.00	4.00
OR20012400	124.00	2.00	OR32012600	126.00	3.20	OR40012800	128.00	4.00	OR42013000	130.00	4.20
OR28012400	124.00	2.80	OR35012600	126.00	3.50	OR45012800	128.00	4.50	OR45013000	130.00	4.50
OR30012400	124.00	3.00	OR40012600	126.00	4.00	OR50012800	128.00	5.00	OR50013000	130.00	5.00
OR32012400	124.00	3.20	OR45012600	126.00	4.50	OR53012800	128.00	5.30	OR52013000	130.00	5.20
OR35012400	124.00	3.50	OR50012600	126.00	5.00	OR60012800	128.00	6.00	OR53313000	130.00	5.33
OR35312400	124.00	3.53	OR60012600	126.00	6.00	OR65012800	128.00	6.50	OR55013000	130.00	5.50
OR40012400	124.00	4.00	OR65012600	126.00	6.50	OR80012800	128.00	8.00	OR57013000	130.00	5.70
OR45012400	124.00	4.50	OR34612616	126.16	3.46	OR95012800	128.00	9.50	OR58513000	130.00	5.85
OR57012400	124.00	5.70	OR40012626	126.26	4.00	OR120012800	128.00	12.00	OR60013000	130.00	6.00
OR60012400	124.00	6.00	OR53312637	126.37	5.33	OR30012850	128.50	3.00	OR65013000	130.00	6.50
OR80012400	124.00	8.00	OR63512637	126.37	6.35	OR64012860	128.60	6.40	OR70013000	130.00	7.00
OR130012400	124.00	13.00	OR69912637	126.37	6.99	OR35012870	128.70	3.50	OR85013000	130.00	8.50
OR57012420	124.20	5.70	OR70012640	126.40	7.00	OR86012870	128.70	8.60	OR95013000	130.00	9.50
OR53312423	124.23	5.33	OR20012650	126.50	2.00	OR46012880	128.80	4.60	OR100013000	130.00	10.00
OR53312430	124.30	5.33	OR40012650	126.50	4.00	OR24012900	129.00	2.40	OR95013020	130.20	9.50
OR57012430	124.30	5.70	OR95012650	126.50	9.50	OR25012900	129.00	2.50	OR41013090	130.90	4.10
OR53312434	124.34	5.33	OR35312659	126.59	3.53	OR28012900	129.00	2.80	OR15013100	131.00	1.50
OR30012440	124.40	3.00	OR69912566	126.66	6.99	OR30012900	129.00	3.00	OR17013100	131.00	1.70
OR31012440	124.40	3.10	OR26212667	126.67	2.62	OR35012900	129.00	3.50	OR40013100	131.00	4.00
OR20012450	124.50	2.00	OR17812672	126.72	1.78	OR45012900	129.00	4.50	OR53013100	131.00	5.30
OR30012450	124.50	3.00	OR26612682	126.82	2.66	OR50012900	129.00	5.00	OR53313100	131.00	5.33
OR35012450	124.50	3.50	OR16012700	127.00	1.60	OR55012900	129.00	5.50	OR55013100	131.00	5.50
OR57012460	124.60	5.70	OR20012700	127.00	2.00	OR60012900	129.00	6.00	OR60013100	131.00	6.00
OR53012470	124.70	5.30	OR25012700	127.00	2.50	OR65012900	129.00	6.50	OR70013100	131.00	7.00
OR57012480	124.80	5.70	OR30012700	127.00	3.00	OR75012900	129.00	7.50	OR80013100	131.00	8.00
OR20012500	125.00	2.00	OR31712700	127.00	3.17	OR80012900	129.00	8.00	OR57013160	131.60	5.70
OR25012500	125.00	2.50	OR32012700	127.00	3.20	OR95012900	129.00	9.50	OR30013190	131.90	3.00
OR30012500	125.00	3.00	OR35012700	127.00	3.50	OR57012920	129.20	5.70	OR15013200	132.00	1.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR20013200	132.00	2.00	OR55013400	134.00	5.50	OR53413650	136.50	5.34	OR30013950	139.50	3.00
OR25013200	132.00	2.50	OR100013400	134.00	10.00	OR64013650	136.50	6.40	OR55013950	139.50	5.50
OR30013200	132.00	3.00	OR57013430	134.30	5.70	OR70013650	136.50	7.00	OR57013960	139.60	5.70
OR35013200	132.00	3.50	OR31013440	134.40	3.10	OR95013650	136.50	9.50	OR23813900	139.70	2.38
OR35313200	132.00	3.53	OR20013450	134.50	2.00	OR31713652	136.52	3.17	OR23813970	139.70	2.38
OR35513200	132.00	3.55	OR30013450	134.50	3.00	OR47613652	136.52	4.76	OR31713970	139.70	3.17
OR37013200	132.00	3.70	OR32013450	134.50	3.20	OR77513690	136.90	7.75	OR47013970	139.70	4.70
OR40013200	132.00	4.00	OR53013450	134.50	5.30	OR15013700	137.00	1.50	OR47613970	139.70	4.76
OR50013200	132.00	5.00	OR55013450	134.50	5.50	OR30013700	137.00	3.00	OR53013970	139.70	5.30
OR53313200	132.00	5.33	OR85013450	134.50	8.50	OR35013700	137.00	3.50	OR127013970	139.70	12.70
OR56013200	132.00	5.60	OR57013460	134.60	5.70	OR40013700	137.00	4.00	OR31713971	139.71	3.17
OR65013200	132.00	6.50	OR26113465	134.65	2.61	OR50013700	137.00	5.00	OR63013980	139.80	6.30
OR70013200	132.00	7.00	OR21013480	134.80	2.10	OR58013700	137.00	5.80	OR17814000	140.00	1.78
OR75013200	132.00	7.50	OR25013500	135.00	2.50	OR65013700	137.00	6.50	OR20014000	140.00	2.00
OR80013200	132.00	8.00	OR26213500	135.00	2.62	OR40013710	137.10	4.00	OR25014000	140.00	2.50
OR100013200	132.00	10.00	OR30013500	135.00	3.00	OR30013750	137.50	3.00	OR26514000	140.00	2.65
OR69913212	132.12	6.99	OR35013500	135.00	3.50	OR53013750	137.50	5.30	OR30014000	140.00	3.00
OR58013250	132.50	5.80	OR35313500	135.00	3.53	OR53313750	137.50	5.33	OR32014000	140.00	3.20
OR60013250	132.50	6.00	OR35513500	135.00	3.55	OR53313750	137.50	5.33	OR33314000	140.00	3.33
OR62513250	132.50	6.25	OR40013500	135.00	4.00	OR58013750	137.50	5.80	OR35014000	140.00	3.50
OR35013270	132.70	3.50	OR45013500	135.00	4.50	OR69913770	137.70	6.99	OR35314000	140.00	3.53
OR53313272	132.72	5.33	OR50013500	135.00	5.00	OR73013780	137.80	7.30	OR40014000	140.00	4.00
OR69913272	132.72	6.99	OR53013500	135.00	5.30	OR20013800	138.00	2.00	OR4001400	140.00	4.00
OR35013290	132.90	3.50	OR53313500	135.00	5.33	OR30013800	138.00	3.00	OR41014000	140.00	4.10
OR35313294	132.94	3.53	OR55013500	135.00	5.50	OR40013800	138.00	4.00	OR47514000	140.00	4.75
OR25013300	133.00	2.50	OR60013500	135.00	6.00	OR45013800	138.00	4.50	OR50014000	140.00	5.00
OR30013300	133.00	3.00	OR60013500	135.00	6.00	OR50013800	138.00	5.00	OR5001400	140.00	5.00
OR35013300	133.00	3.50	OR69913500	135.00	6.99	OR60013800	138.00	6.00	OR53014000	140.00	5.30
OR50013300	133.00	5.00	OR80013500	135.00	8.00	OR63013800	138.00	6.30	OR55014000	140.00	5.50
OR53313300	133.00	5.33	OR130013500	135.00	13.00	OR70013800	138.00	7.00	OR57014000	140.00	5.70
OR60013300	133.00	6.00	OR12713527	135.27	1.27	OR75013800	138.00	7.50	OR57014000	140.00	5.70
OR65013300	133.00	6.50	OR30013540	135.40	3.00	OR80013800	138.00	8.00	OR6001400	140.00	6.00
OR26213302	133.02	2.62	OR50013550	135.50	5.00	OR100013800	138.00	10.00	OR60014000	140.00	6.00
OR17813307	133.07	1.78	OR53313572	135.72	5.33	OR71013820	138.20	7.10	OR63014000	140.00	6.30
OR40013330	133.30	4.00	OR17813576	135.76	1.78	OR30013850	138.50	3.00	OR70014000	140.00	7.00
OR31713335	133.35	3.17	OR53313589	135.89	5.33	OR35013850	138.50	3.50	OR75014000	140.00	7.50
OR63513335	133.35	6.35	OR69913589	135.89	6.99	OR70013850	138.50	7.00	OR80014000	140.00	8.00
OR70013335	133.35	7.00	OR70013589	135.89	7.00	OR86013870	138.70	8.60	OR100014000	140.00	10.00
OR53013340	133.40	5.30	OR70013590	135.90	7.00	OR30013900	139.00	3.00	OR52014040	140.40	5.20
OR30013350	133.50	3.00	OR26013600	136.00	2.60	OR34613900	139.00	3.46	OR26214048	140.48	2.62
OR35013350	133.50	3.50	OR26213600	136.00	2.62	OR35013900	139.00	3.50	OR70014050	140.50	7.00
OR35013350	133.50	3.50	OR30013600	136.00	3.00	OR45013900	139.00	4.50	OR35014060	140.60	3.50
OR53313367	133.67	5.33	OR35013600	136.00	3.50	OR65013900	139.00	6.50	OR40014100	141.00	4.00
OR47013370	133.70	4.70	OR35513600	136.00	3.55	OR70013900	139.00	7.00	OR50014100	141.00	5.00
OR86013370	133.70	8.60	OR40013600	136.00	4.00	OR69913906	139.06	6.99	OR57014100	141.00	5.70
OR29713374	133.74	2.97	OR52513600	136.00	5.25	OR53313907	139.07	5.33	OR60014100	141.00	6.00
OR30013400	134.00	3.00	OR53313600	136.00	5.33	OR53413907	139.07	5.34	OR55014140	141.40	5.50
OR31713400	134.00	3.17	OR55013600	136.00	5.50	OR69913907	139.07	6.99	OR20014150	141.50	2.00
OR33313400	134.00	3.33	OR56013600	136.00	5.60	OR57013920	139.20	5.70	OR35014170	141.70	3.50
OR35013400	134.00	3.50	OR70013600	136.00	7.00	OR35313929	139.29	3.53	OR20014200	142.00	2.00
OR40013400	134.00	4.00	OR77013600	136.00	7.70	OR57013930	139.30	5.70	OR25014200	142.00	2.50
OR45013400	134.00	4.50	OR80013600	136.00	8.00	OR26213937	139.37	2.62	OR30014200	142.00	3.00
OR50013400	134.00	5.00	OR35313610	136.10	3.53	OR31013940	139.40	3.10	OR32514200	142.00	3.25
OR53013400	134.00	5.30	OR35313612	136.12	3.53	OR35313947	139.47	3.53	OR35014200	142.00	3.50

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR35314200	142.00	3.53	OR100014450	144.50	10.00	OR50014700	147.00	5.00	OR57514947	149.47	5.75
OR38014200	142.00	3.80	OR30014460	144.60	3.00	OR60014700	147.00	6.00	OR30014950	149.50	3.00
OR40014200	142.00	4.00	OR57014460	144.60	5.70	OR65014700	147.00	6.50	OR31014950	149.50	3.10
OR50014200	142.00	5.00	OR31714480	144.80	3.17	OR70014700	147.00	7.00	OR50014950	149.50	5.00
OR60014200	142.00	6.00	OR20014500	145.00	2.00	OR70014732	147.32	7.00	OR75014950	149.50	7.50
OR65014200	142.00	6.50	OR25014500	145.00	2.50	OR35014750	147.50	3.50	OR57014960	149.60	5.70
OR68014200	142.00	6.80	OR30014500	145.00	3.00	OR40014764	147.64	4.00	OR53314965	149.65	5.33
OR70014200	142.00	7.00	OR35014500	145.00	3.50	OR70014780	147.80	7.00	OR53014966	149.66	5.30
OR70014220	142.20	7.00	OR37014500	145.00	3.70	OR20014800	148.00	2.00	OR53014974	149.74	5.30
OR53314224	142.24	5.33	OR38014500	145.00	3.80	OR23014800	148.00	2.30	OR20015000	150.00	2.00
OR69914224	142.24	6.99	OR40014500	145.00	4.00	OR26214800	148.00	2.62	OR25015000	150.00	2.50
OR70014224	142.24	7.00	OR50014500	145.00	5.00	OR30014800	148.00	3.00	OR30015000	150.00	3.00
OR31714246	142.46	3.17	OR55014500	145.00	5.50	OR35014800	148.00	3.50	OR35015000	150.00	3.50
OR35314247	142.47	3.53	OR60014500	145.00	6.00	OR40014800	148.00	4.00	OR35515000	150.00	3.55
OR35014250	142.50	3.50	OR70014500	145.00	7.00	OR45014800	148.00	4.50	OR40015000	150.00	4.00
OR50014280	142.80	5.00	OR75014500	145.00	7.50	OR50014800	148.00	5.00	OR45015000	150.00	4.50
OR55014280	142.80	5.50	OR120014500	145.00	12.00	OR55014800	148.00	5.50	OR50015000	150.00	5.00
OR63514287	142.87	6.35	OR130014500	145.00	13.00	OR57014800	148.00	5.70	OR53015000	150.00	5.30
OR15014300	143.00	1.50	OR53014542	145.42	5.30	OR60014800	148.00	6.00	OR54015000	150.00	5.40
OR20014300	143.00	2.00	OR53314542	145.42	5.33	OR65014800	148.00	6.50	OR55015000	150.00	5.50
OR30014300	143.00	3.00	OR69914542	145.42	6.99	OR80014800	148.00	8.00	OR57015000	150.00	5.70
OR35014300	143.00	3.50	OR63014550	145.50	6.30	OR90014800	148.00	9.00	OR60015000	150.00	6.00
OR35314300	143.00	3.53	OR70014550	145.50	7.00	OR95014800	148.00	9.50	OR65015000	150.00	6.50
OR40014300	143.00	4.00	OR35314564	145.64	3.53	OR100014800	148.00	10.00	OR69915000	150.00	6.99
OR45014300	143.00	4.50	OR26214572	145.72	2.62	OR17814846	148.46	1.78	OR70015000	150.00	7.00
OR50014300	143.00	5.00	OR51014580	145.80	5.10	OR53314849	148.49	5.33	OR75015000	150.00	7.50
OR52514300	143.00	5.25	OR15014600	146.00	1.50	OR53314859	148.59	5.33	OR80015000	150.00	8.00
OR55014300	143.00	5.50	OR17814600	146.00	1.78	OR69914859	148.59	6.99	OR85015000	150.00	8.50
OR60014300	143.00	6.00	OR20014600	146.00	2.00	OR70014859	148.59	7.00	OR100015000	150.00	10.00
OR65014300	143.00	6.50	OR25014600	146.00	2.50	OR70014860	148.60	7.00	OR150015000	150.00	15.00
OR75014300	143.00	7.50	OR30014600	146.00	3.00	OR32014870	148.70	3.20	OR60015040	150.40	6.00
OR85014300	143.00	8.50	OR32014600	146.00	3.20	OR35314880	148.80	3.53	OR40015080	150.80	4.00
OR17814325	143.25	1.78	OR32314600	146.00	3.23	OR40014880	148.80	4.00	OR35015100	151.00	3.50
OR52014350	143.50	5.20	OR40014600	146.00	4.00	OR35014882	148.82	3.50	OR35315100	151.00	3.53
OR20014400	144.00	2.00	OR45014600	146.00	4.50	OR35314882	148.82	3.53	OR40015100	151.00	4.00
OR25014400	144.00	2.50	OR57014600	146.00	5.70	OR35314884	148.84	3.53	OR45015100	151.00	4.50
OR30014400	144.00	3.00	OR64014600	146.00	6.40	OR15014900	149.00	1.50	OR50015100	151.00	5.00
OR35014400	144.00	3.50	OR65014600	146.00	6.50	OR25014900	149.00	2.50	OR57015100	151.00	5.70
OR35314400	144.00	3.53	OR69014600	146.00	6.90	OR30014900	149.00	3.00	OR60015100	151.00	6.00
OR40014400	144.00	4.00	OR70014600	146.00	7.00	OR35014900	149.00	3.50	OR65015100	151.00	6.50
OR42014400	144.00	4.20	OR80014600	146.00	8.00	OR43014900	149.00	4.30	OR70015100	151.00	7.00
OR50014400	144.00	5.00	OR31714605	146.05	3.17	OR53314900	149.00	5.33	OR130015100	151.00	13.00
OR60014400	144.00	6.00	OR95014605	146.05	9.50	OR55014900	149.00	5.50	OR69815114	151.14	6.98
OR65014400	144.00	6.50	OR62014610	146.10	6.20	OR57014900	149.00	5.70	OR50015130	151.30	5.00
OR70014400	144.00	7.00	OR53014620	146.20	5.30	OR60014900	149.00	6.00	OR70015170	151.70	7.00
OR80014400	144.00	8.00	OR65014650	146.50	6.50	OR84014910	149.10	8.40	OR69915172	151.72	6.99
OR35014420	144.20	3.50	OR70014650	146.50	7.00	OR53314920	149.20	5.33	OR53315177	151.77	5.33
OR57014420	144.20	5.70	OR70014670	146.70	7.00	OR53414920	149.20	5.34	OR55015177	151.77	5.50
OR57014430	144.30	5.70	OR45014692	146.92	4.50	OR57014920	149.20	5.70	OR69915177	151.77	6.99
OR31014440	144.40	3.10	OR25014700	147.00	2.50	OR31714922	149.22	3.17	OR70015180	151.80	7.00
OR24014450	144.50	2.40	OR30014700	147.00	3.00	OR63514922	149.22	6.35	OR35315199	151.99	3.53
OR30014450	144.50	3.00	OR35014700	147.00	3.50	OR35314930	149.30	3.53	OR10015200	152.00	1.00
OR52014450	144.50	5.20	OR35314700	147.00	3.53	OR53014930	149.30	5.30	OR20015200	152.00	2.00
OR53014450	144.50	5.30	OR40014700	147.00	4.00	OR57014930	149.30	5.70	OR30015200	152.00	3.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR35015200	152.00	3.50	OR35015500	155.00	3.50	OR17715836	158.36	1.77	OR57016100	161.00	5.70
OR35315200	152.00	3.53	OR35315500	155.00	3.53	OR17815836	158.36	1.78	OR70016100	161.00	7.00
OR40015200	152.00	4.00	OR35515500	155.00	3.55	OR26015842	158.42	2.60	OR80016100	161.00	8.00
OR50015200	152.00	5.00	OR40015500	155.00	4.00	OR26215842	158.42	2.62	OR53316129	161.29	5.33
OR53315200	152.00	5.33	OR50015500	155.00	5.00	OR30015850	158.50	3.00	OR30016150	161.50	3.00
OR55015200	152.00	5.50	OR53015500	155.00	5.30	OR70015850	158.50	7.00	OR53316150	161.50	5.33
OR65015200	152.00	6.50	OR53315500	155.00	5.33	OR57015860	158.60	5.70	OR30016170	161.70	3.00
OR68015200	152.00	6.80	OR60015500	155.00	6.00	OR95015870	158.70	9.50	OR70016190	161.90	7.00
OR70015200	152.00	7.00	OR70015500	155.00	7.00	OR31715875	158.75	3.17	OR31716192	161.92	3.17
OR75015200	152.00	7.50	OR75015500	155.00	7.50	OR32015875	158.75	3.20	OR69916193	161.93	6.99
OR26215207	152.07	2.62	OR80015500	155.00	8.00	OR40015875	158.75	4.00	OR15016200	162.00	1.50
OR31715240	152.40	3.17	OR100015500	155.00	10.00	OR48015875	158.75	4.80	OR30016200	162.00	3.00
OR32015240	152.40	3.20	OR140015500	155.00	14.00	OR63515875	158.75	6.35	OR32016200	162.00	3.20
OR35315240	152.40	3.53	OR55315520	155.20	5.53	OR35015880	158.80	3.50	OR35016200	162.00	3.50
OR41015240	152.40	4.10	OR35315534	155.34	3.53	OR32015900	159.00	3.20	OR37816200	162.00	3.78
OR63515240	152.40	6.35	OR63515560	155.60	6.35	OR40015900	159.00	4.00	OR40016200	162.00	4.00
OR67515240	152.40	6.75	OR26215576	155.76	2.62	OR50015900	159.00	5.00	OR68016200	162.00	6.80
OR79015240	152.40	7.90	OR30015600	156.00	3.00	OR57015900	159.00	5.70	OR70016200	162.00	7.00
OR25015250	152.50	2.50	OR32015600	156.00	3.20	OR60015900	159.00	6.00	OR72516200	162.00	7.25
OR55015250	152.50	5.50	OR40015600	156.00	4.00	OR65015900	159.00	6.50	OR40016204	162.04	4.00
OR35015300	153.00	3.50	OR45015600	156.00	4.50	OR70015900	159.00	7.00	OR30016210	162.10	3.00
OR35315300	153.00	3.53	OR60015600	156.00	6.00	OR57015920	159.20	5.70	OR35316250	162.50	3.53
OR60015300	153.00	6.00	OR70015600	156.00	7.00	OR57015930	159.30	5.70	OR35016300	163.00	3.50
OR70015300	153.00	7.00	OR50015650	156.50	5.00	OR30015950	159.50	3.00	OR40016300	163.00	4.00
OR85015300	153.00	8.50	OR53315650	156.50	5.33	OR60015950	159.50	6.00	OR57016300	163.00	5.70
OR50015340	153.40	5.00	OR70015670	156.70	7.00	OR84015950	159.50	8.40	OR60016300	163.00	6.00
OR70015350	153.50	7.00	OR30015700	157.00	3.00	OR20016000	160.00	2.00	OR30016350	163.50	3.00
OR25015400	154.00	2.50	OR35015700	157.00	3.50	OR25016000	160.00	2.50	OR53316350	163.50	5.33
OR26215400	154.00	2.62	OR40015700	157.00	4.00	OR30016000	160.00	3.00	OR55016350	163.50	5.50
OR30015400	154.00	3.00	OR50015700	157.00	5.00	OR32516000	160.00	3.25	OR64016350	163.50	6.40
OR35015400	154.00	3.50	OR65015700	157.00	6.50	OR35016000	160.00	3.50	OR35016370	163.70	3.50
OR3531547-	154.00	3.53	OR69915700	157.00	6.99	OR35316000	160.00	3.53	OR86016370	163.70	8.60
OR40015400	154.00	4.00	OR35015710	157.10	3.50	OR35516000	160.00	3.55	OR30016400	164.00	3.00
OR50015400	154.00	5.00	OR25015730	157.30	2.50	OR40016000	160.00	4.00	OR35016400	164.00	3.50
OR53015400	154.00	5.30	OR35015750	157.50	3.50	OR50016000	160.00	5.00	OR35316400	164.00	3.53
OR53315400	154.00	5.33	OR70015750	157.50	7.00	OR53016000	160.00	5.30	OR38016400	164.00	3.80
OR57015400	154.00	5.70	OR15015800	158.00	1.50	OR53316000	160.00	5.33	OR40016400	164.00	4.00
OR57015420	154.20	5.70	OR20015800	158.00	2.00	OR55016000	160.00	5.50	OR50016400	164.00	5.00
OR20015430	154.30	2.00	OR30015800	158.00	3.00	OR57016000	160.00	5.70	OR57016400	164.00	5.70
OR42015430	154.30	4.20	OR35015800	158.00	3.50	OR60016000	160.00	6.00	OR60016400	164.00	6.00
OR57015430	154.30	5.70	OR40015800	158.00	4.00	OR69916000	160.00	6.99	OR80016400	164.00	8.00
OR53315434	154.34	5.33	OR50015800	158.00	5.00	OR70016000	160.00	7.00	OR84016410	164.10	8.40
OR30015450	154.50	3.00	OR59015880	158.00	5.90	OR75016000	160.00	7.50	OR57016420	164.20	5.70
OR31015420	154.50	3.10	OR60015800	158.00	6.00	OR80016000	160.00	8.00	OR57016430	164.30	5.70
OR31015450	154.50	3.10	OR70015800	158.00	7.00	OR85016000	160.00	8.50	OR53316447	164.47	5.33
OR40015450	154.50	4.00	OR120015800	158.00	12.00	OR90016000	160.00	9.00	OR69916447	164.47	6.99
OR60015450	154.50	6.00	OR150015800	158.00	15.00	OR100016000	160.00	10.00	OR70016447	164.47	7.00
OR80015450	154.50	8.00	OR70015810	158.10	7.00	OR35016070	160.70	3.50	OR30016450	164.50	3.00
OR84015450	154.50	8.40	OR53315812	158.12	5.33	OR16016080	160.80	1.60	OR35016450	164.50	3.50
OR38015490	154.90	3.80	OR69915812	158.12	6.99	OR35016085	160.85	3.50	OR60016450	164.50	6.00
OR20015500	155.00	2.00	OR70015812	158.12	7.00	OR25016100	161.00	2.50	OR70016450	164.50	7.00
OR25015500	155.00	2.50	OR35015830	158.30	3.50	OR45016100	161.00	4.50	OR84016450	164.50	8.40
OR30015500	155.00	3.00	OR35015834	158.34	3.50	OR50016100	161.00	5.00	OR35316469	164.69	3.53
OR32015500	155.00	3.20	OR35315834	158.34	3.53	OR55016100	161.00	5.50	OR26216477	164.77	2.62

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR30016477	164.77	3.00	OR60016800	168.00	6.00	OR63017150	171.50	6.30	OR45017500	175.00	4.50
OR46216477	164.77	4.62	OR69916800	168.00	6.99	OR57017170	171.70	5.70	OR47617500	175.00	4.76
OR35316489	164.89	3.53	OR75016800	168.00	7.50	OR30017200	172.00	3.00	OR50017500	175.00	5.00
OR15016500	165.00	1.50	OR200016800	168.00	20.00	OR35317200	172.00	3.53	OR53017500	175.00	5.30
OR25016500	165.00	2.50	OR68016840	168.40	6.80	OR40017200	172.00	4.00	OR53317500	175.00	5.33
OR30016500	165.00	3.00	OR53316850	168.50	5.33	OR45017200	172.00	4.50	OR57017500	175.00	5.70
OR35016500	165.00	3.50	OR60016850	168.50	6.00	OR50017200	172.00	5.00	OR60017500	175.00	6.00
OR40016500	165.00	4.00	OR57016860	168.60	5.70	OR65017200	172.00	6.50	OR70017500	175.00	7.00
OR45016500	165.00	4.50	OR20016900	169.00	2.00	OR70017200	172.00	7.00	OR80017500	175.00	8.00
OR50016500	165.00	5.00	OR30016900	169.00	3.00	OR90017200	172.00	9.00	OR85017500	175.00	8.50
OR53316500	165.00	5.33	OR39016900	169.00	3.90	OR100017200	172.00	10.00	OR90017500	175.00	9.00
OR55016500	165.00	5.50	OR55016900	169.00	5.50	OR55017260	172.60	5.50	OR35317525	175.25	3.53
OR55316500	165.00	5.53	OR60016900	169.00	6.00	OR57017270	172.70	5.70	OR30017550	175.50	3.00
OR57016500	165.00	5.00	OR70016900	169.00	7.00	OR35017300	173.00	3.50	OR55017550	175.50	5.50
OR60016500	165.00	6.00	OR84016910	169.10	8.40	OR40017300	173.00	4.00	OR30017570	175.70	3.00
OR65016500	165.00	6.50	OR57016920	169.20	5.70	OR50017300	173.00	5.00	OR70017570	175.70	7.00
OR70016500	165.00	7.00	OR57016930	169.30	5.70	OR63517300	173.00	6.35	OR75017580	175.80	7.50
OR80016500	165.00	8.00	OR35016950	169.50	3.50	OR65017300	173.00	6.50	OR45017600	176.00	4.50
OR31716510	165.10	3.17	OR84016950	169.50	8.40	OR70017300	173.00	7.00	OR50017600	176.00	5.00
OR63016510	165.10	6.30	OR20017000	170.00	2.00	OR80017300	173.00	8.00	OR60017600	176.00	6.00
OR63516510	165.10	6.35	OR24017000	170.00	2.40	OR16017350	173.50	1.60	OR65017600	176.00	6.50
OR70016510	165.10	7.00	OR26517000	170.00	2.65	OR50017350	173.50	5.00	OR70017600	176.00	7.00
OR95016510	165.10	9.50	OR30017000	170.00	3.00	OR63017350	173.50	6.30	OR80017600	176.00	8.00
OR70016550	165.50	7.00	OR35017000	170.00	3.50	OR35017370	173.70	3.50	OR100017600	176.00	10.00
OR30016600	166.00	3.00	OR35317000	170.00	3.53	OR35317372	173.72	3.53	OR70017670	176.70	7.00
OR37016600	166.00	3.70	OR40017000	170.00	4.00	OR25017400	174.00	2.50	OR20017700	177.00	2.00
OR39016600	166.00	3.90	OR50017000	170.00	5.00	OR30017400	174.00	3.00	OR30017700	177.00	3.00
OR40016600	166.00	4.00	OR53017000	170.00	5.30	OR31717400	174.00	3.17	OR40017700	177.00	4.00
OR50016600	166.00	5.00	OR55017000	170.00	5.50	OR35317400	174.00	3.53	OR65017700	177.00	6.50
OR55016600	166.00	5.50	OR60017000	170.00	6.00	OR40017400	174.00	4.00	OR100017700	177.00	10.00
OR70016600	166.00	7.00	OR65017000	170.00	6.50	OR56017400	174.00	5.60	OR53317716	177.16	5.33
OR75016600	166.00	7.50	OR70017000	170.00	7.00	OR60017400	174.00	6.00	OR53317717	177.17	5.33
OR80016660	166.60	8.00	OR80017000	170.00	8.00	OR65017400	174.00	6.50	OR69917717	177.17	6.99
OR70016670	166.70	7.00	OR100017000	170.00	10.00	OR70017400	174.00	7.00	OR70017717	177.17	7.00
OR30016700	167.00	3.00	OR30017050	170.50	3.00	OR25017420	174.20	2.50	OR70017720	177.20	7.00
OR32016700	167.00	3.20	OR200017060	170.60	20.00	OR57017420	174.20	5.70	OR35317739	177.39	3.53
OR35016700	167.00	3.50	OR55017062	170.62	5.50	OR30017450	174.50	3.00	OR26217747	177.47	2.62
OR40016700	167.00	4.00	OR53317080	170.80	5.33	OR50017450	174.50	5.00	OR31717780	177.80	3.17
OR50016700	167.00	5.00	OR69917081	170.81	6.99	OR64017450	174.50	6.40	OR60017780	177.80	6.00
OR57016700	167.00	5.70	OR53317082	170.82	5.33	OR84017450	174.50	8.40	OR95217780	177.80	9.52
OR58016700	167.00	5.80	OR69917082	170.82	6.99	OR70017460	174.60	7.00	OR127017780	177.80	12.70
OR60016700	167.00	6.00	OR70017082	170.82	7.00	OR80017460	174.60	8.00	OR190517780	177.80	19.05
OR65016700	167.00	6.50	OR35017100	171.00	3.50	OR15817462	174.62	1.58	OR20017800	178.00	2.00
OR32016760	167.60	3.20	OR50017100	171.00	5.00	OR32017462	174.62	3.20	OR25017800	178.00	2.50
OR60016780	167.80	6.00	OR55017100	171.00	5.50	OR30017470	174.70	3.00	OR30017800	178.00	3.00
OR57016790	167.90	5.70	OR70017100	171.00	7.00	OR20017500	175.00	2.00	OR35017800	178.00	3.50
OR15016800	168.00	1.50	OR31717104	171.04	3.17	OR25017500	175.00	2.50	OR40017800	178.00	4.00
OR30016800	168.00	3.00	OR35317104	171.04	3.53	OR26217500	175.00	2.62	OR50017800	178.00	5.00
OR40016800	168.00	4.00	OR26217112	171.12	2.62	OR30017500	175.00	3.00	OR57517800	178.00	5.75
OR45016800	168.00	4.50	OR31717145	171.45	3.17	OR35017500	175.00	3.50	OR60017800	178.00	6.00
OR50016800	168.00	5.00	OR63517145	171.45	6.35	OR35317500	175.00	3.53	OR120017800	178.00	12.00
OR53316800	168.00	5.33	OR16017150	171.50	1.60	OR35517500	175.00	3.55	OR35017870	178.70	3.50
OR55016800	168.00	5.50	OR35017150	171.50	3.50	OR37017500	175.00	3.70	OR30017900	179.00	3.00
OR58016800	168.00	5.80	OR50017150	171.50	5.00	OR40017500	175.00	4.00	OR40017900	179.00	4.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR45017900	179.00	4.50	OR40018300	183.00	4.00	OR37018700	187.00	3.70	OR60019000	190.00	6.00
OR50017900	179.00	5.00	OR60018300	183.00	6.00	OR40018700	187.00	4.00	OR69919000	190.00	6.99
OR75017900	179.00	7.50	OR65018300	183.00	6.50	OR55018700	187.00	5.50	OR70019000	190.00	7.00
OR65017910	179.10	6.50	OR70018300	183.00	7.00	OR65018700	187.00	6.50	OR75019000	190.00	7.50
OR57017920	179.20	5.70	OR85018300	183.00	8.50	OR69918700	187.00	6.99	OR85019000	190.00	8.50
OR100017920	179.20	10.00	OR103018300	183.00	10.30	OR70018700	187.00	7.00	OR10001900	190.00	10.00
OR57017930	179.30	5.70	OR25018350	183.50	2.50	OR80018700	187.00	8.00	OR100019000	190.00	10.00
OR57017930	179.30	5.70	OR53318350	183.50	5.33	OR70018717	187.17	7.00	OR125019000	190.00	12.50
OR25017950	179.50	2.50	OR69918350	183.50	6.99	OR30018750	187.50	3.00	OR35319009	190.09	3.53
OR57017950	179.50	5.70	OR63518351	183.51	6.35	OR35018750	187.50	3.50	OR35319010	190.10	3.53
OR84017950	179.50	8.40	OR53318352	183.52	5.33	OR63518750	187.50	6.35	OR26219017	190.17	2.62
OR21017970	179.70	2.10	OR69918352	183.52	6.99	OR30018800	188.00	3.00	OR79419049	190.49	7.94
OR18017990	179.90	1.80	OR70018352	183.52	7.00	OR35018800	188.00	3.50	OR31719050	190.50	3.17
OR20018000	180.00	2.00	OR26218362	183.62	2.62	OR40018800	188.00	4.00	OR35319050	190.50	3.53
OR24018000	180.00	2.40	OR35318374	183.74	3.53	OR55018800	188.00	5.50	OR39619050	190.50	3.96
OR25018000	180.00	2.50	OR26218382	183.82	2.62	OR60018800	188.00	6.00	OR55019050	190.50	5.50
OR25018000	180.00	2.50	OR20018400	184.00	2.00	OR90018800	188.00	9.00	OR63519050	190.50	6.35
OR30018000	180.00	3.00	OR35018400	184.00	3.50	OR35518850	188.50	3.55	OR64019050	190.50	6.40
OR35018000	180.00	3.50	OR40018400	184.00	4.00	OR57018860	188.60	5.70	OR95219050	190.50	9.52
OR40018000	180.00	4.00	OR55018400	184.00	5.50	OR48018890	188.90	4.80	OR45019100	191.00	4.50
OR45018000	180.00	4.50	OR60018400	184.00	6.00	OR31718891	188.91	3.17	OR70019177	191.77	7.00
OR47018000	180.00	4.70	OR63018400	184.00	6.30	OR71418891	188.91	7.14	OR53319187	191.87	5.33
OR48518000	180.00	4.85	OR80018400	184.00	8.00	OR35018900	189.00	3.50	OR30019200	192.00	3.00
OR50018000	180.00	5.00	OR84018410	184.10	8.40	OR40018900	189.00	4.00	OR35019200	192.00	3.50
OR53018000	180.00	5.30	OR70018415	184.15	7.00	OR50018900	189.00	5.00	OR35319200	192.00	3.53
OR53318000	180.00	5.33	OR57018420	184.20	5.70	OR55018900	189.00	5.50	OR40019200	192.00	4.00
OR55018000	180.00	5.50	OR57018430	184.30	5.70	OR57018900	189.00	5.70	OR45019200	192.00	4.50
OR57018000	180.00	5.70	OR30018450	184.50	3.00	OR58018900	189.00	5.80	OR50019200	192.00	5.00
OR60018000	180.00	6.00	OR84018450	184.50	8.40	OR60018900	189.00	6.00	OR60019200	192.00	6.00
OR70018000	180.00	7.00	OR25018500	185.00	2.50	OR80018900	189.00	8.00	OR63519200	192.00	6.35
OR75018000	180.00	7.50	OR30018500	185.00	3.00	OR57018920	189.20	5.70	OR70019200	192.00	7.00
OR80018000	180.00	8.00	OR35018500	185.00	3.50	OR57018930	189.30	5.70	OR80019200	192.00	8.00
OR70018060	180.60	7.00	OR35518500	185.00	3.55	OR30018950	189.50	3.00	OR90019200	192.00	9.00
OR70018087	180.87	7.00	OR40018500	185.00	4.00	OR84018950	189.50	8.40	OR100019200	192.00	10.00
OR35318100	181.00	3.53	OR45018500	185.00	4.50	OR30018970	189.70	3.00	OR50019250	192.50	5.00
OR50018100	181.00	5.00	OR50018500	185.00	5.00	OR30018980	189.80	3.00	OR53319260	192.60	5.33
OR70018100	181.00	7.00	OR55018500	185.00	5.50	OR53018980	189.80	5.30	OR35019300	193.00	3.50
OR40018150	181.50	4.00	OR60018500	185.00	6.00	OR70018986	189.86	7.00	OR40019300	193.00	4.00
OR30018160	181.60	3.00	OR75018500	185.00	7.50	OR53318987	189.87	5.33	OR50019300	193.00	5.00
OR35318160	181.60	3.53	OR80018500	185.00	8.00	OR57018987	189.87	5.70	OR53519300	193.00	5.35
OR5318160-	181.60	3.53	OR86018500	185.00	8.60	OR69918987	189.87	6.99	OR60019300	193.00	6.00
OR30018200	182.00	3.00	OR100018500	185.00	10.00	OR70018987	189.87	7.00	OR127019367	193.67	12.70
OR35318200	182.00	3.53	OR35318600	186.00	3.53	OR69918997	189.97	6.99	OR47019370	193.70	4.70
OR40018200	182.00	4.00	OR53018600	186.00	5.30	OR25019000	190.00	2.50	OR70019370	193.70	7.00
OR45018200	182.00	4.50	OR60018600	186.00	6.00	OR26019000	190.00	2.60	OR20019400	194.00	2.00
OR50018200	182.00	5.00	OR70018600	186.00	7.00	OR30019000	190.00	3.00	OR30019400	194.00	3.00
OR70018200	182.00	7.00	OR76018600	186.00	7.60	OR35019000	190.00	3.50	OR35019400	194.00	3.50
OR90018200	182.00	9.00	OR82518600	186.00	8.25	OR35519000	190.00	3.55	OR40019400	194.00	4.00
OR70018217	182.17	7.00	OR32018615	186.15	3.20	OR36019000	190.00	3.60	OR60019400	194.00	6.00
OR26218242	182.42	2.62	OR69918644	186.44	6.99	OR40019000	190.00	4.00	OR70019400	194.00	7.00
OR70018250	182.50	7.00	OR70018670	186.70	7.00	OR50019000	190.00	5.00	OR80019400	194.00	8.00
OR56018280	182.80	5.60	OR25018700	187.00	2.50	OR53319000	190.00	5.33	OR100019400	194.00	10.00
OR26218300	183.00	2.62	OR30018700	187.00	3.00	OR55019000	190.00	5.50	OR57019420	194.20	5.70
OR30018300	183.00	3.00	OR35018700	187.00	3.50	OR57019000	190.00	5.70	OR57019430	194.30	5.70

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR30019450	194.50	3.00	OR40019800	198.00	4.00	OR53320257	202.57	5.33	OR35020800	208.00	3.50
OR84019450	194.50	8.40	OR60019800	198.00	6.00	OR69920257	202.57	6.99	OR35320800	208.00	3.53
OR16819500	195.00	1.68	OR48019840	198.40	4.80	OR70020257	202.57	7.00	OR38020800	208.00	3.80
OR20019500	195.00	2.00	OR42019850	198.50	4.20	OR70020260	202.60	7.00	OR40020800	208.00	4.00
OR25019500	195.00	2.50	OR38019880	198.80	3.80	OR35320279	202.79	3.53	OR50020800	208.00	5.00
OR26519500	195.00	2.65	OR24019900	199.00	2.40	OR20020287	202.87	2.00	OR60020800	208.00	6.00
OR30019500	195.00	3.00	OR35019900	199.00	3.50	OR26220287	202.87	2.62	OR62020800	208.00	6.20
OR40019500	195.00	4.00	OR57019900	199.00	5.70	OR35020300	203.00	3.50	OR80020800	208.00	8.00
OR50019500	195.00	5.00	OR60019900	199.00	6.00	OR60020300	203.00	6.0	OR85020800	208.00	8.50
OR53019500	195.00	5.30	OR75019900	199.00	7.50	OR70020300	203.00	7.00	OR130020800	208.00	13.00
OR57019500	195.00	5.70	OR58019910	199.10	5.80	OR75020300	203.00	7.50	OR200020800	208.00	20.00
OR60019500	195.00	6.00	OR84019910	199.10	8.40	OR22820320	203.20	2.28	OR83020840	208.40	8.30
OR64019500	195.00	6.40	OR57019920	199.20	5.70	OR31720320	203.20	3.17	OR84020850	208.50	8.40
OR70019500	195.00	7.00	OR28019930	199.30	2.80	OR32020320	203.20	3.20	OR53020880	208.80	5.30
OR80019500	195.00	8.00	OR57019930	199.30	5.70	OR35320320	203.20	3.53	OR65020880	208.80	6.50
OR85019500	195.00	8.50	OR63019940	199.40	6.30	OR63020320	203.20	6.30	OR70020890	208.90	7.00
OR90019500	195.00	9.00	OR30019950	199.50	3.00	OR35520325	203.25	3.55	OR69920891	208.91	6.99
OR60019520	195.20	6.00	OR15020000	200.00	1.50	OR85020350	203.50	8.50	OR53020892	208.92	5.30
OR70019520	195.20	7.00	OR20020000	200.00	2.00	OR70020380	203.80	7.00	OR53320892	208.92	5.33
OR30019600	196.00	3.00	OR30020000	200.00	3.00	OR25020400	204.00	2.50	OR26020900	209.00	2.60
OR32019600	196.00	3.20	OR35020000	200.00	3.50	OR30020400	204.00	3.00	OR30020900	209.00	3.00
OR35019600	196.00	3.50	OR35320000	200.00	3.53	OR35020400	204.00	3.50	OR40020900	209.00	4.00
OR35319600	196.00	3.53	OR40020000	200.00	4.00	OR3502400-	204.00	3.50	OR53320900	209.00	5.33
OR40019600	196.00	4.00	OR50020000	200.00	5.00	OR42020400	204.00	4.20	OR55020900	209.00	5.50
OR45019600	196.00	4.50	OR55020000	200.00	5.50	OR45020400	204.00	4.50	OR60020900	209.00	6.00
OR50019600	196.00	5.00	OR60020000	200.00	6.00	OR84020410	204.10	8.40	OR65020900	209.00	6.50
OR60019600	196.00	6.00	OR63520000	200.00	6.35	OR57020420	204.20	5.70	OR70020900	209.00	7.00
OR70019600	196.00	7.00	OR69920000	200.00	6.99	OR84020450	204.50	8.40	OR84020910	209.10	8.40
OR53019620	196.20	5.30	OR70020000	200.00	7.00	OR22020500	205.00	2.20	OR35320914	209.14	3.53
OR69919620	196.20	6.99	OR75020000	200.00	7.50	OR40020500	205.00	4.00	OR57020920	209.20	5.70
OR70019620	196.20	7.00	OR80020000	200.00	8.00	OR50020500	205.00	5.00	OR26220922	209.22	2.62
OR53319622	196.22	5.33	OR100020000	200.00	10.00	OR60020500	205.00	6.00	OR26420922	209.22	2.64
OR69919622	196.22	6.99	OR125020000	200.00	12.50	OR65020500	205.00	6.50	OR57020930	209.30	5.70
OR70019622	196.22	7.00	OR130020000	200.00	13.00	OR70020500	205.00	7.00	OR63520930	209.30	6.35
OR35319644	196.44	3.53	OR50020070	200.70	5.00	OR100020500	205.00	10.00	OR70020940	209.40	7.00
OR30019650	196.50	3.00	OR30020087	200.87	3.00	OR150020500	205.00	15.00	OR30020950	209.50	3.00
OR38019650	196.50	3.80	OR32020100	201.00	3.20	OR30020600	206.00	3.00	OR40020950	209.50	4.00
OR26219652	196.52	2.62	OR40020100	201.00	4.00	OR45020600	206.00	4.50	OR84020950	209.50	8.40
OR79419672	196.72	7.94	OR50020100	201.00	5.00	OR70020600	206.00	7.00	OR30021000	210.00	3.00
OR35319680	196.80	3.53	OR60020100	201.00	6.00	OR80020600	206.00	8.00	OR35021000	210.00	3.50
OR31719685	196.85	3.17	OR70020100	201.00	7.00	OR180020600	206.00	18.00	OR35521000	210.00	3.55
OR63519685	196.85	6.35	OR47620161	201.61	4.76	OR47620638	206.38	4.76	OR40021000	210.00	4.00
OR95019685	196.85	9.50	OR40020190	201.90	4.00	OR30020650	206.50	3.00	OR45021000	210.00	4.50
OR127019685	196.85	12.70	OR30020200	202.00	3.00	OR15020700	207.00	1.50	OR50021000	210.00	5.00
OR30019700	197.00	3.00	OR38020200	202.00	3.80	OR30020700	207.00	3.00	OR55021000	210.00	5.50
OR35019700	197.00	3.50	OR40020200	202.00	4.00	OR35020700	207.00	3.50	OR57021000	210.00	5.70
OR35319700	197.00	3.53	OR55020200	202.00	5.50	OR35020700	207.00	3.50	OR60021000	210.00	6.00
OR40019700	197.00	4.00	OR60020200	202.00	6.00	OR40020700	207.00	4.00	OR70021000	210.00	7.00
OR45019700	197.00	4.50	OR70020200	202.00	7.00	OR53320700	207.00	5.33	OR75021000	210.00	7.50
OR60019700	197.00	6.00	OR80020200	202.00	8.00	OR75020700	207.00	7.50	OR80021000	210.00	8.00
OR40019750	197.50	4.00	OR40020240	202.40	4.00	OR250020700	207.00	25.00	OR85021000	210.00	8.50
OR84019750	197.50	8.40	OR35020250	202.50	3.50	OR130020770	207.70	13.00	OR100021000	210.00	10.00
OR30019800	198.00	3.00	OR69920256	202.56	6.99	OR70020780	207.80	7.00	OR69921020	210.20	6.99
OR32019800	198.00	3.20	OR95320256	202.56	9.53	OR30020800	208.00	3.00	OR56821075	210.75	5.68

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR40021100	211.00	4.00	OR31721590	215.90	3.17	OR75022000	220.00	7.50	OR70022500	225.00	7.00
OR45021100	211.00	4.50	OR63521590	215.90	6.35	OR80022000	220.00	8.00	OR80022500	225.00	8.00
OR55521100	211.00	5.55	OR30021600	216.00	3.00	OR100022000	220.00	10.00	OR130022500	225.00	13.00
OR60021100	211.00	6.00	OR32021600	216.00	3.20	OR102022000	220.00	10.20	OR80022540	225.40	8.00
OR70021100	211.00	7.00	OR40021600	216.00	4.00	OR120022000	220.00	12.00	OR35022600	226.00	3.50
OR50021120	211.20	5.00	OR45021600	216.00	4.50	OR69922030	220.30	6.99	OR53522600	226.00	5.35
OR35321150	211.50	3.53	OR69021600	216.00	6.90	OR84022050	220.50	8.40	OR55022600	226.00	5.50
OR25021200	212.00	2.50	OR70021600	216.00	7.00	OR35022100	221.00	3.50	OR55322600	226.00	5.53
OR30021200	212.00	3.00	OR180021600	216.00	18.00	OR53322100	221.00	5.33	OR65022600	226.00	6.50
OR35021200	212.00	3.50	OR92021620	216.20	9.20	OR55022100	221.00	5.50	OR69022600	226.00	6.90
OR35321200	212.00	3.53	OR55021680	216.80	5.50	OR70022100	221.00	7.00	OR70022600	226.00	7.00
OR40021200	212.00	4.00	OR35021700	217.00	3.50	OR80022100	221.00	8.00	OR83022600	226.00	8.30
OR45021200	212.00	4.50	OR35321700	217.00	3.53	OR70022153	221.53	7.00	OR55022670	226.70	5.50
OR50021200	212.00	5.00	OR40021700	217.00	4.00	OR70022160	221.60	7.00	OR70022680	226.80	7.00
OR53021200	212.00	5.30	OR50021700	217.00	5.00	OR53322161	221.61	5.33	OR30022700	227.00	3.00
OR63521200	212.00	6.35	OR60021700	217.00	6.00	OR53322162	221.62	5.33	OR80022700	227.00	8.00
OR70021200	212.00	7.00	OR69021600	217.00	6.90	OR35322184	221.84	3.53	OR90022700	227.00	9.00
OR63521270	212.70	6.35	OR22021750	217.50	2.20	OR26222192	221.92	2.62	OR102022700	227.00	10.20
OR30021300	213.00	3.00	OR25021800	218.00	2.50	OR22022200	222.00	2.20	OR35022740	227.40	3.50
OR35021300	213.00	3.50	OR30021800	218.00	3.00	OR40022200	222.00	4.00	OR60022760	227.60	6.00
OR60021300	213.00	6.00	OR35021800	218.00	3.50	OR50022200	222.00	5.00	OR47622780	227.80	4.76
OR85021300	213.00	8.50	OR53021800	218.00	5.30	OR53322200	222.00	5.33	OR53322797	227.97	5.33
OR93021300	213.00	9.30	OR58021800	218.00	5.80	OR70022200	222.00	7.00	OR69922797	227.97	6.99
OR20021400	214.00	2.00	OR60021800	218.00	6.00	OR31722225	222.25	3.17	OR70022797	227.97	7.00
OR30021400	214.00	3.00	OR65021800	218.00	6.50	OR35322225	222.25	3.53	OR20022800	228.00	2.00
OR35021400	214.00	3.50	OR70021800	218.00	7.00	OR32022230	222.30	3.20	OR30022800	228.00	3.00
OR39321400	214.00	3.93	OR90021800	218.00	9.00	OR127022230	222.30	12.70	OR35322800	228.00	3.53
OR40021400	214.00	4.00	OR53321830	218.30	5.33	OR95022250	222.50	9.50	OR40022800	228.00	4.00
OR50021400	214.00	5.00	OR45021850	218.50	4.50	OR25022300	223.00	2.50	OR53322800	228.00	5.33
OR55021400	214.00	5.50	OR35021870	218.70	3.50	OR30022300	223.00	3.00	OR55022800	228.00	5.50
OR60021400	214.00	6.00	OR20021900	219.00	2.00	OR45022300	223.00	4.50	OR60022800	228.00	6.00
OR80021400	214.00	8.00	OR40021900	219.00	4.00	OR50022300	223.00	5.00	OR70022800	228.00	7.00
OR100021400	214.00	10.00	OR103121900	219.00	10.31	OR60022300	223.00	6.00	OR31722819	228.19	3.17
OR57021430	214.30	5.70	OR220021900	219.00	22.00	OR100022300	223.00	10.00	OR35322819	228.19	3.53
OR39321436	214.36	3.93	OR84021910	219.10	8.40	OR150022300	223.00	15.00	OR26222827	228.27	2.62
OR84021450	214.50	8.40	OR53321916	219.16	5.33	OR25022340	223.40	2.50	OR58022840	228.40	5.80
OR15821500	215.00	1.58	OR57021930	219.30	5.70	OR26022340	223.40	2.60	OR63522860	228.60	6.35
OR30021500	215.00	3.00	OR69921946	219.46	6.99	OR37022360	223.60	3.70	OR84022860	228.60	8.40
OR45021500	215.00	4.50	OR30021950	219.50	3.00	OR35022370	223.70	3.50	OR127022860	228.60	12.70
OR50021500	215.00	5.00	OR84021950	219.50	8.40	OR45022400	224.00	4.50	OR30022900	229.00	3.00
OR53321500	215.00	5.33	OR103121986	219.86	10.31	OR53022400	224.00	5.30	OR35322900	229.00	3.53
OR60021500	215.00	6.00	OR20022000	220.00	2.00	OR70022400	224.00	7.00	OR60022900	229.00	6.00
OR63521500	215.00	6.35	OR30022000	220.00	3.00	OR75022400	224.00	7.50	OR65022900	229.00	6.50
OR75021500	215.00	7.50	OR32022000	220.00	3.20	OR80022400	224.00	8.00	OR70022900	229.00	7.00
OR80021500	215.00	8.00	OR35022000	220.00	3.50	OR57022430	224.30	5.70	OR57022930	229.30	5.70
OR100021500	215.00	10.00	OR35322000	220.00	3.53	OR84022450	224.50	8.40	OR30022950	229.50	3.00
OR67521520	215.20	6.75	OR40022000	220.00	4.00	OR40022460	224.60	4.00	OR84022950	229.50	8.40
OR53321527	215.27	5.33	OR45022000	220.00	4.50	OR30022500	225.00	3.00	OR51022975	229.75	5.10
OR69921527	215.27	6.99	OR50022000	220.00	5.00	OR35022500	225.00	3.50	OR30023000	230.00	3.00
OR70021530	215.30	7.00	OR53322000	220.00	5.33	OR40022500	225.00	4.00	OR35023000	230.00	3.50
OR35321549	215.49	3.53	OR55022000	220.00	5.50	OR50022500	225.00	5.00	OR40023000	230.00	4.00
OR30021550	215.50	3.00	OR65022000	220.00	6.50	OR55022500	225.00	5.50	OR50023000	230.00	5.00
OR35321550	215.50	3.53	OR67522000	220.00	6.75	OR57022500	225.00	5.70	OR57023000	230.00	5.70
OR26224557	215.57	2.62	OR70022000	220.00	7.00	OR60022500	225.00	6.00	OR60023000	230.00	6.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR65023000	230.00	6.50	OR60023600	236.00	6.00	OR70024130	241.30	7.00	OR40024800	248.00	4.00
OR70023000	230.00	7.00	OR63623600	236.00	6.36	OR80024130	241.30	8.00	OR50024800	248.00	5.00
OR80023000	230.00	8.00	OR70023600	236.00	7.00	OR20024200	242.00	2.00	OR53524800	248.00	5.35
OR85023000	230.00	8.50	OR75023600	236.00	7.50	OR30024200	242.00	3.00	OR60024800	248.00	6.00
OR90023000	230.00	9.00	OR80023600	236.00	8.00	OR40024200	242.00	4.00	OR80024800	248.00	8.00
OR100023000	230.00	10.00	OR26023680	236.80	2.60	OR53324200	242.00	5.33	OR110024800	248.00	11.00
OR40023100	231.00	4.00	OR30023700	237.00	3.00	OR53424200	242.00	5.34	OR30024900	249.00	3.00
OR60023100	231.00	6.00	OR55023700	237.00	5.50	OR60024200	242.00	6.00	OR40024900	249.00	4.00
OR100023100	231.00	10.00	OR80023700	237.00	8.00	OR90024200	242.00	9.00	OR45024900	249.00	4.50
OR35023180	231.80	3.50	OR53323723	237.23	5.33	OR100024200	242.00	10.00	OR84024910	249.10	8.40
OR63523180	231.80	6.35	OR16023800	238.00	1.60	OR35024250	242.50	3.50	OR57024920	249.20	5.70
OR30023200	232.00	3.00	OR35023800	238.00	3.50	OR30024300	243.00	3.00	OR57024930	249.30	5.70
OR35023200	232.00	3.50	OR50023800	238.00	5.00	OR35024300	243.00	3.50	OR30024950	249.50	3.00
OR60023200	232.00	6.00	OR70023800	238.00	7.00	OR53024300	243.00	5.30	OR50024950	249.50	5.00
OR83523200	232.00	8.35	OR30023900	239.00	3.00	OR60024300	243.00	6.00	OR84024950	249.50	8.40
OR90023200	232.00	9.00	OR60023900	239.00	6.00	OR63024300	243.00	6.30	OR100024950	249.50	10.00
OR25023300	233.00	2.50	OR57023920	239.20	5.70	OR70024300	243.00	7.00	OR57024970	249.70	5.70
OR35023300	233.00	3.50	OR57023930	239.30	5.70	OR120024300	243.00	12.00	OR25025000	250.00	2.50
OR50023300	233.00	5.00	OR57423940	239.40	5.74	OR26024380	243.80	2.60	OR30025000	250.00	3.00
OR65023300	233.00	6.50	OR30023950	239.50	3.00	OR30024400	244.00	3.00	OR35325000	250.00	3.53
OR70023300	233.00	7.00	OR84023950	239.50	8.40	OR40024400	244.00	4.00	OR40025000	250.00	4.00
OR30023330	233.30	3.00	OR57023970	239.70	5.70	OR50024400	244.00	5.00	OR50025000	250.00	5.00
OR30023350	233.50	3.00	OR25024000	240.00	2.50	OR60024400	244.00	6.00	OR53025000	250.00	5.30
OR35323364	233.64	3.53	OR30024000	240.00	3.00	OR84024440	244.40	8.40	OR53325000	250.00	5.33
OR35023370	233.70	3.50	OR35024000	240.00	3.50	OR84024450	244.50	8.40	OR57525000	250.00	5.75
OR05023400	234.00	0.50	OR35324000	240.00	3.53	OR158024450	244.50	15.80	OR60025000	250.00	6.00
OR40023400	234.00	4.00	OR40024000	240.00	4.00	OR35024460	244.60	3.50	OR70025000	250.00	7.00
OR60023400	234.00	6.00	OR45024000	240.00	4.50	OR35324460	244.60	3.53	OR75025000	250.00	7.50
OR84023410	234.10	8.40	OR50024000	240.00	5.00	OR20024500	245.00	2.00	OR80025000	250.00	8.00
OR57023430	234.30	5.70	OR50024000	240.00	5.00	OR25024500	245.00	2.50	OR90025000	250.00	9.00
OR53323432	234.32	5.33	OR55024000	240.00	5.50	OR30024500	245.00	3.00	OR100025000	250.00	10.00
OR35323454	234.54	3.53	OR56024000	240.00	5.60	OR53324500	245.00	5.33	OR87025080	250.80	8.70
OR26223462	234.62	2.62	OR57024000	240.00	5.70	OR53524500	245.00	5.35	OR65025100	251.00	6.50
OR32023495	234.95	3.20	OR58024000	240.00	5.80	OR55024500	245.00	5.50	OR70025100	251.00	7.00
OR47623495	234.95	4.76	OR60024000	240.00	6.00	OR57024500	245.00	5.70	OR80025100	251.00	8.00
OR30023500	235.00	3.00	OR69924000	240.00	6.99	OR70024500	245.00	7.00	OR35325140	251.40	3.53
OR35023500	235.00	3.50	OR70024000	240.00	7.00	OR75024500	245.00	7.50	OR30025200	252.00	3.00
OR40023500	235.00	4.00	OR75024000	240.00	7.50	OR80024500	245.00	8.00	OR35325200	252.00	3.53
OR48023500	235.00	4.80	OR53324067	240.67	5.33	OR100024500	245.00	10.00	OR40025200	252.00	4.00
OR50023500	235.00	5.00	OR69924067	240.67	6.99	OR50024570	245.70	5.00	OR50025200	252.00	5.00
OR55023500	235.00	5.50	OR70024067	240.67	7.00	OR37524600	246.00	3.75	OR80025200	252.00	8.00
OR57023500	235.00	5.70	OR70026067	240.67	7.00	OR57024600	246.00	5.70	OR35025214	252.14	3.50
OR60023500	235.00	6.00	OR35324070	240.70	3.53	OR45024700	247.00	4.50	OR35325260	252.60	3.53
OR65023500	235.00	6.50	OR35324089	240.89	3.53	OR60024700	247.00	6.00	OR70025270	252.70	7.00
OR69923500	235.00	6.99	OR35324090	240.90	3.53	OR70024700	247.00	7.00	OR30025300	253.00	3.00
OR70023500	235.00	7.00	OR26224097	240.97	2.62	OR53324701	247.01	5.33	OR53325300	253.00	5.33
OR75023500	235.00	7.50	OR30024100	241.00	3.00	OR53324702	247.02	5.33	OR55025300	253.00	5.50
OR100023500	235.00	10.00	OR45024100	241.00	4.50	OR17824724	247.24	1.78	OR60025300	253.00	6.00
OR25023550	235.50	2.50	OR50024100	241.00	5.00	OR35324724	247.24	3.53	OR70025300	253.00	7.00
OR20023600	236.00	2.00	OR63524100	241.00	6.35	OR26224732	247.32	2.62	OR80025300	253.00	8.00
OR25023600	236.00	2.50	OR67024100	241.00	6.70	OR35024750	247.50	3.50	OR53325337	253.37	5.33
OR30023600	236.00	3.00	OR100024100	241.00	10.00	OR63524763	247.63	6.35	OR53425337	253.37	5.34
OR50023600	236.00	5.00	OR53324120	241.20	5.33	OR31724765	247.65	3.17	OR69925337	253.37	6.99
OR53023600	236.00	5.30	OR53324130	241.30	5.33	OR35024800	248.00	3.50	OR70025337	253.37	7.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR70025340	253.40	7.00	OR30026000	260.00	3.00	OR55026500	265.00	5.50	OR15027200	272.00	1.50
OR53025350	253.50	5.30	OR35326000	260.00	3.53	OR60026500	265.00	6.00	OR17527200	272.00	1.75
OR35325359	253.59	3.53	OR50026000	260.00	5.00	OR65026500	265.00	6.50	OR25027200	272.00	2.50
OR35325360	253.60	3.53	OR53026000	260.00	5.30	OR70026500	265.00	7.00	OR35027200	272.00	3.50
OR35525360	253.60	3.55	OR53326000	260.00	5.33	OR80026500	265.00	8.00	OR35327200	272.00	3.53
OR35025400	254.00	3.50	OR55026000	260.00	5.50	OR90026500	265.00	9.00	OR35527200	272.00	3.55
OR35325400	254.00	3.53	OR55326000	260.00	5.53	OR30026600	266.00	3.00	OR40027200	272.00	4.00
OR45025400	254.00	4.50	OR56026000	260.00	5.60	OR50026600	266.00	5.00	OR50027200	272.00	5.00
OR53025400	254.00	5.30	OR57026000	260.00	5.70	OR53326600	266.00	5.33	OR80027200	272.00	8.00
OR60025400	254.00	6.00	OR57026000	260.00	5.70	OR56026600	266.00	5.60	OR60027300	273.00	6.00
OR63525400	254.00	6.35	OR60026000	260.00	6.00	OR67026600	266.00	6.70	OR70027300	273.00	7.00
OR80025400	254.00	8.00	OR70026000	260.00	7.00	OR69926600	266.00	6.99	OR53327303	273.03	5.33
OR87325400	254.00	8.73	OR75026000	260.00	7.50	OR70026600	266.00	7.00	OR40027400	274.00	4.00
OR95025400	254.00	9.50	OR80026000	260.00	8.00	OR75026600	266.00	7.50	OR65027400	274.00	6.50
OR100025400	254.00	10.00	OR84026000	260.00	8.40	OR120026600	266.00	12.00	OR57027430	274.30	5.70
OR110025400	254.00	11.00	OR100026000	260.00	10.00	OR53326607	266.07	5.33	OR84027450	274.50	8.40
OR127025400	254.00	12.70	OR35326040	260.40	3.53	OR69926607	266.07	6.99	OR65027465	274.65	6.50
OR84025450	254.50	8.40	OR36026040	260.40	3.60	OR70026607	266.07	7.00	OR30027500	275.00	3.00
OR21025490	254.90	2.10	OR45026100	261.00	4.50	OR70026610	266.10	7.00	OR35027500	275.00	3.50
OR80025490	254.90	8.00	OR50026100	261.00	5.00	OR53326617	266.17	5.33	OR35327500	275.00	3.53
OR30025500	255.00	3.00	OR80026100	261.00	8.00	OR35326629	266.29	3.53	OR40027500	275.00	4.00
OR35025500	255.00	3.50	OR30026200	262.00	3.00	OR32026660	266.60	3.20	OR45027500	275.00	4.50
OR40025500	255.00	4.00	OR40026200	262.00	4.00	OR47626670	266.70	4.76	OR50027500	275.00	5.00
OR50025500	255.00	5.00	OR90026200	262.00	9.00	OR53326670	266.70	5.33	OR55027500	275.00	5.50
OR60025500	255.00	6.00	OR40026270	262.70	4.00	OR60026700	267.00	6.00	OR60027500	275.00	6.00
OR65025500	255.00	6.50	OR88026280	262.80	8.80	OR69926700	267.00	6.99	OR69927500	275.00	6.99
OR75025500	255.00	7.50	OR35026300	263.00	3.50	OR80026700	267.00	8.00	OR70027500	275.00	7.00
OR80025500	255.00	8.00	OR45026300	263.00	4.50	OR35026745	267.45	3.50	OR75027500	275.00	7.50
OR30025600	256.00	3.00	OR60026300	263.00	6.00	OR35026800	268.00	3.50	OR80027500	275.00	8.00
OR40025600	256.00	4.00	OR70026300	263.00	7.00	OR40026800	268.00	4.00	OR90027500	275.00	9.00
OR57025600	256.00	5.70	OR83026300	263.00	8.30	OR60026800	268.00	6.00	OR100027500	275.00	10.00
OR25025700	257.00	2.50	OR84026300	263.00	8.40	OR120026810	268.10	12.00	OR70027600	276.00	7.00
OR40025700	257.00	4.00	OR70026320	263.20	7.00	OR35026850	268.50	3.50	OR63527622	276.22	6.35
OR65025700	257.00	6.50	OR70026350	263.50	7.00	OR55026900	269.00	5.50	OR50027700	277.00	5.00
OR35025800	258.00	3.50	OR31726352	263.52	3.17	OR57026900	269.00	5.70	OR80027700	277.00	8.00
OR35532580	258.00	3.55	OR63526352	263.52	6.35	OR130026900	269.00	13.00	OR69927750	277.50	6.99
OR40025800	258.00	4.00	OR35026370	263.70	3.50	OR57026930	269.30	5.70	OR31527800	278.00	3.15
OR50025800	258.00	5.00	OR31026380	263.80	3.10	OR41026940	269.40	4.10	OR40027800	278.00	4.00
OR53025800	258.00	5.30	OR30026400	264.00	3.00	OR84026950	269.50	8.40	OR50027800	278.00	5.00
OR60025800	258.00	6.00	OR35026400	264.00	3.50	OR57026960	269.60	5.70	OR60027800	278.00	6.00
OR70025800	258.00	7.00	OR40026400	264.00	4.00	OR30027000	270.00	3.00	OR69927800	278.00	6.99
OR80025800	258.00	8.00	OR50026400	264.00	5.00	OR32027000	270.00	3.20	OR70027800	278.00	7.00
OR120025800	258.00	12.00	OR55026400	264.00	5.50	OR35327000	270.00	3.53	OR80027800	278.00	8.00
OR57025830	258.30	5.70	OR69926400	264.00	6.99	OR40027000	270.00	4.00	OR57027860	278.60	5.70
OR35025850	258.50	3.50	OR80026400	264.00	8.00	OR50027000	270.00	5.00	OR69027870	278.70	6.90
OR50025900	259.00	5.00	OR84026450	264.50	8.40	OR60027000	270.00	6.00	OR69827876	278.76	6.98
OR54025930	259.30	5.40	OR25026500	265.00	2.50	OR70027000	270.00	7.00	OR53327877	278.77	5.33
OR57025930	259.30	5.70	OR30026500	265.00	3.00	OR80027000	270.00	8.00	OR69927877	278.77	6.99
OR84025950	259.50	8.40	OR35026500	265.00	3.50	OR84027000	270.00	8.40	OR70027877	278.77	7.00
OR69925960	259.60	6.99	OR35036500	265.00	3.50	OR85027000	270.00	8.50	OR53327880	278.80	5.33
OR70025960	259.60	7.00	OR40026500	265.00	4.00	OR69927077	270.77	6.99	OR70027880	278.80	7.00
OR26226000	260.00	2.62	OR45026500	265.00	4.50	OR54627100	271.00	5.46	OR35327899	278.99	3.53
OR26826000	260.00	2.68	OR50026500	265.00	5.00	OR43027140	271.40	4.30	OR36327899	278.99	3.63
OR30026000	260.00	3.00	OR53026500	265.00	5.30	OR70027170	271.70	7.00	OR40027900	279.00	4.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR55027900	279.00	5.50	OR75028500	285.00	7.50	OR63529210	292.10	6.35	OR65030200	302.00	6.50
OR68027900	279.00	6.80	OR85028500	285.00	8.50	OR69929210	292.10	6.99	OR35330240	302.40	3.53
OR86027900	279.00	8.60	OR100028500	285.00	10.00	OR120029210	292.10	12.00	OR36030240	302.40	3.60
OR57027930	279.30	5.70	OR25028550	285.50	2.50	OR50029300	293.00	5.00	OR70030270	302.70	7.00
OR57427930	279.30	5.74	OR60028570	285.70	6.00	OR60029300	293.00	6.00	OR53430300	303.00	5.34
OR80027939	279.39	8.00	OR63528575	285.75	6.35	OR69929305	293.05	6.99	OR60030300	303.00	6.00
OR31727940	279.40	3.17	OR20028600	286.00	2.00	OR22829320	293.20	2.28	OR100030300	303.00	10.00
OR63527940	279.40	6.30	OR25028600	286.00	2.50	OR28029320	293.20	2.80	OR40030400	304.00	4.00
OR63527940	279.40	6.35	OR30028600	286.00	3.00	OR57029350	293.50	5.70	OR50030400	304.00	5.00
OR86027940	279.40	8.60	OR70002867	286.70	7.00	OR142829369	293.69	14.28	OR60030400	304.00	6.00
OR84027950	279.50	8.40	OR70028670	286.70	7.00	OR30029400	294.00	3.00	OR80030400	304.00	8.00
OR30028000	280.00	3.00	OR40028700	287.00	4.00	OR35029400	294.00	3.50	OR70030410	304.10	7.00
OR35028000	280.00	3.50	OR65028700	287.00	6.50	OR35329400	294.00	3.53	OR53330415	304.15	5.33
OR35328000	280.00	3.53	OR54028750	287.50	5.40	OR40029400	294.00	4.00	OR53330417	304.17	5.33
OR40028000	280.00	4.00	OR70028750	287.50	7.00	OR53329400	294.00	5.33	OR60030417	304.17	6.00
OR42028000	280.00	4.20	OR50028800	288.00	5.00	OR70029400	294.00	7.00	OR69030417	304.17	6.90
OR45028000	280.00	4.50	OR60028800	288.00	6.00	OR60029450	294.50	6.00	OR69930417	304.17	6.99
OR50028000	280.00	5.00	OR70028800	288.00	7.00	OR84029450	294.50	8.40	OR70030417	304.17	7.00
OR53028000	280.00	5.30	OR50028810	288.10	5.00	OR50029500	295.00	5.00	OR35330439	304.39	3.53
OR55328000	280.00	5.53	OR32028850	288.50	3.20	OR55029500	295.00	5.50	OR35330440	304.40	3.53
OR57028000	280.00	5.70	OR127028892	288.92	12.70	OR57029500	295.00	5.70	OR84030450	304.50	8.40
OR60028000	280.00	6.00	OR60028900	289.00	6.00	OR60029500	295.00	6.00	OR69930470	304.70	6.99
OR70028000	280.00	7.00	OR84028910	289.10	8.40	OR69929500	295.00	6.99	OR63530480	304.80	6.35
OR75028000	280.00	7.50	OR57028930	289.30	5.70	OR75029500	295.00	7.50	OR87330480	304.80	8.73
OR80028000	280.00	8.00	OR63028930	289.30	6.30	OR20029600	296.00	2.00	OR30030500	305.00	3.00
OR86028000	280.00	8.60	OR84028950	289.50	8.40	OR50029600	296.00	5.00	OR50030500	305.00	5.00
OR100028000	280.00	10.00	OR25029000	290.00	2.50	OR60029600	296.00	6.00	OR53030500	305.00	5.30
OR20028100	281.00	2.00	OR30029000	290.00	3.00	OR62029600	296.00	6.20	OR57030500	305.00	5.70
OR53328100	281.00	5.33	OR35029000	290.00	3.50	OR70029600	296.00	7.00	OR60030500	305.00	6.00
OR53428100	281.00	5.34	OR40029000	290.00	4.00	OR80029600	296.00	8.00	OR69930500	305.00	6.99
OR55028100	281.00	5.50	OR50029000	290.00	5.00	OR40029700	297.00	4.00	OR70030500	305.00	7.00
OR57028100	281.00	5.70	OR53329000	290.00	5.33	OR70029750	297.50	7.00	OR50030600	306.00	5.00
OR60028100	281.00	6.00	OR55029000	290.00	5.50	OR53329784	297.84	5.33	OR80030600	306.00	8.00
OR35028200	282.00	3.50	OR57529000	290.00	5.75	OR110029800	298.00	11.00	OR70030670	306.70	7.00
OR35328200	282.00	3.53	OR60029000	290.00	6.00	OR130029800	298.00	13.00	OR53330673	306.73	5.33
OR70028200	282.00	7.00	OR65029000	290.00	6.50	OR40029840	298.40	4.00	OR26230700	307.00	2.62
OR102028200	282.00	10.20	OR69929000	290.00	6.99	OR30029900	299.00	3.00	OR50030700	307.00	5.00
OR105028200	282.00	10.50	OR70029000	290.00	7.00	OR57029930	299.30	5.70	OR55030700	307.00	5.50
OR80028260	282.60	8.00	OR75029000	290.00	7.50	OR84029950	299.50	8.40	OR70030700	307.00	7.00
OR60028300	283.00	6.00	OR80029000	290.00	8.00	OR30030000	300.00	3.00	OR72530700	307.00	7.25
OR35028370	283.70	3.50	OR55029100	291.00	5.50	OR35030000	300.00	3.50	OR85030760	307.60	8.50
OR25028400	284.00	2.50	OR72029100	291.00	7.20	OR35330000	300.00	3.53	OR57030790	307.90	5.70
OR30028400	284.00	3.00	OR80029100	291.00	8.00	OR40030000	300.00	4.00	OR40030800	308.00	4.00
OR40028400	284.00	4.00	OR95029100	291.00	9.50	OR45030000	300.00	4.50	OR50030800	308.00	5.00
OR60028400	284.00	6.00	OR53329147	291.47	5.33	OR50030000	300.00	5.00	OR65030800	308.00	6.50
OR70028400	284.00	7.00	OR69929147	291.47	6.99	OR53030000	300.00	5.30	OR70030800	308.00	7.00
OR84028450	284.50	8.40	OR70029147	291.47	7.00	OR57030000	300.00	5.70	OR75030800	308.00	7.50
OR30028500	285.00	3.00	OR70029150	291.50	7.00	OR60030000	300.00	6.00	OR127030800	308.00	12.70
OR35028500	285.00	3.50	OR35329169	291.69	3.53	OR69930000	300.00	6.99	OR30030900	309.00	3.00
OR40028500	285.00	4.00	OR35329170	291.70	3.53	OR81030000	300.00	8.10	OR50030900	309.00	5.00
OR50028500	285.00	5.00	OR40029200	292.00	4.00	OR100030000	300.00	10.00	OR57030930	309.30	5.70
OR53328500	285.00	5.33	OR50029200	292.00	5.00	OR180030000	300.00	18.00	OR35330950	309.50	3.53
OR60028500	285.00	6.00	OR60029200	292.00	6.00	OR70030150	301.50	7.00	OR84030950	309.50	8.40
OR70028500	285.00	7.00	OR70029200	292.00	7.00	OR40030200	302.00	4.00	OR90030950	309.50	9.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR40031000	310.00	4.00	OR35332200	322.00	3.53	OR80033000	330.00	8.00	OR80033970	339.70	8.00
OR50031000	310.00	5.00	OR40032200	322.00	4.00	OR100033000	330.00	10.00	OR53333973	339.73	5.33
OR53331000	310.00	5.33	OR53332200	322.00	5.33	OR125033000	330.00	12.50	OR25034000	340.00	2.50
OR57031000	310.00	5.70	OR70032200	322.00	7.00	OR63033020	330.20	6.30	OR30034000	340.00	3.00
OR60031000	310.00	6.00	OR53032260	322.60	5.30	OR63533020	330.20	6.35	OR40034000	340.00	4.00
OR45031100	311.00	4.50	OR250032300	323.00	25.00	OR72333020	330.20	7.23	OR50034000	340.00	5.00
OR50031100	311.00	5.00	OR40032400	324.00	4.00	OR70033055	330.55	7.00	OR53334000	340.00	5.33
OR70031100	311.00	7.00	OR80032400	324.00	8.00	OR85033100	331.00	8.50	OR55034000	340.00	5.50
OR80031100	311.00	8.00	OR35032450	324.50	3.50	OR35033200	332.00	3.50	OR57034000	340.00	5.70
OR30031200	312.00	3.00	OR84032450	324.50	8.40	OR40033200	332.00	4.00	OR60034000	340.00	6.00
OR50031200	312.00	5.00	OR30032500	325.00	3.00	OR90033200	332.00	9.00	OR70034000	340.00	7.00
OR200031200	312.00	20.00	OR35332500	325.00	3.53	OR140033300	333.00	14.00	OR80034000	340.00	8.00
OR25031250	312.50	2.50	OR40032500	325.00	4.00	OR25033350	333.50	2.50	OR85034000	340.00	8.50
OR35331300	313.00	3.53	OR53032500	325.00	5.30	OR35033370	333.70	3.50	OR90034000	340.00	9.00
OR53331349	313.49	5.33	OR53332500	325.00	5.33	OR20033400	334.00	2.00	OR100034000	340.00	10.00
OR53331394	313.94	5.33	OR60032500	325.00	6.00	OR25033400	334.00	2.50	OR95034150	341.50	9.50
OR70031400	314.00	7.00	OR70032500	325.00	7.00	OR30033400	334.00	3.00	OR40034200	342.00	4.00
OR80031400	314.00	8.00	OR95032500	325.00	9.50	OR31033400	334.00	3.10	OR50034200	342.00	5.00
OR84031450	314.50	8.40	OR100032500	325.00	10.00	OR31733400	334.00	3.17	OR69934200	342.00	6.99
OR95231496	314.96	9.52	OR130032500	325.00	13.00	OR57033400	334.00	5.70	OR70034200	342.00	7.00
OR35031500	315.00	3.50	OR150032500	325.00	15.00	OR70033400	334.00	7.00	OR69934227	342.27	6.99
OR35531500	315.00	3.55	OR700032500	325.00	70.00	OR84033450	334.50	8.40	OR69934230	342.30	6.99
OR40031500	315.00	4.00	OR40032540	325.40	4.00	OR30033500	335.00	3.00	OR70034230	342.30	7.00
OR50031500	315.00	5.00	OR31032500	325.80	3.10	OR35033500	335.00	3.50	OR74934282	342.82	7.49
OR53031500	315.00	5.30	OR53332600	326.00	5.33	OR35333500	335.00	3.53	OR35034300	343.00	3.50
OR60031500	315.00	6.00	OR70032600	326.00	7.00	OR50033500	335.00	5.00	OR65034400	344.00	6.50
OR100031500	315.00	10.00	OR53332624	326.24	5.33	OR53033500	335.00	5.30	OR35334427	344.27	3.53
OR140031500	315.00	14.00	OR70032700	327.00	7.00	OR53332957	335.00	5.33	OR84034450	344.50	8.40
OR70031600	316.00	7.00	OR47632702	327.02	4.76	OR60033500	335.00	6.00	OR30034500	345.00	3.00
OR70031680	316.80	7.00	OR60032722	327.22	6.00	OR69933500	335.00	6.99	OR40034500	345.00	4.00
OR69931687	316.87	6.99	OR30032800	328.00	3.00	OR70033500	335.00	7.00	OR50034500	345.00	5.00
OR70031687	316.87	7.00	OR35032800	328.00	3.50	OR73033500	335.00	7.30	OR53034500	345.00	5.30
OR70031690	316.90	7.00	OR67532800	328.00	6.75	OR75033500	335.00	7.50	OR53334500	345.00	5.33
OR40031700	317.00	4.00	OR110032800	328.00	11.00	OR100033500	335.00	10.00	OR60034500	345.00	6.00
OR53331700	317.00	5.33	OR60032880	328.80	6.00	OR69933592	335.92	6.99	OR70034500	345.00	7.00
OR70031700	317.00	7.00	OR60032900	329.00	6.00	OR69935592	335.92	6.99	OR80034500	345.00	8.00
OR63531750	317.50	6.35	OR57032930	329.30	5.70	OR20033600	336.00	2.00	OR35334557	345.57	3.53
OR70031750	317.50	7.00	OR71032950	329.50	7.10	OR51033600	336.00	5.10	OR40034600	346.00	4.00
OR53331800	318.00	5.33	OR84032950	329.50	8.40	OR55033600	336.00	5.50	OR60034600	346.00	6.00
OR57031930	319.30	5.70	OR53332957	329.57	5.33	OR80033600	336.00	8.00	OR70034600	346.00	7.00
OR62031930	319.30	6.20	OR69932957	329.57	6.99	OR26233617	336.17	2.62	OR80034600	346.00	8.00
OR84031950	319.50	8.40	OR53332967	329.67	5.33	OR70033625	336.25	7.00	OR180034600	346.00	18.00
OR30032000	320.00	3.00	OR69932970	329.70	6.99	OR69933640	336.40	6.99	OR69934670	346.70	6.99
OR50032000	320.00	5.00	OR35332979	329.79	3.53	OR63533655	336.55	6.35	OR70034670	346.70	7.00
OR53332000	320.00	5.33	OR30032980	329.80	3.00	OR69933670	336.70	6.99	OR70034672	346.72	7.00
OR57032000	320.00	5.70	OR25033000	330.00	2.50	OR70033670	336.70	7.00	OR40034700	347.00	4.00
OR60032000	320.00	6.00	OR35033000	330.00	3.50	OR70033700	337.00	7.00	OR60034700	347.00	6.00
OR65032000	320.00	6.50	OR37033000	330.00	3.70	OR20033800	338.00	2.00	OR53334750	347.50	5.33
OR70032000	320.00	7.00	OR40033000	330.00	4.00	OR51033900	339.00	5.10	OR40034760	347.60	4.00
OR75032000	320.00	7.50	OR50033000	330.00	5.00	OR85033900	339.00	8.50	OR50034800	348.00	5.00
OR80032000	320.00	8.00	OR53333000	330.00	5.33	OR100033900	339.00	10.00	OR60034800	348.00	6.00
OR100032000	320.00	10.00	OR55333000	330.00	5.53	OR120033900	339.00	12.00	OR95034800	348.00	9.50
OR25032100	321.00	2.50	OR60033000	330.00	6.00	OR57033930	339.30	5.70	OR69934862	348.62	6.99
OR57032100	321.00	5.70	OR70033000	330.00	7.00	OR84033950	339.50	8.40	OR33034900	349.00	3.30

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR63534925	349.25	6.35	OR50037500	365.00	5.00	OR35038000	380.00	3.50	OR60038800	388.00	6.00
OR57034930	349.30	5.70	OR53036500	365.00	5.30	OR40038000	380.00	4.00	OR50038900	389.00	5.00
OR84034950	349.50	8.40	OR53336500	365.00	5.33	OR50038000	380.00	5.00	OR80038900	389.00	8.00
OR40035000	350.00	4.00	OR57036500	365.00	5.70	OR53038000	380.00	5.30	OR84038950	389.50	8.40
OR50035000	350.00	5.00	OR69936500	365.00	6.99	OR60038000	380.00	6.00	OR22039000	390.00	2.20
OR55035000	350.00	5.50	OR80036500	365.00	8.00	OR70038000	380.00	7.00	OR35339000	390.00	3.53
OR60035000	350.00	6.00	OR40036600	366.00	4.00	OR80038000	380.00	8.00	OR40039000	390.00	4.00
OR69935000	350.00	6.99	OR70036600	366.00	7.00	OR88038000	380.00	8.80	OR50039000	390.00	5.00
OR70035000	350.00	7.00	OR120036600	366.00	12.00	OR95038000	380.00	9.50	OR52039000	390.00	5.20
OR100035000	350.00	10.00	OR71536670	366.00	7.15	OR100038000	380.00	10.00	OR53339000	390.00	5.33
OR120035000	350.00	12.00	OR40036700	367.00	4.00	OR125038000	380.00	12.50	OR60039000	390.00	6.00
OR40035200	352.00	4.00	OR50036700	367.00	5.00	OR35338009	380.09	3.53	OR120039000	390.00	12.00
OR50035200	352.00	5.00	OR70036700	367.00	7.00	OR70038030	380.30	7.00	OR53339100	391.00	5.33
OR75035200	352.00	7.50	OR53336767	367.67	5.33	OR17838037	380.37	1.78	OR20039120	391.20	2.00
OR80035200	352.00	8.00	OR69936767	367.67	6.99	OR53338037	380.37	5.33	OR11003915	391.50	11.00
OR60035300	353.00	6.00	OR70036767	367.67	7.00	OR69938037	380.37	6.99	OR40639173	391.73	4.06
OR86035380	353.80	8.60	OR50036800	368.00	5.00	OR70038040	380.40	7.00	OR50039200	392.00	5.00
OR60035400	354.00	6.00	OR70036800	368.00	7.00	OR85038050	380.50	8.50	OR80039200	392.00	8.00
OR70035400	354.00	7.00	OR127036810	368.10	12.70	OR35338059	380.59	3.53	OR40039300	393.00	4.00
OR57035430	354.30	5.70	OR63536830	368.30	6.35	OR35338060	380.60	3.53	OR50039300	393.00	5.00
OR84035450	354.50	8.40	OR84036830	368.30	8.40	OR50038060	380.60	5.00	OR70039300	393.00	7.00
OR53335496	354.96	5.33	OR127036830	368.30	12.70	OR69938067	380.67	6.99	OR69939305	393.05	6.99
OR53335497	354.97	5.33	OR57036930	369.30	5.70	OR35038100	381.00	3.50	OR69939307	393.07	6.99
OR69935497	354.97	6.99	OR84036950	369.50	8.40	OR70038120	381.20	7.00	OR127539350	393.50	12.75
OR40035500	355.00	4.00	OR30037000	370.00	3.00	OR80038200	382.00	8.00	OR63539370	393.70	6.35
OR50035500	355.00	5.00	OR40037000	370.00	4.00	OR120038240	382.40	12.00	OR69839370	393.70	6.98
OR60035500	355.00	6.00	OR50037000	370.00	5.00	OR86038280	382.80	8.60	OR35039400	394.00	3.50
OR35335519	355.19	3.53	OR70037000	370.00	7.00	OR30038300	383.00	3.00	OR70039400	394.00	7.00
OR47635560	355.60	4.76	OR80037000	370.00	8.00	OR70038300	383.00	7.00	OR80039400	394.00	8.00
OR87335560	355.60	8.73	OR100037000	370.00	10.00	OR112038340	383.40	11.20	OR84039450	394.50	8.40
OR70035600	356.00	7.00	OR95037150	371.50	9.50	OR69938354	383.54	6.99	OR30039500	395.00	3.00
OR54635660	356.60	5.46	OR20037200	372.00	2.00	OR60038400	384.00	6.00	OR50039500	395.00	5.00
OR70035797	357.97	7.00	OR69937200	372.00	6.99	OR67538400	384.00	6.75	OR60039500	395.00	6.00
OR100035800	358.00	10.00	OR80037200	372.00	8.00	OR70038400	384.00	7.00	OR200039500	395.00	20.00
OR50035900	359.00	5.00	OR70037250	372.50	7.00	OR80038400	384.00	8.00	OR70039670	396.70	7.00
OR51035900	359.00	5.10	OR35037370	373.70	3.50	OR84038450	384.50	8.40	OR250039700	397.00	25.00
OR84035950	359.50	8.40	OR16037400	374.00	1.60	OR50038500	385.00	5.00	OR30039800	398.00	3.00
OR25036000	360.00	2.50	OR80037400	374.00	8.00	OR69938500	385.00	6.99	OR65039800	398.00	6.50
OR30036000	360.00	3.00	OR84037450	374.50	8.40	OR80038500	385.00	8.00	OR60039820	398.20	6.00
OR35036000	360.00	3.50	OR26237500	375.00	2.62	OR35338509	385.09	3.53	OR53039900	399.00	5.30
OR50036000	360.00	5.00	OR30037500	375.00	3.00	OR35338534	385.34	3.53	OR64039900	399.00	6.40
OR53336000	360.00	5.33	OR50037500	375.00	5.00	OR60038600	386.00	6.00	OR69939900	399.00	6.99
OR60036000	360.00	6.00	OR53337500	375.00	5.33	OR70038600	386.00	7.00	OR70039900	399.00	7.00
OR75036000	360.00	7.50	OR100037500	375.00	7.00	OR69938602	386.02	6.99	OR55039920	399.20	5.50
OR80036000	360.00	8.00	OR100375000	375.00	10.00	OR70038670	386.70	7.00	OR84039950	399.50	8.40
OR50036200	362.00	5.00	OR11803750	375.00	11.80	OR71538670	386.70	7.15	OR25040000	400.00	2.50
OR57036200	362.00	5.70	OR150037500	375.00	15.00	OR35338700	387.00	3.53	OR40040000	400.00	4.00
OR60036200	362.00	6.00	OR60037600	376.00	6.00	OR50038700	387.00	5.00	OR50040000	400.00	5.00
OR69936200	362.00	6.99	OR40037700	377.00	4.00	OR60038700	387.00	6.00	OR53340000	400.00	5.33
OR70036200	362.00	7.00	OR60037700	377.00	6.00	OR70038700	387.00	7.00	OR55040000	400.00	5.50
OR100036200	362.00	10.00	OR69937800	378.00	6.99	OR40038750	387.50	4.00	OR60040000	400.00	6.00
OR50036400	364.00	5.00	OR120037800	378.00	12.00	OR53338760	387.60	5.33	OR67040000	400.00	6.70
OR84036450	364.50	8.40	OR65037850	378.50	6.50	OR57038790	387.90	5.70	OR69940000	400.00	6.99
OR40036500	365.00	4.00	OR84037950	379.50	8.40	OR40038800	388.00	4.00	OR70040000	400.00	7.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR80040000	400.00	8.00	OR70041900	419.00	7.00	OR35043400	434.00	3.50	OR20045100	451.00	2.00
OR86040000	400.00	8.60	OR63541910	419.10	6.35	OR84043450	434.50	8.40	OR40045200	452.00	4.00
OR100040000	400.00	10.00	OR57041930	419.30	5.70	OR53343500	435.00	5.33	OR60045200	452.00	6.00
OR140040000	400.00	14.00	OR84041900	419.50	8.40	OR60043500	435.00	6.00	OR70045200	452.00	7.00
OR200040000	400.00	20.00	OR84041950	419.50	8.40	OR69943500	435.00	6.99	OR57045300	453.00	5.70
OR80040123	401.23	8.00	OR40042000	420.00	4.00	OR70043500	435.00	7.00	OR50045500	455.00	5.00
OR60040200	402.00	6.00	OR50042000	420.00	5.00	OR100043500	435.00	10.00	OR60045500	455.00	6.00
OR125040300	403.00	12.50	OR60042000	420.00	6.00	OR49043560	435.60	4.90	OR60045600	456.00	6.00
OR35040322	403.22	3.50	OR40042200	422.00	4.00	OR70043730	437.30	7.00	OR69945600	456.00	6.99
OR35040400	404.00	3.50	OR35042300	423.00	3.50	OR69943752	437.52	6.99	OR70045600	456.00	7.00
OR80040400	404.00	8.00	OR50042300	423.00	5.00	OR60043800	438.00	6.00	OR35345606	456.06	3.53
OR84040450	404.50	8.40	OR32542352	423.50	3.25	OR53343815	438.15	5.33	OR53345606	456.06	5.33
OR53340500	405.00	5.33	OR70042352	423.52	7.00	OR40043900	439.00	4.00	OR35345900	459.00	3.53
OR80040500	405.00	8.00	OR50042400	424.00	5.00	OR60043900	439.00	6.00	OR69945606	459.06	6.99
OR82040500	405.00	8.20	OR69942400	424.00	6.99	OR57043930	439.30	5.70	OR69945907	459.07	6.99
OR56040520	405.20	5.60	OR35342418	424.18	3.53	OR53343932	439.32	5.33	OR57045930	459.30	5.70
OR35340526	405.26	3.53	OR84042450	424.50	8.40	OR84043950	439.50	8.40	OR69945975	459.75	6.99
OR53340526	405.26	5.33	OR40042500	425.00	4.00	OR30044000	440.00	3.00	OR25046000	460.00	2.50
OR69940526	405.26	6.99	OR53342500	425.00	5.33	OR50044000	440.00	5.00	OR50046000	460.00	5.00
OR70040526	405.26	7.00	OR75042500	425.00	7.50	OR60044000	440.00	6.00	OR60046000	460.00	6.00
OR69940577	405.77	6.99	OR80042500	425.00	8.00	OR75044000	440.00	7.50	OR100046000	460.00	10.00
OR47640640	406.40	4.76	OR60042600	426.00	6.00	OR100044000	440.00	10.00	OR120046000	460.00	12.00
OR63540640	406.40	6.35	OR70042600	426.00	7.00	OR72544050	440.50	7.25	OR84046100	461.00	8.40
OR120040640	406.40	12.00	OR25004260	426.00	25.00	OR80044100	441.00	8.00	OR70046300	463.00	7.00
OR70040700	407.00	7.00	OR55042700	427.00	5.50	OR40044200	442.00	4.00	OR69946355	463.55	6.99
OR70040750	407.50	7.00	OR53342749	427.49	5.33	OR60044200	442.00	6.00	OR40046500	465.00	4.00
OR60040800	408.00	6.00	OR57042790	427.90	5.70	OR35044290	442.90	3.50	OR50046500	465.00	5.00
OR84040950	409.50	8.40	OR82542850	428.50	8.25	OR70044300	443.00	7.00	OR53346500	465.00	5.33
OR63540957	409.57	6.35	OR60042900	429.00	6.00	OR69944336	443.36	6.99	OR70046500	465.00	7.00
OR30041000	410.00	3.00	OR58042950	429.50	5.80	OR70044336	443.36	7.00	OR65046716	467.16	6.50
OR40041000	410.00	4.00	OR84042950	429.50	8.40	OR80044400	444.00	8.00	OR50046850	468.50	5.00
OR50041000	410.00	5.00	OR50043000	430.00	5.00	OR63544450	444.50	6.35	OR69946876	468.76	6.99
OR55341000	410.00	5.53	OR60043000	430.00	6.00	OR84044450	444.50	8.40	OR69946927	469.27	6.99
OR60041000	410.00	6.00	OR69943000	430.00	6.99	OR60044500	445.00	6.00	OR72446927	469.27	7.24
OR90041000	410.00	9.00	OR70043000	430.00	7.00	OR65044500	445.00	6.50	OR40047000	470.00	4.00
OR56041180	411.80	5.60	OR80043000	430.00	8.00	OR70044500	445.00	7.00	OR50047000	470.00	5.00
OR70041200	412.00	7.00	OR100043000	430.00	10.00	OR140044500	445.00	14.00	OR53347000	470.00	5.33
OR47641300	413.00	4.76	OR126543000	430.00	12.65	OR40044580	445.80	4.00	OR57047000	470.00	5.70
OR70041300	413.00	7.00	OR57043050	430.50	5.70	OR25044700	447.00	2.50	OR60047000	470.00	6.00
OR84041450	414.50	8.40	OR53343060	430.60	5.33	OR40044700	447.00	4.00	OR100047000	470.00	10.00
OR20041500	415.00	2.00	OR35343066	430.66	3.53	OR35044740	447.40	3.50	OR53347009	470.09	5.33
OR50041500	415.00	5.00	OR53343066	430.66	5.33	OR70044900	449.00	7.00	OR79047054	470.54	7.90
OR75041500	415.00	7.50	OR69943066	430.66	6.99	OR31744940	449.40	3.17	OR50047230	472.30	5.00
OR80041500	415.00	8.00	OR70043100	431.00	7.00	OR30044950	449.50	3.00	OR100047400	474.00	10.00
OR69941530	415.30	6.99	OR57043160	431.60	5.70	OR40044950	449.50	4.00	OR53347500	475.00	5.33
OR80041590	415.90	8.00	OR47643180	431.80	4.76	OR84044950	449.50	8.40	OR70047500	475.00	7.00
OR70041600	416.00	7.00	OR63543180	431.80	6.35	OR40045000	450.00	4.00	OR80047500	475.00	8.00
OR80041600	416.00	8.00	OR60043200	432.00	6.00	OR50045000	450.00	5.00	OR145047500	475.00	14.50
OR50041700	417.00	5.00	OR70043200	432.00	7.00	OR60045000	450.00	6.00	OR190047500	475.00	19.00
OR57041760	417.60	5.70	OR95043200	432.00	9.50	OR70045000	450.00	7.00	OR60047600	476.00	6.00
OR69941796	417.96	6.99	OR40043250	432.50	4.00	OR80045000	450.00	8.00	OR49747625	476.25	4.97
OR70041796	417.96	7.00	OR70043252	432.52	7.00	OR100045000	450.00	10.00	OR60047800	478.00	6.00
OR100041800	418.00	10.00	OR50043300	433.00	5.00	OR120045000	450.00	12.00	OR80047800	478.00	8.00
OR180041800	418.00	18.00	OR70043300	433.00	7.00	OR150045000	450.00	15.00	OR57047930	479.30	5.70

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR50048000	480.00	5.00	OR84050000	500.00	8.40	OR79053020	530.20	7.90	OR100056500	565.00	10.00
OR60048000	480.00	6.00	OR95050000	500.00	9.50	OR60053100	531.00	6.00	OR30057000	570.00	3.00
OR70048000	480.00	7.00	OR100050000	500.00	10.00	OR53353200	532.00	5.33	OR50057000	570.00	5.00
OR79048000	480.00	7.90	OR110050000	500.00	11.00	OR80053200	532.00	8.00	OR79057054	570.54	7.90
OR80048000	480.00	8.00	OR90050200	502.00	9.00	OR53353221	532.21	5.33	OR50057100	571.00	5.00
OR82048000	480.00	8.20	OR65050216	502.16	6.50	OR69953226	532.26	6.99	OR63557150	571.50	6.35
OR100048000	480.00	10.00	OR53350280	502.80	5.33	OR70053226	532.26	7.00	OR50057200	572.00	5.00
OR200048000	480.00	20.00	OR45350408	504.08	4.53	OR70053300	533.00	7.00	OR70057300	573.00	7.00
OR35048100	481.00	3.50	OR108250450	504.50	10.82	OR47653340	533.40	4.76	OR80057900	579.00	8.00
OR80048100	481.00	8.00	OR53350681	506.81	5.33	OR75053400	534.00	7.50	OR84057950	579.50	8.40
OR53348141	481.41	5.33	OR53350686	506.86	5.33	OR80053500	535.00	8.00	OR57058000	580.00	5.70
OR53348441	481.41	5.33	OR60050686	506.86	6.00	OR95053700	537.00	9.50	OR60058000	580.00	6.00
OR69948146	481.46	6.99	OR69950686	506.86	6.99	OR50053800	538.00	5.00	OR70058000	580.00	7.00
OR70048146	481.46	7.00	OR70050686	506.86	7.00	OR50054000	540.00	5.00	OR100058000	580.00	10.00
OR47648260	482.60	4.76	OR69950687	506.87	6.99	OR60054000	540.00	6.00	OR147058000	580.00	14.70
OR69948260	482.60	6.99	OR70050690	506.90	7.00	OR80054000	540.00	8.00	OR53358268	582.68	5.33
OR25048300	483.00	2.50	OR126050700	507.00	12.60	OR100054000	540.00	10.00	OR57058290	582.90	5.70
OR48048300	483.00	4.80	OR63550800	508.00	6.35	OR69954047	540.47	6.99	OR69958298	582.98	6.99
OR70048500	485.00	7.00	OR127050800	508.00	12.70	OR57054200	542.00	5.70	OR80058500	585.00	8.00
OR80048500	485.00	8.00	OR170050800	508.00	17.00	OR35354400	544.00	3.53	OR69958800	588.00	6.99
OR40048600	486.00	4.00	OR175050900	509.00	17.50	OR35354586	545.86	3.53	OR82558800	588.00	8.25
OR70048670	486.00	7.00	OR51050940	509.40	5.10	OR80054600	546.00	8.00	OR84058800	588.00	8.40
OR65048700	487.00	6.50	OR30051000	510.00	3.00	OR63554610	546.10	6.35	OR53058960	589.60	5.30
OR35348800	488.00	3.53	OR35051000	510.00	3.50	OR70054670	546.70	7.00	OR23059000	590.00	2.30
OR57048930	489.30	5.70	OR50051000	510.00	5.00	OR50054900	549.00	5.00	OR57059000	590.00	5.70
OR30049000	490.00	3.00	OR57051000	510.00	5.70	OR103554920	549.20	10.35	OR80059000	590.00	8.00
OR50049000	490.00	5.00	OR100051000	510.00	10.00	OR105854920	549.20	10.58	OR100059000	590.00	10.00
OR53349000	490.00	5.33	OR60051100	511.00	6.00	OR105854920	549.20	10.58	OR60059200	592.00	6.00
OR57049000	490.00	5.70	OR80051200	512.00	8.00	OR57054960	549.60	5.70	OR80059400	594.00	8.00
OR75049000	490.00	7.50	OR53351214	512.14	5.33	OR50055000	550.00	5.00	OR70059600	596.00	7.00
OR100049000	490.00	10.00	OR56051480	514.80	5.60	OR55050000	550.00	5.50	OR70059670	596.70	7.00
OR70049100	491.00	7.00	OR70051500	515.00	7.00	OR60055000	550.00	6.00	OR35359800	598.00	3.53
OR40049200	492.00	4.00	OR50051600	516.00	5.00	OR70055000	550.00	7.00	OR35359800	598.00	3.53
OR79949344	493.44	7.99	OR69851600	516.00	6.98	OR69955117	551.17	6.99	OR35559800	598.00	3.55
OR63549371	493.71	6.35	OR30051800	518.00	3.00	OR20055200	552.00	2.00	OR100059900	599.00	10.00
OR30049400	494.00	3.00	OR70051800	518.00	7.00	OR70055500	555.00	7.00	OR84059950	599.50	8.40
OR70049400	494.00	7.00	OR50052000	520.00	5.00	OR80055500	555.00	8.00	OR50060000	600.00	5.00
OR69949416	494.16	6.99	OR69952000	520.00	6.99	OR60055559	555.59	6.00	OR53060000	600.00	5.30
OR70049416	494.16	7.00	OR100052000	520.00	10.00	OR69955600	556.00	6.99	OR70060000	600.00	7.00
OR55049500	495.00	5.50	OR79052054	520.54	7.90	OR100055600	556.00	10.00	OR45060200	602.00	4.50
OR69949544	495.44	6.99	OR69952100	521.00	6.99	OR53355761	557.61	5.33	OR60060300	603.00	6.00
OR53349663	496.63	5.33	OR84052200	522.00	8.40	OR69955761	557.61	6.99	OR65260325	603.25	9.52
OR70049670	496.70	7.00	OR95052200	522.00	9.50	OR53355766	557.66	5.33	OR80060400	604.00	8.00
OR53349733	497.33	5.33	OR40052500	525.00	4.00	OR69955766	557.66	6.99	OR100060400	604.00	10.00
OR51049750	497.50	5.10	OR100052500	525.00	10.00	OR45355780	557.80	4.53	OR50060500	605.00	5.00
OR35349800	498.00	3.53	OR70052670	526.70	7.00	OR120055800	558.00	12.00	OR55060700	607.00	5.50
OR80049800	498.00	8.00	OR30053000	530.00	3.00	OR50056000	560.00	5.00	OR95060800	608.00	9.50
OR63549850	498.50	6.35	OR50053000	530.00	5.00	OR70056000	560.00	7.00	OR71160807	608.07	7.11
OR57049930	499.30	5.70	OR53053000	530.00	5.30	OR75056000	560.00	7.50	OR53360808	608.08	5.33
OR35050000	500.00	3.50	OR55353000	530.00	5.53	OR95056000	560.00	9.50	OR69960808	608.08	6.99
OR57050000	500.00	5.70	OR57053000	530.00	5.70	OR100056000	560.00	10.00	OR57061000	610.00	5.70
OR60050000	500.00	6.00	OR60053000	530.00	6.00	OR50056150	561.50	5.00	OR60061000	610.00	6.00
OR70050000	500.00	7.00	OR70053000	530.00	7.00	OR50056300	563.00	5.00	OR70061000	610.00	7.00
OR80050000	500.00	8.00	OR80053000	530.00	8.00	OR50056500	565.00	5.00	OR69961392	613.92	6.99

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.

O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR69961500	615.00	6.99	OR80067450	674.50	8.00	OR60072600	726.00	6.00	OR57081040	810.40	5.70
OR70061500	615.00	7.00	OR69967516	675.16	6.99	OR70072600	726.00	7.00	OR84081100	811.00	8.40
OR35361700	617.00	3.53	OR50067600	676.00	5.00	OR130072600	726.00	13.00	OR90081400	814.00	9.00
OR80062000	620.00	8.00	OR69867803	678.03	6.98	OR69972800	728.00	6.99	OR70081500	815.00	7.00
OR100062000	620.00	10.00	OR69967803	678.03	6.99	OR59072980	729.80	5.90	OR84081500	815.00	8.40
OR50062100	621.00	5.00	OR84067950	679.50	8.40	OR60073000	730.00	6.00	OR100081820	818.20	10.00
OR80062200	622.00	8.00	OR35368000	680.00	3.53	OR100073000	730.00	10.00	OR80082400	824.00	8.00
OR80062300	623.00	8.00	OR40068000	680.00	4.00	OR70073100	731.00	7.00	OR240082500	825.00	24.00
OR69962400	624.00	6.99	OR80068000	680.00	8.00	OR84074000	740.00	8.40	OR95082600	826.00	9.50
OR70062400	624.00	7.00	OR84068000	680.00	8.40	OR127074295	742.95	12.70	OR98082700	827.00	9.80
OR84062400	624.00	8.40	OR200068000	680.00	20.00	OR70074500	745.00	7.00	OR70082800	828.00	7.00
OR85062400	624.00	8.50	OR85068150	681.50	8.50	OR80074500	745.00	8.00	OR63582979	829.79	6.35
OR127062484	624.84	12.70	OR60068200	682.00	6.00	OR85074500	745.00	8.50	OR60083048	830.48	6.00
OR100062500	625.00	10.00	OR100068232	682.32	10.00	OR95074500	745.00	9.50	OR70083300	833.00	7.00
OR60063000	630.00	6.00	OR69968500	685.00	6.99	OR53374800	748.00	5.33	OR84083400	834.00	8.40
OR70063000	630.00	7.00	OR70068600	686.00	7.00	OR69974867	748.67	6.99	OR84083700	837.00	8.40
OR120063000	630.00	12.00	OR70068670	686.70	7.00	OR53374920	749.20	5.33	OR80084200	842.00	8.00
OR69963300	633.00	6.99	OR70068730	687.30	7.00	OR25075000	750.00	2.50	OR90084300	843.00	9.00
OR53363348	633.48	5.33	OR60039000	690.00	6.00	OR35375000	750.00	3.53	OR84084450	844.50	8.40
OR69963348	633.48	6.99	OR100069000	690.00	10.00	OR60075000	750.00	6.00	OR69884980	849.80	6.98
OR50063400	634.00	5.00	OR127069400	694.00	12.70	OR84075000	750.00	8.40	OR80085000	850.00	8.00
OR57063430	634.30	5.70	OR50069500	695.00	5.00	OR100075000	750.00	10.00	OR80085200	852.00	8.00
OR63563500	635.00	6.35	OR80069500	695.00	8.00	OR69976000	760.00	6.99	OR56085300	853.00	5.60
OR100063740	637.40	10.00	OR80069700	697.00	8.00	OR60076100	761.00	6.00	OR53385500	855.00	5.33
OR50063800	638.00	5.00	OR63569850	698.50	6.35	OR127076200	762.00	12.70	OR70086000	860.00	7.00
OR80064000	640.00	8.00	OR70070000	700.00	7.00	OR84076450	764.50	8.40	OR80086000	860.00	8.00
OR80064400	644.00	8.00	OR100070000	700.00	10.00	OR35376700	767.00	3.53	OR95086200	862.00	9.50
OR70064487	644.87	7.00	OR220070000	700.00	22.00	OR40076700	767.00	4.00	OR53386300	863.00	5.33
OR57064500	645.00	5.70	OR102570150	701.50	10.25	OR158076990	769.90	15.80	OR100086400	864.00	10.00
OR60064700	647.00	6.00	OR69970168	701.68	6.99	OR70077000	770.00	7.00	OR57586500	865.00	5.75
OR63564770	647.70	6.35	OR40070200	702.00	4.00	OR100077000	770.00	10.00	OR100086900	869.00	10.00
OR69964800	648.00	6.99	OR40070500	705.00	4.00	OR75077162	771.62	7.50	OR60087257	872.57	6.00
OR84064900	649.00	8.40	OR30070700	707.00	3.00	OR78877162	771.62	7.88	OR100087500	875.00	10.00
OR84064950	649.50	8.40	OR69971000	710.00	6.99	OR80077162	771.62	8.00	OR100088000	880.00	10.00
OR53065000	650.00	5.30	OR100071000	710.00	10.00	OR190077480	774.80	19.00	OR100088200	882.00	10.00
OR70065000	650.00	7.00	OR57071360	713.60	5.70	OR88977698	776.98	8.89	OR69988500	885.00	6.99
OR25065100	651.00	2.50	OR10007150	715.00	10.00	OR55078500	785.00	5.50	OR69888903	889.03	6.98
OR70065100	651.00	7.00	OR53371600	716.00	5.33	OR63578500	785.00	6.35	OR80089000	890.00	8.00
OR100065100	651.00	10.00	OR40071700	717.00	4.00	OR70078500	785.00	7.00	OR84089000	890.00	8.40
OR70065590	655.90	7.00	OR53371800	718.00	5.33	OR100078500	785.00	10.00	OR90089000	890.00	9.00
OR70065800	658.00	7.00	OR69971800	718.00	6.99	OR70078670	786.70	7.00	OR53389500	895.00	5.33
OR53365888	658.88	5.33	OR108271800	718.00	10.82	OR69978740	787.40	6.99	OR60089600	896.00	6.00
OR70065900	659.00	7.00	OR50072000	720.00	5.00	OR84078740	787.40	8.40	OR95090000	900.00	9.50
OR64865913	659.13	6.48	OR60072000	720.00	6.00	OR158078740	787.40	15.80	OR100090000	900.00	10.00
OR50066000	660.00	5.00	OR69972000	720.00	6.99	OR60079000	790.00	6.00	OR69991000	910.00	6.99
OR140066000	660.00	14.00	OR100072000	720.00	10.00	OR63079000	790.00	6.30	OR84091000	910.00	8.40
OR80066070	660.70	8.00	OR120072000	720.00	12.00	OR70079000	790.00	7.00	OR48091700	917.00	4.80
OR50066100	661.00	5.00	OR100072100	721.00	10.00	OR69980000	800.00	6.99	OR60092000	920.00	6.00
OR120066400	664.00	12.00	OR60072200	722.00	6.00	OR70080000	800.00	7.00	OR140092000	920.00	14.00
OR70066600	666.00	7.00	OR53372278	722.78	5.33	OR80080000	800.00	8.00	OR80093000	930.00	8.00
OR70066800	668.00	7.00	OR70072300	723.00	7.00	OR100080100	801.00	10.00	OR100093000	930.00	10.00
OR10006700	670.00	10.00	OR84072450	724.50	8.40	OR100080169	801.69	10.00	OR180093000	930.00	18.00
OR150067000	670.00	15.00	OR69972500	725.00	6.99	OR50080200	802.00	5.00	OR200093000	930.00	20.00
OR180067000	670.00	18.00	OR30072600	726.00	3.00	OR80080800	808.00	8.00	OR70093670	936.70	7.00

Other Sizes available on request.

Bold Sizes are readily available in Stock.
Moulds are available for all above sizes.


O-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
OR53094000	940.00	5.30	OR699108000	1080.00	6.99	OR700132000	1320.00	7.00	OR2400185600	1856.00	24.00
OR57094000	940.00	5.70	OR1000110000	1100.00	10.00	OR570136900	1369.00	5.70	OR2400186185	1861.85	24.00
OR200095000	950.00	20.00	OR950110813	1108.13	9.50	OR570136900	1369.00	5.70	OR2500186200	1862.00	25.00
OR57095600	956.00	5.70	OR700111800	1118.00	6.00	OR700138000	1380.00	7.00	OR1500193000	1930.00	15.00
OR80096400	964.00	8.00	OR800112000	1120.00	8.00	OR3000139000	1390.00	30.00	OR3500193000	1930.00	35.00
OR60096800	968.00	6.00	OR1400113000	1130.00	14.00	OR700143000	1430.00	7.00	OR4000193000	1930.00	40.00
OR80096950	969.50	8.00	OR800114000	1140.00	8.00	OR1000145500	1455.00	10.00	OR1200194200	1942.00	12.00
OR100097000	970.00	10.00	OR980114600	1146.00	9.80	OR1000145750	1457.50	10.00	OR2500197900	1979.00	25.00
OR86098000	980.00	8.60	OR1600115600	1156.00	16.00	OR1000146000	1460.00	10.00	OR1000201500	2015.00	10.00
OR60099600	996.00	6.00	OR1000116500	1165.00	10.00	OR699152400	1524.00	6.99	OR1000202000	2020.00	10.00
OR86010000	1000.00	8.60	OR800116600	1166.00	8.00	OR1300153000	1530.00	13.00	OR8000203000	2030.00	8.00
OR40010180	1018.00	4.00	OR800116600	1166.00	8.00	OR700153200	1532.00	7.00	OR2500207500	2075.00	25.00
OR600102700	1027.00	6.00	OR1600116600	1166.00	16.00	OR1200166500	1665.00	12.00	OR3000230500	2305.00	30.00
OR699102840	1028.40	6.99	OR1600117200	1172.00	16.00	OR2400167460	1674.60	24.00	OR9702401000	2401.00	9.70
OR600103000	1030.00	6.00	OR1000117500	1175.00	10.00	OR2400168000	1680.00	24.00	OR3000258005	2585.00	30.00
OR600103600	1036.00	6.00	OR1270121285	1212.85	12.70	OR2500168000	1680.00	25.00	OR9703049000	3049.00	9.70
OR600103600	1036.00	6.00	OR699121900	1219.00	6.99	OR2400168050	1680.50	24.00	OR9703104000	3104.00	9.70
OR700105200	1052.00	6.00	OR1270122403	1224.03	12.70	OR1000170000	1700.00	10.00	OR1000315000	3150.00	10.00
OR1000105500	1055.00	10.00	OR1000126000	1260.00	10.00	OR1700170000	1700.00	17.00	OR9703508000	3508.00	9.70
OR700105670	1056.70	7.00	OR699126500	1265.00	6.99	OR2500170550	1705.50	25.00	OR9703985000	3985.00	9.70
OR900105850	1058.50	9.00	OR1270127000	1270.00	12.70	Or1500173000	1730.00	15.00	OR1200410000	4100.00	12.00
OR700107000	1070.00	7.00	OR699128000	1280.00	6.99	OR2500178820	1788.20	25.00	OR4000619000	6190.00	40.00
OR800107400	1074.00	8.00	OR1000130000	1300.00	10.00	Or8001802000	1802.00	8.00			

NOTE:

- SPAREAGE** is constantly increasing stocks of the above mentioned ranges, besides the already existing highlighted British Standard Sizes. Kindly contact us as sizes required by you must be in our stock.
- NT4/b - Acrylonitrile Rubber Compound of approx. shore 'A' hardness 75°.
NT6/b - Acrylonitrile Rubber Compound of approx. shore 'A' hardness 90°.
VT2/b - Fluororubber Compound (Viton®) of approx. shore 'A' hardness 75°.
VT4/b - Fluororubber Compound (Viton®) of approx. shore 'A' hardness 90°.
- Please mention Material Code with O-Ring Part Number. (Refer Spareage Sealing Material for Material Code on Page No. 74).
eg. : OR 000 00000 - NT4b
OR 000 00000 - VT2b

SECTION : O-RING CORDS



TYPE :

O-Ring Profile, Extruded in Running length.

MATERIAL :

NT4/b - Acrylonitrile rubber compound of approx shore 'A' hardness 75°.

NT6/b - Acrylonitrile rubber compound of approx shore 'A' hardness 90°.

VT2/b - Fluororubber compound (Viton[®]) of approx 'A' hardness 75°.

VT4/b - Fluororubber compound (Viton[®]) of approx 'A' hardness 90°.

NOTE : Standard Material is NT4b.

MAX. OPERATING CONDITIONS :

Temp : -30°c to +100°c (upto 200°c on request).

Pressure : 40 BAR (Depending on the Joint).

COMPATIBILITY :

Mineral oils, bio oils, water soluble & water glycol fluids.

APPLICATION :

Medium Precision Seal requirement.

Large diameter Axial Sealing.

Low pressure equipment.

DETAILS :

O-Ring Cord is an O-Ring Profile available in running lengths & in various cord diametres. The cord can be profile cut to required angle & both ends joint with the help of an adhesive to form a circular ring. O-Ring Cords form a very useful substitute to sudden breakdown jobs & helps in saving time to get expensive assemblies executed, instead of waiting for an endless O-Ring ordered or to be procured. It is must to have a Spareage O-Ring Cord Kit with adhesive in your premises.

SECTION : O-RING CORDS

Tolerances :

The general tolerances permissible on O-Ring Cords are as follows : -

O-Ring Cord Dia C/S	Tolerance	O-Ring Cord Dia C/S	Tolerance
1 - 5 mm	± 0.30	Above 15 - 20 mm	± 0.70
Above 5 - 10 mm	± 0.40	Above 20 mm	± 5%
Above 10 - 15 mm	± 0.50		

Ordering Information :

O-Ring Cord Dia. C/S	O-Ring Cord Dia. C/S
1.00	5.50
1.78	6.00
2.00	6.50
2.50	7.00
2.62	7.50
3.00	8.00
3.53	8.50
4.00	9.00
4.50	10.00
5.00	12.00
5.33	


Above sizes are available in NBR & FPM (Viton[®]) materials.

O-RING CORD

Kit for Imperial Sizes : ORC-KIT-101-Sizes to be choose from above range as per requirement.

Kit for Metric Sizes : ORC-KIT-102-Sizes to be choose from above range as per requirement.

SECTION : O-RING SEAL KITS



MATERIAL :

NT4/b - is a NBR compound of shore 'A' hardness 75°.

MAX. OPERATING CONDITIONS :

Temp : -30°C to +100°C

Pressure : upto 100 BAR

COMPATIBILITY :

Mineral oils, bio oils, water soluble & water glycol fluids.

DETAILS :

Ordering information dimension in mm

Imperial O-Ring Seal Kit No. : ORS.KIT.201

Metric O-Ring Seal Kit No. : ORS.KIT.202

Imperial O-Ring Seal Kit No. : ORS.KIT.203

Imperial O-Ring Seal Kit No. : ORS.KIT.204

Imperial O-Ring Seal Kit No. : ORS.KIT.205

Metric O-Ring Seal Kit No. : ORS.KIT.206

FEATURES :

Ease of frequent maintenance problems.

Expediting breakdowns.

Imperial / Metric range.

Good quality material.

Low cost of purchase.

SECTION : O-RING SEAL KITS
DETAILS : Ordering information (Dimensions in mm)

Imperial O-Ring Seal Kit No. : ORS.KIT.201		
Part No.	ID x C/S	Qty.
OR 178 00290	2.90 x 1.78	20
OR 178 00447	4.47 x 1.78	20
OR 178 00670	6.07 x 1.78	20
OR 178 00765	7.65 x 1.78	20
OR 178 00925	9.25 x 1.78	20
OR 178 01242	12.42 x 1.78	20
OR 262 00919	9.19 x 2.62	13
OR 262 01077	10.77 x 2.62	13
OR 262 01237	12.37 x 2.62	13
OR 262 01394	13.94 x 2.62	13
OR 262 01554	15.54 x 2.62	13
OR 262 01712	17.12 x 2.62	13
OR 262 01876	18.76 x 2.62	13
OR 262 02029	20.29 x 2.62	13
OR 262 02189	21.89 x 2.62	13
OR 353 01864	18.64 x 3.53	10
OR 353 02022	20.22 x 3.53	10
OR 353 02182	21.82 x 3.53	10
OR 353 02339	23.39 x 3.53	10
OR 353 02499	24.99 x 3.53	10
OR 353 02657	26.57 x 3.53	10
OR 353 02817	28.17 x 3.53	10
OR 353 02974	29.74 x 3.53	10
OR 353 03134	31.34 x 3.53	10
OR 353 03292	32.92 x 3.53	10
OR 353 03452	34.52 x 3.53	10
OR 353 03609	36.09 x 3.53	10
OR 353 03769	37.69 x 3.53	10
OR 353 04087	40.87 x 3.53	10
OR 353 04404	44.04 x 3.53	10
OR 353 04722	47.22 x 3.53	10
OR 353 05039	50.39 x 3.53	10

407 Nos.

Metric O-Ring Seal Kit No. : ORS.KIT.202		
Part No.	ID x C/S	Qty.
OR 200 00300	3.00 x 2.00	20
OR 200 00500	5.00 x 2.00	20
OR 200 00600	6.00 x 2.00	18
OR 200 00800	8.00 x 2.00	18
OR 200 01000	10.00 x 2.00	18
OR 200 01300	13.00 x 2.00	18
OR 250 01000	10.00 x 2.50	14
OR 250 01200	12.00 x 2.50	14
OR 250 01400	14.00 x 2.50	14
OR 250 01500	15.00 x 2.50	14
OR 250 01600	16.00 x 2.50	14
OR 250 01800	18.00 x 2.50	14
OR 250 02000	20.00 x 2.50	14
OR 250 02100	21.00 x 2.50	14
OR 250 02200	22.00 x 2.50	14
OR 350 01800	18.00 x 3.50	10
OR 350 02000	20.00 x 3.50	10
OR 350 02200	22.00 x 3.50	10
OR 350 02300	23.00 x 3.50	10
OR 350 02500	25.00 x 3.50	10
OR 350 02700	27.00 x 3.50	10
OR 350 02800	28.00 x 3.50	10
OR 350 03000	30.00 x 3.50	10
OR 350 03100	31.00 x 3.50	10
OR 350 03200	32.00 x 3.50	10
OR 350 03400	34.00 x 3.50	10
OR 350 03600	36.00 x 3.50	10
OR 350 03800	38.00 x 3.50	10
OR 350 04100	41.00 x 3.50	10
OR 350 04400	44.00 x 3.50	10
OR 350 04600	46.00 x 3.50	10
OR 350 05000	50.00 x 3.50	10

408 Nos.

SECTION : O-RING SEAL KITS
DETAILS : Ordering information (Dimensions in mm)

Imperial O-Ring Seal Kit No. : ORS.KIT.203		
Part No.	ID x C/S	Qty.
OR 178 00290	2.90 x 1.78	32
OR 178 00368	3.68 x 1.78	32
OR 178 00447	4.47 x 1.78	32
OR 178 00528	5.28 x 1.78	32
OR 178 00607	6.07 x 1.78	32
OR 178 00765	7.65 x 1.78	32
OR 178 00925	9.25 x 1.78	32
OR 262 00919	9.19 x 2.62	13
OR 262 01077	10.77 x 2.62	13
OR 262 01237	12.37 x 2.62	13
OR 262 01394	13.94 x 2.62	13
OR 262 01554	15.54 x 2.62	13
OR 262 01712	17.12 x 2.62	13
OR 262 01872	18.72 x 2.62	13
OR 353 01864	18.64 x 3.53	9
OR 353 02022	20.22 x 3.53	9
OR 353 02182	21.82 x 3.53	9
OR 353 02339	23.39 x 3.53	9
OR 353 02499	24.99 x 3.53	9
OR 353 02657	26.57 x 3.53	9
OR 353 02817	28.17 x 3.53	9
OR 353 02974	29.74 x 3.53	9
OR 353 03134	31.34 x 3.53	9
OR 353 03292	32.92 x 3.53	9
OR 353 03452	34.52 x 3.53	9
OR 353 03609	36.09 x 3.53	9
OR 353 03769	37.69 x 3.53	9
OR 533 03747	37.47 x 5.33	6
OR 533 04064	40.64 x 5.33	6
OR 533 04382	43.82 x 5.33	6
OR 533 04699	46.99 x 5.33	6
OR 533 05017	50.17 x 5.33	6
OR 533 05334	53.34 x 5.33	6
OR 533 05652	56.52 x 5.33	6
OR 533 05969	59.69 x 5.33	6
OR 533 06287	62.87 x 5.33	6
OR 533 06604	66.04 x 5.33	6

492 Nos.

Metric O-Ring Seal Kit No. : ORS.KIT.204		
Part No.	ID x C/S	Qty.
OR 178 00290	2.90 x 1.78	20
OR 178 00368	3.68 x 1.78	20
OR 178 00447	4.47 x 1.78	20
OR 178 00528	5.28 x 1.78	20
OR 178 00607	6.07 x 1.78	20
OR 178 00765	7.65 x 1.78	20
OR 178 00925	9.25 x 1.78	20
OR 262 00919	9.19 x 2.62	13
OR 262 01077	10.77 x 2.62	13
OR 262 01237	12.37 x 2.62	13
OR 262 01394	13.94 x 2.62	13
OR 262 01554	15.54 x 2.62	13
OR 262 01712	17.12 x 2.62	13
OR 262 01876	18.76 x 2.62	13
OR 353 01864	18.64 x 3.53	10
OR 353 02022	20.22 x 3.53	10
OR 353 02182	21.82 x 3.53	10
OR 353 02339	23.39 x 3.53	10
OR 353 02499	24.99 x 3.53	10
OR 353 02657	26.57 x 3.53	10
OR 353 02817	28.17 x 3.53	10
OR 353 02974	29.74 x 3.53	10
OR 353 03134	31.34 x 3.53	10
OR 353 03292	32.92 x 3.53	10
OR 353 03452	34.52 x 3.53	10
OR 353 03609	36.09 x 3.53	10
OR 353 03769	37.69 x 3.53	10
OR 533 03747	37.47 x 5.33	7
OR 533 04064	40.64 x 5.33	7
OR 533 04382	43.82 x 5.33	7

382 Nos.


SECTION : O-RING SEAL KITS

DETAILS : Ordering information (Dimensions in mm)

Imperial O-Ring Seal Kit No. : ORS.KIT.205			Metric O-Ring Seal Kit No. : ORS.KIT.206		
Part No.	ID x C/S	Qty.	Part No.	ID x C/S	Qty.
OR 178 00257	2.57 x 1.78	15	OR 200 00300	3.00 x 2.00	18
OR 178 00290	2.90 x 1.78	15	OR 200 00400	4.00 x 2.00	18
OR 178 00368	3.68 x 1.78	15	OR 200 00500	5.00 x 2.00	18
OR 178 00447	4.47 x 1.78	15	OR 200 00600	6.00 x 2.00	18
OR 178 00528	5.28 x 1.78	15	OR 200 00700	7.00 x 2.00	18
OR 178 00607	6.07 x 1.78	15	OR 200 00800	8.00 x 2.00	18
OR 178 00765	7.65 x 1.78	15	OR 200 01000	10.00 x 2.00	18
OR 178 00925	9.25 x 1.78	15	OR 250 01000	10.00 x 2.50	14
OR 178 01082	10.82 x 1.78	15	OR 250 01100	11.00 x 2.50	14
OR 262 00919	9.19 x 2.62	10	OR 250 01200	12.00 x 2.50	14
OR 262 01077	10.77 x 2.62	10	OR 250 01400	14.00 x 2.50	14
OR 262 01237	12.37 x 2.62	10	OR 250 01600	16.00 x 2.50	14
OR 262 01394	13.94 x 2.62	10	OR 250 01700	17.00 x 2.50	14
OR 262 01554	15.54 x 2.62	10	OR 250 01900	19.00 x 2.50	14
OR 262 01712	17.12 x 2.62	10	OR 300 01900	19.00 x 3.00	12
OR 262 01872	18.72 x 2.62	10	OR 300 02000	20.00 x 3.00	12
OR 353 01864	18.64 x 3.53	10	OR 300 02200	22.00 x 3.00	12
OR 353 02022	20.22 x 3.53	10	OR 300 02400	24.00 x 3.00	12
OR 353 02182	21.82 x 3.53	10	OR 300 02500	25.00 x 3.00	12
OR 353 02339	23.39 x 3.53	10	OR 300 02700	27.00 x 3.00	12
OR 353 02499	24.99 x 3.53	10	OR 300 02800	28.00 x 3.00	12
OR 353 02657	26.57 x 3.53	10	OR 300 03000	30.00 x 3.00	12
OR 353 02817	28.17 x 3.53	5	OR 300 03200	32.00 x 3.00	12
OR 353 02974	29.74 x 3.53	5	OR 300 03300	33.00 x 3.00	12
OR 353 03134	31.34 x 3.53	5	OR 300 03500	35.00 x 3.00	12
OR 353 03292	32.92 x 3.53	5	OR 300 03600	36.00 x 3.00	12
OR 353 03452	34.52 x 3.53	5	OR 300 03800	38.00 x 3.00	12
OR 353 03609	36.09 x 3.53	5	OR 400 03800	38.00 x 4.00	9
OR 353 03769	37.69 x 3.53	5	OR 400 04200	42.00 x 4.00	9
OR 533 03747	37.47 x 5.33	5	OR 400 04500	45.00 x 4.00	9
OR 533 04064	40.64 x 5.33	5			
OR 533 04382	43.82 x 5.33	5			

407 Nos.
315 Nos.

SECTION : O-RING P JIS B 2401



O-Ring Part No.	C/S	ID		d		D		L	L1	L2	t	r ₁ max
		Size	Tol.	Size	Tol.	Size	Tol.					
P 3	1.9 ± 0.08	2.8	± 0.14	3		6		2.5	3.9	5.4	1.4	0.4
P 4		3.8	± 0.14	4		7						
P 5		4.8	± 0.15	5		8						
P 6		5.8	± 0.15	6	0	9	+ 0.05					
P 7		6.8	± 0.16	7	- 0.05	10	0					
P 8	2.4 ± 0.09	7.8	± 0.16	8		11		3.2	4.4	6.0	1.8	0.4
P 9		8.8	± 0.17	9		12						
P 10		9.8	± 0.17	10		13						
P 10A		9.8	± 0.17	10		14						
P 11		10.8	± 0.18	11		15						
P 11.2	3.5 ± 0.10	11.0	± 0.18	11.2		15.2		4.7	6.0	7.8	2.7	0.8
P 12		11.8	± 0.19	12		16						
P 12.5		12.3	± 0.19	12.5		16.5						
P 14		13.8	± 0.19	14	0	18	+ 0.05					
P 15		14.8	± 0.20	15	- 0.05	19	0					
P 16		15.8	± 0.20	16		20						
P 18		17.8	± 0.21	18		22						
P 20		19.8	± 0.22	20		24						
P 21		20.8	± 0.23	21		25						
P 22		21.8	± 0.24	22		26						
P 22A		21.7	± 0.24	22		28						
P 22.4		22.1	± 0.24	22.4		28.4						
P 24		23.7	± 0.24	24		30						
P 25		24.7	± 0.25	25		31						
P 25.5		25.2	± 0.25	25.5	0	31.5	+ 0.08					
P 26		25.7	± 0.26	26	- 0.08	32	0	4.7	6.0	7.8	2.7	0.8
P 28		27.7	± 0.28	28		34						
P 29		28.7	± 0.29	29		35						
P 29.5		29.2	± 0.29	29.5		35.5						
P 30		29.7	± 0.29	30		36						

SECTION : O-RING P JIS B 2401

O-Ring Part No.	C/S	ID		d		D		L	L1	L2	t	r ₁ max
		Size	Tol.	Size	Tol.	Size	Tol.					
P 31		30.7	± 0.30	31		37						
P 31.5		31.2	± 0.31	31.5		37.5						
P 32		31.7	± 0.31	32		38						
P 34		33.7	± 0.33	34		40						
P 35		34.7	± 0.34	35		41						
P 35.5		35.2	± 0.34	35.5		41.5						
P 36		35.7	± 0.34	36		42						
P 38		37.7	± 0.37	38		44						
P 39	3.5 ± 0.10	38.7	± 0.37	39	0	45	+ 0.08	4.7	6.0	7.8	2.7	0.8
P 40		39.7	± 0.37	40	- 0.08	46	0					
P 41		40.7	± 0.38	41		47						
P 42		41.7	± 0.39	42		48						
P 44		43.7	± 0.41	44		50						
P 45		44.7	± 0.41	45		51						
P 46		45.7	± 0.42	46		52						
P 48		47.7	± 0.44	48		54						
P 49		48.7	± 0.45	49		55						
P 50		49.7	± 0.45	50		56						
P 48A		47.6	± 0.44	48		58						
P 50A		49.6	± 0.45	50		60						
P 52		51.6	± 0.47	52		62						
P 53		52.6	± 0.48	53		63						
P 55		54.6	± 0.49	55		65						
P 56		55.6	± 0.50	56		66						
P 58		57.6	± 0.52	58		68						
P 60		59.6	± 0.53	60		70						
P 62		61.6	± 0.55	62		72						
P 63		62.6	± 0.56	63		73						
P 65		64.6	± 0.57	65		75						
P 67	5.7 ± 0.13	66.6	± 0.59	67	0	77	+ 0.10	7.5	9.0	11.5	4.6	0.8
P 70		69.6	± 0.61	70	- 0.10	80	0					
P 71		70.6	± 0.62	71		81						
P 75		74.6	± 0.65	75		85						
P 80		79.6	± 0.69	80		90						
P 85		84.6	± 0.73	85		95						
P 90		89.6	± 0.77	90		100						
P 95		94.6	± 0.81	95		105						
P 100		99.6	± 0.84	100		110						
P 102		101.6	± 0.85	102		112						
P 105		104.6	± 0.87	105		115						
P 110		109.6	± 0.91	110		120						
P 112		111.6	± 0.92	112		122						


SECTION : O-RING P JIS B 2401

O-Ring Part No.	C/S	ID		d		D		L	L1	L2	t	r ₁ max
		Size	Tol.	Size	Tol.	Size	Tol.					
P 115		114.6	± 0.94	115		125						
P 120		119.6	± 0.98	120		130						
P 125		124.6	± 1.01	125		135						
P 130	5.7 ± 0.13	129.6	± 1.05	130	0	140	+ 0.10	7.5	9.0	11.5	4.6	0.8
P 132		131.6	± 1.06	132	- 0.10	142	0					
P 135		134.6	± 1.09	135		145						
P 140		139.6	± 1.12	140		150						
P 145		144.6	± 1.16	145		155						
P 150		149.6	± 1.19	150		160						
P 150A		149.5	± 1.19	150		165						
P 155		154.5	± 1.23	155		170						
P 160		159.5	± 1.26	160		175						
P 165		164.5	± 1.30	165		180						
P 170		169.5	± 1.33	170		185						
P 175		174.5	± 1.37	175		190						
P 180		179.5	± 1.40	180		195						
P 185		184.5	± 1.44	185		200						
P 190		189.5	± 1.48	190		205						
P 195		194.5	± 1.51	195		210						
P 200		199.5	± 1.55	200		215						
P 205		204.5	± 1.58	205		220						
P 209		208.5	± 1.61	209		224						
P 210		209.5	± 1.62	210		225						
P 215		214.5	± 1.65	215		230						
P 220	8.4 ± 0.15	219.5	± 1.68	220		235		11.0	13.0	17.0	6.9	1.2
P 225		224.5	± 1.71	225		240						
P 230		229.5	± 1.75	230		245						
P 235		234.5	± 1.78	235		250						
P 240		239.5	± 1.81	240		255						
P 245		244.5	± 1.84	245		260						
P 250		249.5	± 1.88	250		265						
P 255		254.5	± 1.91	255		270						
P 260		259.5	± 1.94	260		275						
P 265		264.5	± 1.97	265		280						
P 270		269.5	± 2.01	270		285						
P 275		274.5	± 2.04	275		290						
P 280		279.5	± 2.07	280		295						
P 285		284.5	± 2.10	285		300						
P 290		289.5	± 2.14	290		305						
P 295		294.5	± 2.17	295	0	310	+ 0.10					
P 300		299.5	± 2.20	300	- 0.10	315	0					

SECTION : O-RING P JIS B 2401

O-Ring Part No.	C/S	ID		d		D		L	L1	L2	t	r ₁ max
		Size	Tol.	Size	Tol.	Size	Tol.					
P 315		314.5	± 2.30	315		330						
P 320		319.5	± 2.33	320		335						
P 335		334.5	± 2.42	335		350						
P 340		339.5	± 2.45	340	0	355	+ 0.10					
P 355	8.4 ± 0.15	354.5	± 2.54	355	- 0.10	370	0	11.0	13.0	17.0	6.9	1.2
P 360		359.5	± 2.57	360		375						
P 375		374.5	± 2.67	375		390						
P 385		384.5	± 2.73	385		400						
P 400		399.5	± 2.82	400		415						

SECTION : O-RING G JIS B 2401



O-Ring Part No.	C/S	ID		d		D		L	L1	L2	t	r_1 max
		Size	Tol.	Size	Tol.	Size	Tol.					
G 25		24.4	± 0.25	25		30						
G 30		29.4	± 0.29	30		35						
G 35		34.4	± 0.33	35		40						
G 40		39.4	± 0.37	40		45						
G 45		44.4	± 0.41	45		50						
G 50		49.4	± 0.45	50		55						
G 55		54.4	± 0.49	55		60						
G 60		59.4	± 0.53	60		65						
G 65		64.4	± 0.57	65		70						
G 70		69.4	± 0.61	70		75						
G 75		74.4	± 0.65	75		80						
G 80		79.4	± 0.69	80		85						
G 85	3.1 ± 0.10	84.4	± 0.73	85	0	90	$+ 0.10$	4.1	5.6	7.3	2.4	0.7
G 90		89.4	± 0.77	90	- 0.10	95	0					
G 95		94.4	± 0.81	95		100						
G 100		99.4	± 0.85	100		105						
G 105		104.4	± 0.87	105		110						
G 110		109.4	± 0.91	110		115						
G 115		114.4	± 0.94	115		120						
G 120		119.4	± 0.98	120		125						
G 125		124.4	± 1.01	125		130						
G 130		129.4	± 1.05	130		135						
G 135		134.4	± 1.08	135		140						
G 140		139.4	± 1.12	140		145						
G 145		144.4	± 1.16	145		150						

SECTION : O-RING G JIS B 2401

O-Ring Part No.	C/S	ID		d		D		L	L1	L2	t	r ₁ max
		Size	Tol.	Size	Tol.	Size	Tol.					
G 150		149.3	± 1.19	150		160						
G 155		154.3	± 1.23	155		165						
G 160		159.3	± 1.26	160		170						
G 165		164.3	± 1.30	165		175						
G 170		169.3	± 1.33	170		180						
G 175		174.3	± 1.37	175		185						
G 180		179.3	± 1.40	180		190						
G 185		184.3	± 1.44	185		195						
G 190		189.3	± 1.47	190	0	200	+ 0.10					
G 195		194.3	± 1.51	195	- 0.10	205	0					
G 200	5.7 ± 0.13	199.3	± 1.55	200		210		7.5	9.0	11.5	4.6	0.8
G 210		209.3	± 1.61	210		220						
G 220		219.3	± 1.68	220		230						
G 230		229.3	± 1.73	230		240						
G 240		239.3	± 1.81	240		250						
G 250		249.3	± 1.88	250		260						
G 260		259.3	± 1.94	260		270						
G 270		269.3	± 2.01	270		280						
G 280		279.3	± 2.07	280		290						
G 290		289.3	± 2.14	290		300						
G 300		299.3	± 2.20	300		310						

CAUSES OF O-RING FAILURES & ITS COUNTERMEASURES


- When leakage is observed, investigate the causes and implement proper countermeasures.
- To identify the causes, it is critical to observe the O-Ring closely and evaluate the failure in all respects, such as cylinder, piston and medium to be sealed.

D = Dynamic Sealing
S = Static Sealing

FAILURE	CONDITION		APPEARANCE SKETCH	MAJOR CAUSES	COUNTERMEASURES
Twist	Twisted & Deformed.	D		<ul style="list-style-type: none"> Excessive speed. Eccentric movements Poor Surface finish on sliding face. Twisted installation. 	<ul style="list-style-type: none"> Improve sliding surface finish. Install with adequate lubricant.
Chipping	Partially chipped.	D		<ul style="list-style-type: none"> Chipped by the bore edge, threads or sharp corner at installation. 	<ul style="list-style-type: none"> Round all sharp edges. Use an installation O-Ring hook.
Permanent Set	Deformed into the groove's shape.	D & S		<ul style="list-style-type: none"> Exposure to repeated drastic temperature changes. Improper adjustment of temperature, compression & fluid. 	<ul style="list-style-type: none"> Study alternative rubber materials. Study groove dimensions.
Abrasion around the circumference	Worn all round the circumference.	D		<ul style="list-style-type: none"> Poor sliding surface finish. Poor lubrication. Entry of dust or other foreign materials. 	<ul style="list-style-type: none"> Improve sliding surface finish. Supply sufficient lubrication. Clean thoroughly & use filter etc.
Partial Abrasion	Sliding surface is partially worn.	D & S		<ul style="list-style-type: none"> There are damages on sliding surface. 	<ul style="list-style-type: none"> Remove damages on sliding surface & improve surface finish.
Hardening	Hardened and cracked when bent.	S		<ul style="list-style-type: none"> Operating temperature is higher than the rubber's heat resistance limit. 	<ul style="list-style-type: none"> Study alternative rubber materials.
Swelling	Softened and swollen.	S		<ul style="list-style-type: none"> Improper rubber material. Cleaned with fuel oil or other incompatible fluid. 	<ul style="list-style-type: none"> Study alternative rubber materials. Clean with kerosene.
Scratch	Scratch marks are observed.	S		<ul style="list-style-type: none"> Scratched by a thread or sharp edge at installation. 	<ul style="list-style-type: none"> Use an installation O-Ring hook.
Protrusion	The outside or inside of the ring is cut off partially or around the entire circumference.	S		<ul style="list-style-type: none"> Inappropriate determination of pressure, gap & hardness. Due to swelling. 	<ul style="list-style-type: none"> Restudy pressure, gap & hardness. Apply backup rings. Study alternative rubber materials.
Tearing	The squeezed portion is cut off or chipped.	S		<ul style="list-style-type: none"> Poor chamfer. Groove depth is not sufficient. 	<ul style="list-style-type: none"> Improve chamfer. Restudy groove depth.
Cracked by ozone	Cracks are observed on all over the ring.	S		<ul style="list-style-type: none"> Left in the air in a stretched condition. 	<ul style="list-style-type: none"> Do not stretch the ring. Coat grease or oil to the O-Ring to avoid contact with air. Study alternative rubber materials.

Dotted line shows original O-Ring shape or size.

SECTION : QUAD RING[®]



MATERIAL :

NT4/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 75°. (for 160 Bar)

NT6/b - Acrylonitrile Butadiene Rubber (NBR) compound of approx. shore 'A' hardness 90°. (above 160 Bar)

VT2/b - Fluororubber compound (Viton[®]) of approx. shore 'A' hardness 75°. (on request)

VT4/b - Fluororubber compound (Viton[®]) of approx. shore 'A' hardness 90°. (on request)

MAX. OPERATING CONDITIONS :

Temp : -40°C to +100°C (Upto 200°C for Viton[®] compound)

Pressure : 100 BAR (upto 400 Bar combined with backup rings)

Speed : 0.5 mtr/sec.

MAX. SURFACE ROUGHNESS :

Static : 0.8 µmRa

Dynamic : 0.4 µmRa

COMPATIBILITY :

Refer Spareage Sealing material on page no. 74.

APPLICATION :

Compact Cylinders.

For sealing pistons, rods, flanges & end covers etc.

DETAILS :

Quad - Ring[®] is a four lobbed seal used similar like O-rings. Generally Quad Rings are used on piston & rod combined with backup rings to withstand pressure upto 400 bar.

FEATURES :


Avoids twisting from reciprocating motion.

Minimal leakage as the contact pressure is evenly distributed.

Long life & better sealing in dynamic application.

Withstands capacity upto 400 bar if used with backup ring.

SECTION : QUAD RING® INNER, OUTER & AXIAL SEALING



QUAD - RING® C/S	Preferred Diameter Range d1 / D1	Groove Depth t I, II & III	Groove Width			Backup Ring Width L3
			L +0.20	L1 +0.25 with one Backup Ring	L2 +0.25 with two Backup Ring	
1.78	d1 - 1.80 to 9.00 D1 - 5.5 to 13.00	1.50	2.00	3.40	4.80	1.00
2.62	d1 - 9.00 to 18.50 D1 - 14.50 to 24.00	2.30	3.00	4.40	5.80	1.50
3.53	d1 - 19.00 to 38.00 D1 - 26.00 to 45.00	3.20	4.00	5.40	6.80	1.50
5.33	d1 - 38.00 to 72.00 D1 - 48.00 to 83.00	4.90	6.00	7.70	9.40	2.00
7.00	d1 - 115 to 400 D1 - 135 to 500	6.40	8.00	10.50	13.00	2.50

Seal Dimensions according to American Standard AS 568 A

QUAD-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
QR17800257	2.57	1.78	QR30001800	18.00	3.00	QR35003600	36.00	3.50	QR55005400	54.00	5.50
QR17800290	2.90	1.78	QR35301820	18.20	3.53	QR26203617	36.17	2.62	QR26205525	55.25	2.62
QR19000290	2.90	1.90	QR26201872	18.72	2.62	QR50003700	37.00	5.00	QR53305334	56.34	5.33
QR18000350	3.50	1.80	QR17801877	18.77	1.78	QR35303769	37.69	3.53	QR35305675	56.75	3.53
QR17800368	3.68	1.78	QR31701905	19.05	3.17	QR33003770	37.70	3.30	QR26205682	56.82	2.62
QR17800450	4.50	1.78	QR28001905	19.05	2.80	QR26203777	37.77	2.62	QR30005700	57.00	3.00
QR17500470	4.70	1.75	QR26201960	19.60	2.62	QR17803782	37.82	1.78	QR26205842	58.42	2.62
QR17800528	5.28	1.78	QR53301999	19.99	5.33	QR53303787	37.87	5.33	QR53305970	59.70	5.33
QR35300594	5.94	3.53	QR35302022	20.22	3.53	QR38003890	38.90	3.80	QR35305991	59.91	3.53
QR20000600	6.00	2.00	QR26202029	20.29	2.62	QR53303920	39.20	5.33	QR26205999	59.99	2.62
QR17800607	6.07	1.78	QR17802035	20.35	1.78	QR26203934	39.34	2.62	QR45006000	60.00	4.50
QR26200602	6.02	2.62	QR35002050	20.50	3.50	QR37503970	39.70	3.75	QR60006000	60.00	6.00
QR29000646	6.46	2.90	QR17802182	21.82	1.78	QR50004000	40.00	5.00	QR55006000	60.00	5.50
QR29000646	6.46	2.90	QR35302182	21.82	3.53	QR53004064	40.64	5.30	QR50006000	60.00	5.00
QR17800686	6.86	1.78	QR26202189	21.89	2.62	QR35304087	40.87	3.53	QR40006100	61.00	4.00
QR20000700	7.00	2.00	QR17802195	21.95	1.78	QR26204095	40.95	2.62	QR26206160	61.60	2.62
QR26200759	7.59	2.62	QR30002200	22.00	3.00	QR50004100	41.00	5.00	QR53306286	62.86	5.33
QR17800765	7.65	1.78	QR35302340	23.40	3.53	QR17804100	41.00	1.78	QR35306310	63.10	3.53
QR20000800	8.00	2.00	QR26202347	23.47	2.62	QR26104151	41.51	2.61	QR26206317	63.17	2.62
QR17800820	8.20	1.78	QR17802352	23.52	1.78	QR40004200	42.00	4.00	QR32006350	63.50	3.20
QR25000900	9.00	2.50	QR32002380	23.80	3.20	QR35004200	42.00	3.50	QR50006400	64.00	5.00
QR17800925	9.25	1.78	QR31802381	23.81	3.18	QR50004200	42.00	5.00	QR26206477	64.77	2.62
QR47500950	9.50	4.75	QR40002400	24.00	4.00	QR26204252	42.52	2.62	QR53006605	66.05	5.30
QR29000950	9.50	2.90	QR31702476	24.76	3.17	QR53304380	43.80	5.33	QR35306627	66.27	3.53
QR17800970	9.70	1.78	QR35002500	25.00	3.50	QR50004400	44.00	5.00	QR26106634	66.34	2.61
QR32000985	9.85	3.20	QR26202507	25.07	2.62	QR35304404	44.04	3.53	QR47006670	66.70	4.70
QR27001000	10.00	2.70	QR17802512	25.12	1.78	QR26204412	44.12	2.62	QR26206794	67.94	2.62
QR20001000	10.00	2.00	QR30002540	25.40	3.00	QR17804417	44.17	1.78	QR53506922	69.22	5.35
QR26201002	10.02	2.62	QR43002610	26.20	4.30	QR80004450	44.50	8.00	QR57006930	69.30	5.70
QR26201077	10.77	2.62	QR36002640	26.40	3.60	QR53004450	44.50	5.30	QR35306944	69.44	3.53
QR17801082	10.82	1.78	QR35302657	26.57	3.53	QR26204450	44.50	2.62	QR26206952	69.52	2.62
QR30001100	11.00	3.00	QR26202664	26.64	2.62	QR20004500	45.00	2.00	QR32006990	69.90	3.20
QR23601110	11.10	2.36	QR17802670	26.70	1.78	QR53304520	45.20	5.33	QR50007000	70.00	5.00
QR26201170	11.70	2.62	QR40002800	28.00	4.00	QR50004550	45.50	5.00	QR53307240	72.40	5.33
QR32001170	11.70	3.20	QR35302817	28.17	3.53	QR26204569	45.69	2.62	QR35307262	72.62	3.53
QR26201191	11.91	2.62	QR26202824	28.24	2.62	QR52004675	46.75	5.20	QR26207269	72.69	2.62
QR26201237	12.37	2.62	QR17802830	28.30	1.78	QR53304699	46.99	5.33	QR17807275	72.75	1.78
QR17801242	12.42	1.78	QR32002850	28.50	3.20	QR35304722	47.22	3.53	QR47007300	73.00	4.70
QR77401333	13.33	7.74	QR40002950	29.50	4.00	QR26204729	47.29	2.62	QR50007300	73.00	5.00
QR35001350	13.50	3.50	QR35302974	29.74	3.53	QR17804735	47.35	1.78	QR30007380	73.80	3.00
QR35301386	13.86	3.53	QR26202982	29.82	2.62	QR30004760	47.60	3.00	QR53307384	73.84	5.33
QR26101394	13.94	2.61	QR17802987	29.87	1.78	QR26204890	48.90	2.62	QR60007400	74.00	6.00
QR35001400	14.00	3.50	QR30003000	30.00	3.00	QR70004900	49.00	7.00	QR56007507	75.07	5.60
QR17801400	14.00	1.78	QR53303112	31.12	5.33	QR95004900	49.00	9.50	QR53307556	75.56	5.33
QR30001420	14.20	3.00	QR35003135	31.35	3.50	QR17804945	49.45	1.78	QR53307557	75.57	5.33
QR26201470	14.70	2.62	QR26203142	31.42	2.62	QR56004998	49.98	5.60	QR35307579	75.79	3.53
QR27001500	15.00	2.70	QR17803147	31.47	1.78	QR110005000	50.00	11.00	QR26207587	75.87	2.62
QR53301524	15.24	5.33	QR32003170	31.70	3.20	QR50005000	50.00	5.00	QR17807592	75.92	1.78
QR35301546	15.46	3.53	QR63503175	31.75	6.35	QR55005000	50.00	5.50	QR35007620	76.20	3.50
QR35301554	15.54	3.53	QR40003200	32.00	4.00	QR40005000	50.00	4.00	QR60007800	78.00	6.00
QR26201555	15.55	2.62	QR95003200	32.00	9.50	QR53305016	50.16	5.33	QR55007800	78.00	5.50
QR17801560	15.60	1.78	QR50003200	32.00	5.00	QR35305034	50.34	3.53	QR53307875	78.75	5.33
QR23801587	15.87	2.38	QR35303292	32.92	3.53	QR26205047	50.47	2.62	QR35307897	78.97	3.53
QR26201588	15.88	2.62	QR26203299	32.99	2.62	QR17805052	50.52	1.78	QR60008000	80.00	6.00
QR25001600	16.00	2.50	QR17803305	33.05	1.78	QR30005100	51.00	3.00	QR50008000	80.00	5.00
QR26201620	16.20	2.62	QR35003450	34.50	3.50	QR53305200	52.00	5.33	QR60008000	80.00	6.00
QR25001650	16.50	2.50	QR35303452	34.52	3.53	QR55005200	52.00	5.50	QR53308009	80.09	5.33
QR45001670	16.70	4.50	QR26203459	34.59	2.62	QR26205207	52.07	2.62	QR55008100	81.00	5.50
QR26201712	17.12	2.62	QR17803465	34.65	1.78	QR53305334	53.34	5.33	QR53308190	81.90	5.33
QR17801717	17.17	1.78	QR80003500	35.00	8.00	QR35305357	53.57	3.53	QR82008200	82.00	8.20
QR32001740	17.40	3.20	QR30003500	35.00	3.00	QR26205384	53.84	2.62	QR53508200	82.00	5.35
QR26201775	17.75	2.62	QR70003600	36.00	7.00	QR63505398	53.98	6.35	QR27908222	82.22	2.79
QR35001780	17.80	3.50	QR40003600	36.00	4.00	QR34005400	54.00	3.40	QR60008400	84.00	6.00

Other Sizes available on request.

Bold Sizes are readily available in NBR material.
Moulds are available for all above sizes.

QUAD-RING DIMENSIONS

Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S	Part No.	ID	C/S
QR53308510	85.10	5.33	QR35311389	113.89	3.53	QR53314849	148.49	5.33	QR533234533	234.32	5.33
QR35008532	85.32	3.50	QR26211397	113.97	2.62	QR69914859	148.59	6.99	QR69924000	240.00	6.99
QR50008800	88.00	5.00	QR47511500	115.00	4.75	QR100015100	151.00	10.00	QR35324090	240.90	3.53
QR5338826	88.26	5.33	QR69911584	115.84	6.99	QR70015180	151.80	7.00	QR70025340	253.40	7.00
QR35308849	88.49	3.53	QR70011685	116.85	7.00	QR35315199	151.99	3.53	QR26225750	257.50	2.62
QR31508890	88.90	3.15	QR53311685	116.85	5.33	QR70015810	158.10	7.00	QR69925900	259.00	6.99
QR55008900	89.00	5.50	QR50011700	117.00	5.00	QR53315812	158.12	5.33	QR53326000	260.00	5.33
QR35308945	89.45	3.53	QR63511748	117.48	6.35	QR70016050	160.50	7.00	QR53327877	278.77	5.33
QR50009000	90.00	5.00	QR30011800	118.00	3.00	QR70016100	161.00	7.00	QR70027880	278.80	7.00
QR53309145	91.45	5.33	QR60011800	118.00	6.00	QR70016446	164.46	7.00	QR35327899	278.99	3.53
QR35309167	91.67	3.53	QR85011870	118.70	8.50	QR55016500	165.00	5.50	QR75028000	280.00	7.50
QR53009460	94.60	5.30	QR53312000	120.00	5.33	QR35317081	170.81	3.53	QR75029000	290.00	7.50
QR53309462	94.62	5.33	QR70012000	120.00	7.00	QR69917081	170.81	6.99	QR55029100	291.00	5.50
QR48209525	95.25	4.82	QR70012320	123.20	7.00	QR53317082	170.82	5.33	QR53329147	291.47	5.33
QR50809525	95.25	5.08	QR35312341	123.41	3.53	QR69917082	170.82	6.99	QR69929147	291.47	6.99
QR17509550	95.50	1.75	QR70012500	125.00	7.00	QR26117111	171.11	2.61	QR35329169	291.69	3.53
QR53309700	97.00	5.33	QR70012636	126.36	7.00	QR70017700	177.00	7.00	QR70029750	297.50	7.00
QR53310096	100.96	5.33	QR50012750	127.50	5.00	QR53317717	177.17	5.33	QR70031690	316.90	7.00
QR35310119	101.19	3.53	QR80012800	128.00	8.00	QR69918361	183.61	6.99	QR70032960	329.60	7.00
QR50010200	102.00	5.00	QR70012955	129.55	7.00	QR26218382	183.82	2.62	QR69834226	342.26	6.98
QR53310414	104.14	5.33	QR70013000	130.00	7.00	QR53318987	189.87	5.33	QR69934820	348.20	6.99
QR53310730	107.30	5.33	QR65013200	132.00	6.50	QR70019000	190.00	7.00	QR70035500	355.00	7.00
QR26210762	107.62	2.62	QR70013270	132.70	7.00	QR69919622	196.22	6.99	QR35335519	355.19	3.53
QR60010800	108.00	6.00	QR53313589	135.89	5.33	QR35319645	196.45	3.53	QR69839118	391.18	6.98
QR55011000	110.00	5.50	QR69913589	135.89	6.99	QR70020256	202.56	7.00	QR75039300	393.00	7.50
QR69911049	110.49	6.99	QR70013590	135.90	7.00	QR69920680	206.80	6.99	QR70039850	398.50	7.00
QR53311049	110.49	5.33	QR35313612	136.12	3.53	QR55020700	207.00	5.50	QR70043065	430.65	7.00
QR50811112	111.12	5.08	QR70013906	139.06	7.00	QR53320892	208.92	5.33	QR97048800	488.00	9.70
QR32011130	111.13	3.20	QR70014000	140.00	7.00	QR35321550	215.50	3.53	QR70063348	633.48	7.00
QR60011300	113.00	6.00	QR70014225	142.25	7.00	QR35322185	221.85	3.53	QR70090000	900.00	7.00
QR50011350	113.50	5.00	QR75014400	144.00	7.50	QR70022797	227.97	7.00			
QR55811350	113.50	5.58	QR70014540	145.40	7.00	QR53322797	227.97	5.33			
QR70011366	113.66	7.00	QR35314564	145.64	3.53	QR69923102	231.02	6.99			


QUAD-RING[®] TOLERANCES

Cross Section (mm) upto	Tolerance (mm)	ID (Inner ϕ)	Tol. \pm	ID (Inner ϕ)	Tol. \pm
1.78	± 0.08	0 - 5.0	± 0.13	100.1 - 120.0	± 0.94
2.62	± 0.08	5.1 - 10.0	± 0.17	120.1 - 150.0	± 1.25
3.53	± 0.10	10.1 - 20.0	± 0.23	150.1 - 180.0	± 1.38
5.33	± 0.13	20.1 - 30.0	± 0.28	180.1 - 230.0	± 1.75
6.99	± 0.15	30.1 - 40.0	± 0.33	230.1 - 280.0	± 2.02
		40.1 - 50.0	± 0.38	280.1 - 325.0	± 2.30
		50.1 - 60.0	± 0.46	325.1 - 400.0	± 2.76
		60.1 - 70.0	± 0.51	400.1 - 475.0	± 3.22
		70.1 - 80.0	± 0.61	475.1 - 530.0	± 3.54
		80.1 - 90.0	± 0.69	530.1 - 600.0	± 3.93
		90.1 - 100.0	± 0.76	600.1 - 670.0	± 4.34

Other Sizes available on request.

Bold Sizes are readily available in NBR material.
Moulds are available for all above sizes.

SECTION : BACK UP RING



MATERIAL :

P.T.F.E or P.T.F.E. with filled grades such Bronze, Glass, Graphite.

MAX. OPERATING CONDITIONS :

Temp : -200^oc to +260^oc (depending on O-Ring material).

Pressure : 400 BAR (depending on O-Ring).

MAX. SURFACE ROUGHNESS :

Static : 0.8 µmRa

Dynamic : 0.4 µmRa

COMPATIBILITY :

Mineral oils, bio oils, water soluble & water glycol fluids.

DETAILS :

The Back up ring is a anti extrusion ring which prevents the O-Ring from extruding in the clearance gap. It is required to be seated behind the sealing O-Ring. In case of a double acting pressure, the Back up ring is seated on both sides of the sealing ring in the groove.

Back up rings are also available in split & endless form to enable ease of fitment.

Kindly refer the O-Ring section for groove dimensions, Page No. 3 & 4 (Section : O-Ring Inner, Outer & Axial Sealing).

ORDERING INFORMATION :

O-Ring part no. with housing Fig. I/II (refer sketch above). For eg. : OR 000 00000 - I.


OR 000 00000 - II.

Quad-Ring part no. with housing Fig. I/II (refer sketch on page 69) For eg. : QR 000 00000 - I.

QR 000 00000 - II.

SECTION : BB - SAE FLANGE SEAL

TYPE : STATIC SEALING



MATERIAL :

CPU - Cast Polyurethane of approx shore 'A' hardness 92°.

MAX. OPERATING CONDITIONS :

Temp : -30°C to +100°C

Pressure : upto 600 BAR

COMPATIBILITY :

Mineral oils, bio oils, water soluble & water glycol fluids.

APPLICATION:

In some cases O - Rings are not suitable for flange sealing especially for SAE flanges, where pressure is high & O-Ring extrude / damage in such cases Spareage BB style polyurethane seal is used.

d	D	t	B	SAE-Flange Size
17.0	25.4	2.85	4.20	1/2"
23.4	31.8	2.85	4.20	3/4"
26.3	33.5	2.20	3.60	-
31.3	39.7	2.85	4.20	1"
36.1	44.5	2.85	4.20	1 1/4"
36.2	45.0	3.30	4.40	-
45.4	53.8	2.85	4.20	1 1/2"
55.0	63.4	2.85	4.20	2"

SPAREAGE SEALING MATERIALS

O-Ring & Quad - Ring[®] Seal Compound, (Elastomeric Materials)

Material	Abbr.	Operating Temperature	Properties	SpareAge Code	Hardness
Nitrile Rubber	NBR	- 30° C to +100° C	Resistant to Mineral Oil, Grease, Water, Hydrocarbon Fuels & Petroleum based oils. Mostly used for general sealing purpose. Good physical characteristics such as tear and abrasion resistance. Not resistant to automotive brake fluids.	NT 3/b NT 4/b NT 5/b NT 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°
Fluoro Rubber (Viton [®])	FPM	- 40° C to + 220° C	Resistant to high temperature and their chemical stability. Excellent resistance to Mineral Oil, and Hydrocarbon Fuels. Resistant to many chemicals except Ketones, Alcohols and Acids. Excellent resistance to ageing weathering.	VT 1/b VT 2/b VT 3/b VT 4/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°
Silicon Rubber	VMQ	- 70° C to + 200° C	Resistant to mineral oil and greases. Excellent resistance to weathering and retains flexibility to low and high temperatures. Poor strength and abrasion resistance.	SL 3/b SL 4/b SL 5/b SL 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°
Ethylene Propylene Diene Rubber	EPDM	- 40° C to + 120° C	Resistant to Non-Mineral, Automotive brake fluids and phosphate ester fluid and good resistance to temperature. Not resistant to Mineral Oils, Grease and Hydrocarbon fluids.	EP 3/b EP 4/b EP 5/b EP 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°

SPAREAGE SEALING MATERIALS

O-Ring & Quad - Ring[®] Seal Compound, (Elastomeric Materials)

Material	Abbr.	Operating Temperature	Properties	SpareAge Code	Hardness
Chloro-butadiene Rubber (Neoprene)	CR	- 20° C to +100° C	Excellent resistance to weathering ageing and to ozone attack. Moderate resistance to Mineral Oils and greases.	NP 3/b NP 4/b NP 5/b NP 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°
Polyurethane Rubber	PU	- 30° C to + 100° C	Excellent mechanical properties such as high tensile strength, abrasion resistance, tear strength and good flexibility. Resistance to Mineral Oils, greases. Not resistance to chlorinated hydrocarbons, brake fluids, acids and alkalis.	PU 5/b	92°
Polyacrylic Rubber	ACM	- 10° C to + 125° C	Excellent resistance to Mineral Oil, hypoid oils and greases upto 125° C. Resistant to ageing and flex cracking. Poor mechanical strength and water resistant.	PC 3/b PC 4/b PC 5/b PC 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°
Butyl Rubber	IIR	- 40° C to + 120° C	Excellent resistance to water, gas, permeation and vegetable oils. Not suitable for Mineral Oils and aromatic solvents.	BU 3/b BU 4/b BU 5/b BU 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°
Styrene Butadiene Rubber	SBR	- 50° C to + 100° C	Good resistance to inorganic and organic acids, alcohols, water and brake fluids based on glycol. Not resistant to Mineral oils, greases, petroleum and aromatic.	SB 3/b SB 4/b SB 5/b SB 6/b	60° / 65° 70° / 75° 80° / 85° 90° / 95°

INSTALLATION & MAINTENANCE

Tips to enhance the life of Seals:

- Do not store a seals on the shop floor.
- The seals should be stored properly in a cool area and at Relative Humidity of 40%-70%.
- Packing must be air tight and intact. Seal lip should not be distorted by handling or hanging on a peg or nail.
- Correct installation tools must be used.
- The sealing area should be clean and dust free of grit or contamination.
- The correct seal profile should be used as per the application.
- Ensure the operating temperature does not exceed the limit of the sealing material.
- Lubricant, including additives, must be compatible with the material of the seal (Check compatibility chart in the Spareage Technical Handbook or website www.spareage.com).
- The leading edge of the shaft should be chamfered.
- Tolerance for the shaft diameter must be within the range of the seal being used.
- Whenever possible, equipment should be vented to the atmosphere to prevent pressure build up.
- Worn-out seals must not be used/reused.

Installation Instructions:

The following points should be observed before installation of the seals:

- Check whether housing or rod has a lead-in-chamfer. If not use an installation sleeve.
- Debur and chamfer or round sharp edges. Cover the lips of any screw threads.
- Remove machining residues such as chips, dirt and other foreign particles and carefully clean all parts.
- The seals can be installed more easily if they are greased or oiled. Attention must be paid to the compatibility of the seal materials with these lubricants. Use only grease solid additives (e.g. Molybdenum disulphide or zinc sulphide).
- Do not use installation tools with sharp edges.

O RING HOOK



**Avoid Metal Part Damage
When Picking Seals & O-Ring**

Removing 'O' Ring from the seat with steel implements poses the real danger of damaging the 'O' Ring seat. With Spareages 'O' Ring Hooks the removal of 'O' Rings is simple and safe. The 'O' Ring hooks come in set of 4, with different profiles. The design of the hooks is such that it does not damage the seat. The handle provides firm grip.

SEAL ENGINEERING REQUEST

INTRODUCTION

COMPANY :
 ADDRESS :
 CITY : STATE : COUNTRY :
 CONTACT PERSON : DESIGNATION : PIN CODE :
 PHONE NO : FAX NO : E-MAIL :

NAME OF THE EQUIPMENT :- PRODUCT TYPE :-

SPAREAGE TYPE :- ☐ O-RING ☐ QUAD-RING[®] ☐ BACKUP-RING

APPLICATION :- ☐ OUTER SEALING ☐ INNER SEALING ☐ FACE SEALING

PRESSURE : MINIMUM OPERATING MAXIMUM TEMPERATURE : MINIMUM OPERATING MAXIMUM
 bar bar bar °C °C °C


EQUIPMENT CONDITION IN SEALING AREA : ☐ SMOOTH ☐ SCORED ☐ PITTED

LENGTH OF STROKE (For QUAD-RING[®]) :- SEALING AREA :

NOMINAL DIMENSIONS DETAILS (For O-Ring & Quad-Ring[®]) :-

(Refer Figure I, II & III)

OUTER SEALING :- D1 (CYL. BORE) d2 (GROOVE DIA) L (GROOVE WIDTH)
 INNER SEALING :- d1 (ROD DIA) D2 (HOUSING DIA) L (GROOVE WIDTH)
 FACE SEALING :- d1 D1 t (GROOVE DEPTH)



BACKUP RING REQD : ☐ YES ☐ NO

REQD. FOR :- ☐ FIG. I ☐ FIG. II

STYLE :- ☐ SINGLE B/U RING (EBU/BU) ☐ SPIRAL B/U RING (ESBU)

TYPE :- ☐ SPLIT ☐ ENDLESS

QTY.

NOTE : PL. USE PHOTOCOPIES TO SEND US YOUR APPLICATION DETAILS

NOTES