

Display replies in nested form

Settings ▾



Initial Post

by [Ali Alzahmi](#) - Wednesday, 6 August 2025, 8:58 PM

Modern computational problems have become highly decentralised, dynamic, and complex, thus making traditional monolithic and centralised systems obsolete. The ineffectiveness of this was what spawned Agent-Based Systems (ABS) as a way of addressing this shortcoming, or rather, fulfilling the demands of autonomous, contextually aware, socially capable software entities that can explore distributed environments, negotiate with peers, and learn through interactions (Gerges et al., 2021). In contrast with rule-based or procedural models, the agents are functional in autonomy, proactivity, reactivity, and social competence. These features also enable the agents to be agentic and act without being continuously supervised, and to reason in a world of uncertainty and change. Consequently, ABS can be used well to model systems with heterogeneous actors, conflicting objectives, and weak global depth, e.g., smart grids, financial markets, and disaster response coordination (Pulikottil et al., 2023).

The explosion in connectivity and processing power has also spurred this transition. Along with the advent of the Internet of Things (IoT), edge computing, and multi-agent simulations, the agents have become smart sensors in social-technical ecosystems. To mention a few, urban mobility agents can model individual vehicles optimising their routes dynamically in the context of current traffic in the city, thereby smoothly optimising the flow without involving any centralised control (Hayes & Grüter, 2023). The organisational advantages are not one-dimensional. ABS has the scalability of implementing agents on separate modules, resilience of having distributed decision-making, and offers adaptability due to the continuous learning and feedback (Yao et al., 2023). They allow bottom-up evolution of systems, local dynamics give rise to global phenomena, which facilitates more sensitive, responsive, and stable operation.

However, unlike fixed automation pipelines, agent-based computing provides organisations with a paradigm of intelligent autonomy so that systems become capable of operating with a level of foresight, negotiation, and environmental sensitivity that used to be lacking (Ocker et al., 2021). ABSs are not just devices; architecture changes toward more realistic and context-savvy computational ecologies.

References

Gerges, M., Demian, P., & Adamu, Z. (2021). Customising evacuation instructions for high-rise residential occupants to expedite fire egress: Results from agent-based simulation. *Fire*, 4(2), 21. Available at: <https://doi.org/10.3390/fire4020021> (Accessed: 4 August 2025).

Hayes, L., & Grüter, C. (2023). When should bees be flower constant? An agent-based model highlights the importance of social information and foraging conditions. *Journal of Animal Ecology*, 92(3), 580–593. Available at: <https://doi.org/10.1111/1365-2656.13861> (Accessed: 4 August 2025).

Ocker, F., Urban, C., Vogel-Heuser, B., & Diedrich, C. (2021). Leveraging the asset administration shell for agent-based production systems. *IFAC-PapersOnLine*, 54(1), 837–844. Available at: <https://doi.org/10.1016/j.ifacol.2021.08.186> (Accessed: 4 August 2025).

Pulikottil, T., Estrada-Jimenez, L. A., Ur Rehman, H., & others. (2023). Agent-based manufacturing — Review and expert evaluation. *International Journal of Advanced Manufacturing Technology*, 127, 2151–2180. Available at: <https://doi.org/10.1007/s00170-023-11517-8> (Accessed: 4 August 2025).

Yao, R., Hu, Y., & Varga, L. (2023). Applications of agent-based methods in multi-energy systems—A systematic literature review. *Energies*, 16(5), 2456. Available at: <https://doi.org/10.3390/en16052456> (Accessed: 4 August 2025).

Maximum rating: -

Permalink Reply



Peer Response

by [Fahad Abdallah](#) - Sunday, 10 August 2025, 12:18 PM

Your post provides an impressive and clearly stated summary of why agent-based systems (ABS) are becoming more popular as a replacement for traditional monolithic systems. I especially like how you began with a larger-scale problem and then showed a logical consideration of how ABS can overcome these issues. As you also point out, the agents' autonomy, pro-activeness, reactivity, and social competence make it clear why ABS differs profoundly from older and rule-based approaches (Shahbazi & Byun, 2022). With the examples you gave, like the smart grids, financial markets, and the need to coordinate a response to a disaster, it is easy to draw near connections between theory and practice.

Another strength was your description of the role of IoT, edge computing, and multi-agent simulations. It demonstrates that the ABS development is tightly associated with technological connectivity and computing power improvements. I enjoyed your example of urban mobility agents to optimise traffic flow without centralised coordination because it illustrates how decentralised systems can be effective yet flexible. The organisational advantages you outlined, scalability, resilience, and adaptability, were substantiated by a bottom-up evolutionary idea according to which minor agent-level modifications result in significant system outcomes (Xu et al., 2024).

As an extra precaution to strengthen your post, you might want to mention some of the difficulties with ABS adoption. Decentralization enhances adaptability, whilst it may bring complexities in coordination where conflicting goals or priorities exist among the agents. Criticising the necessity of good management, conflict mechanisms, and openness of decision-making by the agents may add more substance to your analysis. Also, a preliminary discussion of the possible integration between ABS and predictive analytics or digital twin technologies would make your conclusion look even more future-oriented (Ferreira et al., 2022). In general, your post is engaging and informative, framed in a manner that makes the importance of ABS clear to contemporary organisations operating in an environment that is becoming more complex.

References

Ferreira, W. D. P., Armellini, F., Santa-Eulalia, L. A. D., & Thomasset-Laperrière, V. (2022). Extending the lean value stream mapping to the context of Industry 4.0: An agent-based technology approach. *Journal of Manufacturing Systems*, 63, 1-14. Available at: <https://doi.org/10.1016/j.jmsy.2022.02.002> (Accessed: 08 August 2025).

Shahbazi, Z., & Byun, Y. (2022). Agent-Based Recommendation in E-Learning Environment Using Knowledge Discovery and Machine Learning Approaches. *Mathematics*, 10(7), 1192. Available at: <https://doi.org/10.3390/math10071192> (Accessed: 08 August 2025).

Xu, L., Mak, S., Minaricova, M., & Brintrup, A. (2024). On implementing autonomous supply chains: A multi-agent system approach. *Computers in Industry*, 161, 104120. <https://doi.org/10.1016/j.compind.2024.104120> (Accessed: 08 August 2025).

Permalink Show parent Reply





Peer Response

by [Ali Alhammadi](#) - Sunday, 10 August 2025, 6:52 PM

Your post gives a powerful and compelling description of why agent-based systems (ABS) are required in contemporary, decentralized, and dynamic computation. I particularly enjoyed how you started by comparing ABS and monolithic systems and justified autonomy, proactivity, reactivity, and social competence as qualifying traits. These attributes lie at the heart of how ABS can be successful in situations with heterogeneous actors, mixed goals, and uncontrollable events (McGarraghy et al., 2022). Urban mobility agents and disaster response coordination are the areas you cite as potential areas where ABS can play a meaningful role. Your linkages to IoT, edge computing, and multi-agent simulations are welcome, and it is interesting to see how the improvement of infrastructure and processing power has made ABS more effective and prompt. Your idea of a bottom-up evolution is particularly apt since it allows for the definition of the self-organizing character of such systems, and local interactions determine global patterns (Liang et al., 2022).

Another way you could make your post even stronger is by addressing the possible limitations. In particular, scalability and bottlenecks in communication problems may arise in large ABS deployments, particularly as many agents interact in real time (Pulikottil et al., 2023). Another issue is reconciling conflicts between autonomous agents with possibly conflicting goals. This would not undermine your case in any way; it would demonstrate your familiarity with the actual realities of ABS operations. Also, it could be interesting to learn how ABS will be combined with human control. Autonomy can be a benefit, but some critical areas, such as healthcare or financial regulation, demand that decisions made by an agent must be explainable and accountable (McGarraghy et al., 2022). Introducing such a human-in-the-loop aspect would show the slip in ABS in hybrid decision-making systems.

Your post is convincing, clear, and illustrated with good examples overall. More discussions of limitations, governance, and integration strategies may make it even more balanced and forward-looking to depict the role of ABS in organizational innovation.

References

- Liang, X., Luo, L., Hu, S., & Li, Y. (2022). Mapping the knowledge frontiers and evolution of decision making based on agent-based modeling. *Knowledge-Based Systems*, 250, 108982. Available at: <https://doi.org/10.1016/j.knsys.2022.108982> (Accessed: 9 August, 2025).
- McGarraghy, S., Olafsdottir, G., Kazakov, R., Huber, É., Loveluck, W., Gudbrandsdottir, I. Y., Čechura, L., Esposito, G., Samoggia, A., Aubert, P., Barling, D., Đurić, I., Jaghdani, T. J., Thakur, M., Saviolidis, N. M., & Bogason, S. G. (2022). Conceptual System Dynamics and Agent-Based Modelling Simulation of Interorganisational Fairness in Food Value Chains: Research Agenda and Case Studies. *Agriculture*, 12(2), 280. Available at: <https://doi.org/10.3390/agriculture12020280> (Accessed: 9 August, 2025).
- Pulikottil, T., Estrada-Jimenez, L. A., Ur Rehman, H., Mo, F., Nikghadam-Hojjati, S., & Barata, J. (2023). Agent-based manufacturing—review and expert evaluation. *The International Journal of Advanced Manufacturing Technology*, 127(5), 2151-2180. Available at: <https://doi.org/10.1007/s00170-023-1151> (Accessed: 9 August, 2025).

[Permalink](#) [Show parent](#) [Reply](#)



Peer Response

by [Koulthoum Hassan Ahmad Flamerzi](#) - Wednesday, 13 August 2025, 5:43 AM

Ali, I appreciate your post on agent-based systems (ABS) as it highlights their agility and sophistication, particularly on the Internet of Things (IoT) or in disaster response scenarios with a dynamic, decentralised nature. To mitigate risks, I would like to propose a few preventative steps in the context of your post.

To begin with, extensive simulation exercises should be conducted prior to real world deployment. These systems are designed to operate on their own in ABS. Given the nature of ABS, stress tests as well as "what-if" scenario simulations should be done to identify any coordination breakdowns or suboptimal negotiation patterns among the agents.

In addition, adaptive but limited decision rules should be set in order to avoid undesirable or unsafe outcomes when agents encounter unfamiliar scenarios. This is very important in critical and sensitive domains like energy grids or financial markets as actions taken in these sectors can trigger cascading consequences.

Moreover, communication remains a critical component. Secure communication channels are a must. Given that ABS commonly communicate critical information through distributed networks, there is a need for protection against malicious alterations or impersonating agents through the use of encryption, authentication, and intrusion detection systems.

In addition, technology capable of real-time surveillance or continuous monitoring integrated with performance auditing can identify subtle signs of drifting from the established model or unresponsiveness. This can be greatly improved through the addition of alerting systems that automatically warn human operators for intervention when abnormalities are detected.

Governance and compliance are equally critical. The technology should be capable of building in compliance frameworks to legally and ethically bound the agents to operate within set parameters but still allow for local flexibility to adapt.

Integrating all the measures you mentioned alongside the flexibility you described would ensure ABS continues to be both creative and dependable in practice.

References

- Gerges, M., Demian, P. and Adamu, Z. (2021) 'Customising evacuation instructions for high-rise residential occupants to expedite fire egress: Results from agent-based simulation', *Fire*, 4(2), 21. Available at: <https://doi.org/10.3390/fire4020021> (Accessed: 13 August 2025).
- Hayes, L. and Grüter, C. (2023) 'When should bees be flower constant? An agent-based model highlights the importance of social information and foraging conditions', *Journal of Animal Ecology*, 92(3), pp. 580–593. Available at: <https://doi.org/10.1111/1365-2656.13861> (Accessed: 13 August 2025).
- Ocker, F., Urban, C., Vogel-Heuser, B. and Diedrich, C. (2021) 'Leveraging the asset administration shell for agent-based production systems', *IFAC-PapersOnLine*, 54(1), pp. 837–844. Available at: <https://doi.org/10.1016/j.ifacol.2021.08.186> (Accessed: 13 August 2025).
- Pulikottil, T., Estrada-Jimenez, L.A., Ur Rehman, H. and others (2023) 'Agent-based manufacturing — Review and expert evaluation', *International Journal of Advanced Manufacturing Technology*, 127, pp. 2151–2180. Available at: <https://doi.org/10.1007/s00170-023-11517-8> (Accessed: 13 August 2025).
- Yao, R., Hu, Y. and Varga, L. (2023) 'Applications of agent-based methods in multi-energy systems—A systematic literature review', *Energies*, 16(5), 2456. Available at: <https://doi.org/10.3390/en16052456> (Accessed: 13 August 2025).

[Permalink](#) [Show parent](#) [Reply](#)

◀ Initial Post

Summary Post ▶



[Site Accessibility Statement](#)
[Privacy Policy](#)

© 2025 University of Essex Online. All rights reserved.



Chat to us!