

Initial Post

◀ Initial Post

Summary Post ▶

Display replies in nested form

Settings ▾



Initial Post

by [Ali Alzahmi](#) - Sunday, 22 June 2025, 9:03 AM

In the article Robo-writers: The rise and risks of language-generating AI, Hutson (2021) addresses GPT-3, a language model developed by OpenAI, that generates human-like text in various forms. It is different because of its size and eloquence compared to previous tools. But the article emphasises that GPT-3 does not have the understanding. It produces text not based on meaning but on statistical regularities, creating a risk factor when applied to a practical situation. This ignorance of the real thing is fatal in delicate zones of healthcare. Omiye et al. (2024) discuss that using large language models in medicine could improve documentation and diagnosis. Still, unless they are cautioned, they could also spread misinformation or provide risky recommendations. Hutson (2021) gives an example of GPT-3 recommending self-harm, as a result of pattern generation with no consideration of morals.

Another problem of concern is bias. GPT-3 model trained on publicly available internet data developed a behavior that supports racial and gender stereotypes. Abburi et al. (2023) indicate that LLM classification methods used in an ensemble can assist in identifying harmful content, though they suggest that bias mitigation must be systematic and continuous. Lingard (2023) inquires into the influence of ChatGPT on academic writing, also cautioning that the profound utilisation can undermine the quality of critical thinking and creativity. This echoes that AI-based tools can redefine writing education, as stated by Anson and Straume (2022), who point out the ethical and pedagogical issues when the creative process is replaced with computer automation.

What complicates this concept is the concept of “prompt programming”: the AI’s output differs significantly when input is phrased in specific ways. This chance side of unpredictability, strong as it is, presents threats to abuse and inconsistency. Altogether, Hutson introduces GPT-3 as a technological breakthrough with high moral impacts. The future language development of AI-generated language tools must combine innovation, accountability, user education, and consistent regulation to guard against damage and develop trust.

References

Abburi, H., Suesserman, M., Pudota, N., Veeramani, B., Bowen, E., & Bhattacharya, S. (2023). *Generative AI Text Classification using Ensemble LLM Approaches*. ArXiv. Available at: <https://arxiv.org/abs/2309.07755> (Accessed: 21 June 2025).

Anson, C. M., & Straume, I. (2022). *Amazement and Trepidation: Implications of AI-Based Natural Language Production for Teaching Writing*. *Journal of Academic Writing*, 12(1), 1–9. Available at: <https://doi.org/10.18552/joaw.v12i1.820> (Accessed: 21 June 2025).

Hutson, M. (2021). *Robo-writers: The rise and risks of language-generating AI*. *Nature*. Available at: <https://doi.org/10.1038/d41586-021-00530-0> (Accessed: 21 June 2025).

Lingard, L. (2023). *Writing with ChatGPT: An Illustration of Its Capacity, Limitations & Implications for Academic Writers*. *Perspectives on Medical Education*, 12(1), 261. Available at: <https://doi.org/10.5334/pme.1072> (Accessed: 22 June 2025).

Omiye, J. A., Gui, H., Rezaei, S. J., Zou, J., & Daneshjou, R. (2024). *Large Language Models in Medicine: The Potentials and Pitfalls: A Narrative Review*. *Annals of Internal Medicine*, 177(2). Available at: <https://doi.org/10.7326/M23-2772> (Accessed: 22 June 2025).

Maximum rating: -

[Permalink](#) [Reply](#)



Peer Response

by [Ali Yousef Ebrahim Mohammed Alshehhi](#) - Monday, 30 June 2025, 6:51 PM

Your post, Ali, is a thus articulated and in-depth analysis of the ethical, social, and practical issues of large lar as GPT-3. I appreciate that you use numerous sources as evidence as well as Hutson (2021) and Omiye et combined, contribute to the dependency presented blind alleys to the use of deep learning in such a sensitive industry as



~h

[Chat to us!](#)

healthcare. The case you mentioned self-harm suggested by GPT-3 is an eloquent example of the real stakes at hand. I find it especially important that you bring up the issue of algorithmic bias. That GPT-3 internalises and reinforces biases in society as it has been trained on internet data falls in line with Sarker (2022) since they emphasise the importance of bias reduction measures on a continuous basis. Again, I could have used more information about how such mitigations can be achieved, either through dataset curation, through post processing or through regulation. The effect of the opinion of Anson and Straume (2022) and Lingard (2023) will complement your argument about the pedagogical dangers of AI, particularly in teaching and learning writing. You adequately draw attention to the fact that the AI is capable of sapping the critical thinking and impoverishing the creative process. Even the understanding of the nature of "prompt programming" and the randomness of the program makes an impelling addition to the discussion, thus indicating that minute differences in the input provided by the user may extensively differ, and as a consequence, be rather inconsistent (Hadi et al., 2023). The one option would be to consider the role of digital literacy in reducing these risks. Can AI literacy in school curriculum prepare students and professionals to use them responsibly? (Gašević et al., 2023) On the whole, your conclusion provides a sober but optimistic roadmap, the one in the centre of which are the aspects of innovation, accountability, and user education. It is an overdue discussion, as we are moving through the minefield between the knowledge produced by human beings and machines.

References

- Ferrara, E. (2023) 'Should chatgpt be biased? Challenges and risks of bias in large language models', *arXiv preprint*. Available at: <https://doi.org/10.48550/arXiv.2304.03738> (Accessed: 30 June 2025).
- Gašević, D., Siemens, G. and Sadiq, S. (2023) 'Empowering learners for the age of artificial intelligence', *Computers and Education: Artificial Intelligence*, 4, p. 100130. Available at: <https://doi.org/10.1016/j.caeai.2023.100130> (Accessed: 30 June 2025).
- Hadi, M.U., Qureshi, R., Shah, A., Irfan, M., Zafar, A., Shaikh, M.B., Akhtar, N., Wu, J. and Mirjalili, S. (2023) 'Large language models: a comprehensive survey of its applications, challenges, limitations, and future prospects', *Authorea Preprints*, 1, pp. 1–26. Available at: https://www.researchgate.net/publication/372258530_Large_Language_Models_A_Comprehensive_Survey_of_its_Applications_Challenges_Limitations_and_Future_Prospects (Accessed: 30 June 2025).
- Sarker, I.H. (2022) 'AI-based modeling: techniques, applications and research issues towards automation, intelligent and smart systems', *SN Computer Science*, 3(2), p. 158. Available at: <https://link.springer.com/article/10.1007/s42979-022-01043-x> (Accessed: 30 June 2025).

[Permalink](#)

[Show parent](#)

[Reply](#)



Peer Response

by [Fahad Abdallah](#) - Monday, 30 June 2025, 7:06 PM

The post by Ali sheds light on the relevant philosophical and pedagogical issues associated with the integration of GPT-3, particularly, in the context of health care and literature writing. Emphasis on the erroneous moral judgment of GPT-3 and its probable ability to broadcast misinformation is backed by present-day literature. Nevertheless, the other dimension that is worth investigating is the infrastructure and governance issue related to such tools. Jagatheesaperumal et al. (2021) observe that the emergence of AI and big data in industrial and public areas, such as education and healthcare, usually goes far ahead of regulating. This leads to such tools as GPT-3 being released without proper safeguards and ethical boundaries, thereby raising the risk of being abused. An example is that in an absence of mechanisms of monitoring, the model can remain racially or gender biased during its subsequent outputs. The other key to note is the psychological intensity between the user and the technology brought about by the use of AI tools. Alqahtani et al. (2023) also address the issue of large language models in the higher education sector and emphasize that such tools are effective, but they need a variety of restrictions to prevent adverse usage. This is similar to the drooling about academic writing as diluted by too-much-rely-on-AI, which Ali posted. It also supports the necessity of specific training to give students AI literacy to separate support and substitution. Furthermore, Sarker (2022) also emphasizes increasing role of AI on changing decision-making and behaviour within smart systems. Although LLMs are not sentient yet, their output may sound authoritative. This is one of the reasons why the users tend to regard them as neutral professionals as opposed to tools. This misdirected confidence, especially in the medical or the legal field can be disastrous. The need by Ali to ensure innovation with regulation is important. Next time it would be useful to include proposals to audit datasets, enforce transparency into models or add model bias detection to real-time applications.

References

[Chat to us!](#)

Alqahtani, T., Badreldin, H.A., Alrashed, M., Alshaya, A.I., Alghamdi, S.S., Bin Saleh, K., Alowais, S.A., Alshaya, O.A., Rahman, I., Al Yami, M.S. and Albekairy, A.M. (2023) 'The emergent role of artificial intelligence, natural language processing, and large language models in higher education and research', *Research in Social and Administrative Pharmacy*, 19(8), pp. 1236–1242. Available at: <https://doi.org/10.1016/j.sapharm.2023.04.004> (Accessed: 30 June 2025).

Jagatheesaperumal, S.K., Rahouti, M., Ahmad, K., Al-Fuqaha, A. and Guizani, M. (2021) 'The duo of artificial intelligence and big data for industry 4.0: Applications, techniques, challenges, and future research directions', *IEEE Internet of Things Journal*, 9(15), pp. 12861–12885. Available at: <https://ieeexplore.ieee.org/document/9667102> (Accessed: 30 June 2025).

Sarker, I.H. (2022) 'AI-based modeling: techniques, applications and research issues towards automation, intelligent and smart systems', *SN Computer Science*, 3(2), p. 158. Available at: <https://link.springer.com/article/10.1007/s42979-022-01043-x> (Accessed: 30 June 2025).

[Permalink](#)

[Show parent](#)

[Reply](#)



Peer Response

by [Ana-Maria Stoica](#) - Tuesday, 1 July 2025, 8:31 PM

Hi Ali,

Overall, your post demonstrates a strong sense of composition. The transitions between paragraphs are well managed and do not disrupt the flow of your text. You present your ideas well and maintain coherence throughout the piece, making your points clearly and while the arguments are concise, they are well rounded.

That said, there are a few points that could benefit from further attention. For instance, stating that GPT-3's input in sensitive areas of healthcare is fatal appears to be an overstatement, as this claim is not supported by current research. While I agree that the implications of using such models in medical settings pose significant risks, there is little evidence to suggest that GPT-3 has caused fatal outcomes. As Su et al. (2025) point out in their article on using LLMs in medical diagnostics, there are serious concerns due to bias, coupled with ethical and regulatory challenges. However, a study by Levine et al. (2024) found that out of 48 cases, GPT-3 had 88% diagnostic accuracy, compared to 96% accuracy for physicians. Given these findings, it may be more appropriate to focus on risk management and controlled deployment, rather than presenting the outcomes as definitively harmful.

I particularly appreciated your closing statements. They were comprehensive, and your points were factually strong. Your claim that GPT-3, like any other tool, carries inherent risks and should be regulated is supported by current research and discussions on policy. This aligns with recent developments such as the EU AI Act, which aims to provide a framework for safe and responsible AI implementation (European Parliament, 2021).

References

European Parliament (2021) 'The EU Artificial Intelligence Act', European Parliamentary Research Service. Available at: [https://www.europarl.europa.eu/thinktank/en/document/EPRS_BRI\(2021\)698792](https://www.europarl.europa.eu/thinktank/en/document/EPRS_BRI(2021)698792) (Accessed: 1 July 2025).

Levine, D.M., Tuwani, R., Kompa, B., Varma, A., Finlayson, S.G., Mehrotra, A. and Beam, A. (2024) 'The diagnostic and triage accuracy of the GPT-3 artificial intelligence model: an observational study', *The Lancet Digital Health* 6(8), pp. e555–e561. Available at: [https://doi.org/10.1016/s2589-7500\(24\)00097-9](https://doi.org/10.1016/s2589-7500(24)00097-9) (Accessed: 1 July 2025).

Su, H., Sun, Y., Li, R., Zhang, A., Yang, Y., Xiao, F., Duan, Z., Chen, J., Hu, Q., Yang, T., Xu, B., Zhang, Q., Zhao, J., Li, Y. and Li, H. (2025) 'Large Language Models in Medical Diagnostics: Scoping Review With Bibliometric Analysis', *Journal of Medical Internet Research* 27, p. e72062. Available at: <https://doi.org/10.2196/72062> (Accessed: 1 July 2025).

[Permalink](#)

[Show parent](#)

[Reply](#)

◀ Initial Post

Summary Post ▶



