Python For Data Science Cheat Sheet

NumPy Basics

Learn Python for Data Science Interactively at www.DataCamp.com




NumPy

The **NumPy** library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention: >>> import numpy as np



NumPy Arrays



Creating Arrays

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]],
dtype = float)
```

Initial Placeholders

>>> np.zeros((3,4)) >>> np.ones((2,3,4),dtype=np.int16) >>> d = np.arange(10,25,5)	Create an array of zeros Create an array of ones Create an array of evenly
>>> np.linspace(0,2,9)	spaced values (step value) Create an array of evenly spaced values (number of samples)
>>> e = np.full((2,2),7) >>> f = np.eye(2) >>> np.random.random((2,2))	Create a constant array Create a 2X2 identity matrix Create an array with random values
>>> np.empty((3,2))	Create an empty array

1/0

Saving & Loading On Disk

```
>>> np.save('my_array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my_array.npy')
```

Saving & Loading Text Files

>>>	np.loadtxt("myfile.txt")
>>>	np.genfromtxt("my file.csv", delimiter=',')
>>>	np.savetxt("mvarrav.txt", a, delimiter=" ")

Data Types

	The same of the sa
>>> np.int64	Signed 64-bit integer types
>>> np.float32	Standard double-precision floating point
>>> np.complex	Complex numbers represented by 128 floats
>>> np.bool	Boolean type storing TRUE and FALSE values
>>> np.object	Python object type
>>> np.string_	Fixed-length string type
>>> np.unicode_	Fixed-length unicode type

Inspecting Your Array

>>> a.shape	Array dimensions
>>> len(a)	Length of array
>>> b.ndim	Number of array dimensions
>>> e.size	Number of array elements
>>> b.dtype	Data type of array elements
>>> b.dtype.nam	e Name of data type
>>> b.astype(ir	t) Convert an array to a different type

Asking For Help

>>> np.info(np.ndarray.dtype)

Array Mathematics

Arithmetic Operations

>>> g = a - b array([[-0.5, 0. , 0.],	Subtraction
[-3., -3., -3.]])	
>>> np.subtract(a,b)	Subtraction
>>> b + a array([[2.5, 4. , 6.],	Addition
[5., 7., 9.]])	
>>> np.add(b,a)	Addition
>>> a / b	Division
array([[0.66666667, 1. , 1.], [0.25 , 0.4 , 0.5]])	
>>> np.divide(a,b)	Division
>>> a * b	Multiplication
array([[1.5, 4., 9.], [4., 10., 18.]])	
>>> np.multiply(a,b)	Multiplication
>>> np.exp(b)	Exponentiation
>>> np.sqrt(b)	Square root
>>> np.sin(a)	Print sines of an array
>>> np.cos(b)	Element-wise cosine
>>> np.log(a)	Element-wise natural logarithm
>>> e.dot(f) array([[7., 7.],	Dot product
[7., 7.]])	

Comparison

>>> a == b array([[False, True, True],	Element-wise comparison
<pre>[False, False, False]], dtype=bool) >>> a < 2 array([True, False, False], dtype=bool)</pre>	Element-wise comparison
4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Array-wise comparison

Aggregate Functions

>>> a.sum()	Array-wise sum
>>> a.min()	Array-wise minimum value
>>> b.max(axis=0)	Maximum value of an array row
>>> b.cumsum(axis=1)	Cumulative sum of the elements
>>> a.mean()	Mean
>>> b.median()	Median
>>> a.corrcoef()	Correlation coefficient
>>> np.std(b)	Standard deviation

Copying Arrays

>>> h = a.view()	Create a view of the array with the same data
>>> np.copy(a)	Create a copy of the array
>>> h = a.copy()	Create a deep copy of the array

Sorting Arrays

>>> a.sort()	Sort an array
>>> c.sort(axis=0)	Sort the elements of an array's axis

Subsetting, Slicing, Indexing

Subsetting

>>> a[2]

>>> b[1,2]

>>> a[0:2]

>>> b[:1]

array([1, 2])

array([2., 5.])

array([[1.5, 2., 3.]])

array([[[3., 2., 1.], [4., 5., 6.]]])

>>> b[0:2,1]

>>> c[1,...]

>>> a[: :-1]

>>> a[a<2]

array([1])

Fancy Indexing

array([3, 2, 1])

Boolean Indexing

6.0 Slicina

```
Select the element at the 2nd index

Select the element at row 0 column 2
```

Also see Lists

(equivalent to b[1] [2])

Select items at index 0 and 1

Select items at rows 0 and 1 in column 1

4 5 6

1.5 2 3
4 5 6

Select all items at row 0
(equivalent to b[0:1, :])

Same as [1, ...]

Reversed array a

1 2 3

Select elements from a less than 2

Select elements (1,0), (0,1), (1,2) and (0,0)

Select a subset of the matrix's rows and columns

Array Manipulation

>>> b[[1, 0, 1, 0], [0, 1, 2, 0]]

>>> b[[1, 0, 1, 0]][:,[0,1,2,0]]

array([[4.,5.,6.,4.],
 [1.5,2.,3.,1.5],
 [4.,5.,6.,4.],
 [1.5,2.,3.,1.5])

array([4. , 2. , 6. , 1.5])

Transposing Array >>> i = np.transpose(b) >>> i.T

Changing Array Shape >>> b.ravel()

>>> g.reshape(3,-2)

Adding/Removing Elements

>>> h.resize((2,6))
>>> np.append(h,g)
>>> np.insert(a, 1, 5)
>>> np.delete(a,[1])

Combining Arrays

>>> np.concatenate((a,d),axis=0)
 array([1, 2, 3, 10, 15, 20])
>>> np.vstack((a,b))
 array([[1, 2., 3.],
 [1.5, 2., 3.],
 [4., 5., 6.]])
>>> np.r_[e,f]
>>> np.hstack((e,f))
 array([[7., 7., 1., 0.],
 [7., 7., 0., 1.]])
>>> np.column_stack((a,d))
 array([[1, 10],
 [2, 15],
 [3, 20]])
>>> np.c [a,d]

Splitting Arrays

Permute array dimensions Permute array dimensions

Flatten the array Reshape, but don't change data

Return a new array with shape (2,6) Append items to an array Insert items in an array

Concatenate arrays

Delete items from an array

Stack arrays vertically (row-wise)

Stack arrays vertically (row-wise) Stack arrays horizontally (column-wise)

Create stacked column-wise arrays

Create stacked column-wise arrays

Split the array horizontally at the 3rd

Split the array vertically at the 2nd index

