# MetaboKit

September 13, 2019


#### 1 Installation

Executables for all three major platforms (OS X, Windows, linux) are included.

#### 2 Raw Data Conversion into mzML

The input files need to be in mzML format for MetaboKit. MSConvert, provided through the ProteoWizard software suite, enables conversion of proprietary raw data files (.wiff for SCIEX, .raw files for Thermo Fisher instruments) into mzML.

- 1. Download and install a recent version ProteoWizard on a Windows computer.
- 2. Start the software by opening the Start Menu, type "MSConvert" in the search field and click on "MSConvert".
- 3. In the MSConvert window, use the "Browse" button to select the raw files to be converted (the .wiff and .wiff.scan files need to be located in the same folder). Select "mzML" for "Output format", "64-bit" for "Binary encoding precision", check "Write index" and "Use zlib compression" checkbox. "Peak Picking" filter should be added (see figure below).



# 3 Input Parameters

Input parameters must be specified according to the user's preference for various aspects of the data processing. Input parameters are to be specified in the "param.txt" file.

MetaboKit requires that the user provide the following options for data processing:

- mzML\_files: Names of the centroided mzML files. Use "\*.mzML" to select all mzML files in the folder.
- num\_threads: Number of threads to use
- min\_highest\_I: Only features higher than this threshold will be considered. Recommended value is 100-10000. For mzML from AB SCIEX MS Data Converter recommended value is 1-100. Start with a larger value, and reduce accordingly if desired. A value too small will increase runtime.
- length\_of\_ion\_chromatogram: range of ion chromatogram of feature in seconds
- MS2\_score: Minimum dot product score for match between library spectra and experimental spectra

- ms1\_ppm: MS1 ppm tolerance (e.g. 15)
- ms2\_ppm: MS2 ppm tolerance (e.g. 30)
- library: External libraries to be used for analysis
- ISF\_rt\_diff: Retention time difference between parent and fragment
- min\_peaks(DDA only): Minimum number of matching peaks between library spectra and experimental spectra
- ISF\_score(DDA only): Minimum dot product score for match between parent spectra and fragment spectra
- adduct(DDA only): Adducts to be considered for identification in the data
- pfcor(DIA only): precursor-fragment ion chromatogram correlation threshold
- rt\_diff(DIA only): Retention time difference between library entry and feature in the DIA sample
- topNfrag(DIA only): Number of high intensity fragments in library entry to score against DIA sample
- ms2\_auc\_w/o\_feature(DIA only): Fragment-level quantitation if MS1 feature not detected
- window\_setting(DIA only): DIA MS/MS window setting

# 4 Analysis Output Table

- quant\_... All.txt A table of MS1-based or MS2-based quantification.
- ann\_...All.txt(DDA only) This file contains the information of compounds identified and corresponding spectra. This file will be used as rt-annotated library in SWATH DIA extraction
- una....mzML.txt(DDA only) This gives information of non-matched spectra

### 5 Example

The example datasets are located in the "example" folder.

#### 5.1 Library generation from DDA and DDA quantitation

The data folder with all DDA mzML files and param.txt file.

```
C:\Users\ephteog\Downloads\standards_example>dir
Volume in drive C is WINDOWS
Volume Serial Number is 805C-0F96
Directory of C:\Users\ephteog\Downloads\standards_example
29/08/2019 12:51 PM
                       <DIR>
29/08/2019 12:51 PM
                       <DIR>
31/07/2019 12:51 PM
                                  886 param.txt
                          126,755,018 SWATH-POS-MODE-PathwayMetabolites_PosIDA-1.wiff.mzML
05/07/2019 03:12 PM
05/07/2019 03:12 PM
                       127,658,748 SWATH-POS-MODE-PathwayMetabolites_PosIDA-2.wiff.mzML
                         128,593,806 SWATH-POS-MODE-PathwayMetabolites_PosIDA-3.wiff.mzML
05/07/2019 03:13 PM
              4 File(s)
                          383,008,458 bytes
              2 Dir(s) 1,264,493,162,496 bytes free
C:\Users\ephteog\Downloads\standards_example>
```

First, run the feature detection executable.

```
C:\Users\ephteog\Downloads\standards_example>..\metabokit_dda\DDAfeature.exe_
```

Next, MS/MS spectra scoring.

```
C:\Users\ephteog\Downloads\standards_example>..\metabokit_dda\DDAscore.exe
```

Next, features and annotations are aligned between samples.

```
C:\Users\ephteog\Downloads\standards_example>..\metabokit_dda\DDAalign.exe
```

#### 5.2 DIA

The data folder should contain all DIA mzML files and param.txt file, in addition copy "ann...All.txt" from DDA output to this folder.

First, run the feature detection executable.

```
C:\Users\ephteog\Downloads\calibration_example>..\metabokit_dia\DIAfeature.exe_
```

Next, MS/MS spectra scoring.

```
C:\Users\ephteog\Downloads\calibration_example>..\metabokit_dia\DIAscore.exe
```

Next, features and annotations are aligned between samples.

```
C:\Users\ephteog\Downloads\calibration_example>..\metabokit_dia\DIAalign.exe_
```

# 6 Example "param.txt"

```
mzML_files
*.mzML
num_threads
min_highest_I
min_auc
peak_width
5 50
library
metabokit
{\tt ms1\_ppm}
15
ms2\_ppm
30
{\tt ISF\_rt\_diff}
1
rt_diff
10
topNfrag
6
MS2_score
0.5
pfcor
0.5
ms2_auc_w/o_feature
```

```
window_setting
40 70
69 100
99 130
129 160
159 190
189 220
219 250
249 280
279 310
309 340
339 370
369 400
399 430
429 460
459 490
489 520
519 550
549 580
579 610
609 640
639 670
669 700
699 730
729 760
759 790
789 820
819 850
849 880
879 910
909 940
939 970
969 1000
```

# 7 Copyrights

Copyright (C) <2019> Guoshou Teo < guoshou@u.nus.edu > and Hyungwon Choi < hyung\_won\_choi@nuhs>, National University of Singapore.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <a href="http://www.gnu.org/licenses/">http://www.gnu.org/licenses/</a>>.