# Concordia University Department of Computer Science and Software Engineering

SOEN 331 Section S: Formal Methods for Software Engineering Assignment 4

> Mohammad Ali Zahir - 40077619 Marwa Khalid - 40155098 November 23, 2022

Date of Submission: December 2, 2022

## Contents

### 1 Our assignment

1. (10 pts) Find a logically equivalent formula for  $\phi$  W  $\psi$  and provide a short reasoning to support your answer. Represent this equivalence between the two expressions with the appropriate logical connective, and support your reasoning.

#### Solution:

The logically equivalent formula for this would be:

$$(\phi \mathbf{W} \psi) \equiv (\phi \mathbf{U} \psi) \vee \Box(\psi)$$

These are equivalent, because the principle of the strong until operator **U**. Since the  $\psi$  is never guaranteed to be true, we would need to add an extra or statement because if the statement  $\psi$  becomes true it would mean that  $\phi$  can't be true. This means that  $\phi$  would be true until a certain condition ( $\psi$  is true) is met.

2. (10 pts) Find a logically equivalent formula for  $\phi$  U  $\psi$ , and provide a short reasoning to support your answer. Represent this equivalence between the two expressions with the appropriate logical connective, and support your reasoning.

#### Solution:

The logically equivalent formula for this would be:

$$(\phi \mathbf{U} \psi) \equiv (\phi \mathbf{W} \psi) \wedge \Diamond(\psi)$$

These are equivalent, because the principle of the strong until operator U. We know that this  $\psi$  will eventually become true. We then now that we can use the weak until clause with an eventually operator, because the only way that  $\phi$  is not true is when the  $\psi$  is not true. We add the and operator, because we want to insure that we actually get  $\psi$  as being true, because this may never happen.

3. (10 pts) Find a logically equivalent formula for  $\phi R \psi$  in terms of W, and provide a short reasoning to support your answer. Represent this equivalence between the two expressions with the appropriate logical connective, and support your reasoning.

#### Solution:

This paragraph refers to Questions 4 - 5: Consider a railroad with a single rail and a road level-crossing. We introduce the following propositions that represent events:

a: A train is approaching.

b: The barrier is down

c: A train is crossing

l: A light is blinking

- 4. (15 pts) Express each of the following requirements formally. For each one, proceed to find a logically equivalent formula that captures the safety property of the system (i.e. in terms of "something bad never happens"):
  - (a) (5 pts) When a train is crossing, the barrier must be down.

Solution:

 $\Box(c \to \Box b)$ 

(b) (5 pts) If a train is approaching or crossing, then the light must be blinking.

Solution:

 $\Box(a \lor c \to \Box l)$ 

(c) (5 pts) If the barrier is up and the light is off, then no train is coming or crossing. Solution:

$$\Box(\neg\;(b\land l)\to\neg\;\Box(a\lor c))$$

- 5. (10 pts) Express each of the following requirements formally in terms of the liveness property (i.e. in terms of "something good eventually happens"):
  - (a) (5 pts) When a train is approaching, it will eventually cross..

Solution:

$$\Box(\mathbf{a} \to \Diamond c)$$

(b) (5 pts) When a train is approaching and no train is crossing, then the barrier will eventually go down before the train crosses.

#### Solution:

$$\Box((a \land \neg c) \to \Diamond(\neg b \mathbf{U} c))$$

6. (45 pts) The behavior of a program is expressed by the following temporal formula:

$$\begin{bmatrix} \mathbf{start} \to (\phi \oplus \psi) \\ \mathbf{start} \to \tau \\ \phi \to \bigcirc (\psi \ \mathcal{U} \ \chi) \\ \psi \land \tau \to \bigcirc (\psi \ \mathcal{W} \ \chi) \\ \tau \land \bigcirc \psi \to \bigcirc \omega \\ \\ \psi \land \omega \to \bigcirc^2 \chi \\ \omega \land \bigcirc^2 \chi \to \bigcirc^2 \sigma \\ \psi \land \bigcirc \sigma \to \bigcirc^2 \pi \\ \psi \land \tau \to \sigma \ \mathcal{R} \ \pi \\ \phi \land \bigcirc \psi \to \bigcirc^2 \chi \end{bmatrix}$$

- (a) (20 pts) Visualize all models of behavior.

  Solution:
- (b) (10 pts) Is the set of requirements satisfiable in all models of behavior? Explain why or why not.

#### Solution:

(c) (10 pts) In the case where the set of requirements is not satisfiable, what modification(s) to the requirements would you make (you may temporarily assume the role of a stakeholder) in order to achieve satisfiability.
Solution:

(d) (5 pts) Having resolved any possible conflicts in requirements, specify conditions (models of behavior), if any exist, under which the program can terminate. If none exist, please indicate so.

Solution: