


```
BUDAPEST+Aliaksandr_Belavus@EPLTVILW00C4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git remote -v
origin git@github.com:AliaksandrBelavus/I-CAN-WIN.git (fetch)
origin git@github.com:AliaksandrBelavus/I-CAN-WIN.git (push)
BUDAPEST+Aliaksandr_Belavus@EPLTVILWOOC4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git remote set-url --push origin git@github.com:AliaksandrBelavus/HARDCORE.git
BUDAPEST+Aliaksandr_Belavus@EPLTVILW00C4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git remote -v
origin git@github.com:AliaksandrBelavus/I-CAN-WIN.git (fetch)
origin git@github.com:AliaksandrBelavus/HARDCORE.git (push)
BUDAPEST+Aliaksandr_Belavus@EPLTVILWOOC4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git push -f
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 8 threads
Compressing objects: 100% (23/23), done.
Writing objects: 100% (27/27), 3.31 KiB | 677.00 KiB/s, done.
Total 27 (delta 5), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (5/5), done.
To github.com:AliaksandrBelavus/HARDCORE.git
* [new branch]
                    master -> master
BUDAPEST+Aliaksandr_Belavus@EPLTVILWOOC4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git remote remove origin
BUDAPEST+Aliaksandr_Belavus@EPLTVILWOOC4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git remote add origin git@github.com:AliaksandrBelavus/I-CAN-WIN.git
BUDAPEST+Aliaksandr_Belavus@EPLTVILWOOC4 MINGW64 /c/Projects/I-CAN-WIN (master)
$ git remote -v
```

git@github.com:AliaksandrBelavus/I-CAN-WIN.git (fetch)

git@github.com:AliaksandrBelavus/I-CAN-WIN.git (push)


origin origin



Ů +. ♣.

Search or jump to...

Pull requests Issues Marketplace Explore



Ů +. ♣.

Search or jump to...

Pull requests Issues Marketplace Explore