

DETALJ TOČKICE KODA M10:1




TABELA: 16049A - 9 TOČAKA - KOD NA PETI

CAVITY No.	1	2	3	4	5	6	7	8	9	10	11	12	13
1	0	0	0	0	0	0			0			0	0
2	0	0	0	0	0		0		0			0	0
3	0	0	0	0	0		0			0		0	0
4	0	0	0	0	0			0	0			0	0
5	0	0	0	0	0			0		0		0	0
6	0	0	0	0	0			0			0	0	0
7	0	0	0	0		0	0		0			0	0
8	0	0	0	0		0	0			0		0	0
9	0	0	0	0		0		0	0			0	0
10	0	0			0			0	0	0	0	0	0
11	0	0	0	0			0			0	0	0	0
12	0	0	0	0		0		0		0		0	0
13	0	0	0	0		0		0			0	0	0
14	0	0	0	0		0			0	0		0	0
15	0	0	0	0		0			0		0	0	0
16	0	0	0	0			0	0	0			0	0
17	0	0	0	0			0	0		0		0	0
18	0	0	0	0			0	0			0	0	0
19	0	0		0	0	0		0		0		0	0
20	0	0			0		0		0	0	0	0	0
21	0	0		0		0		0		0	0	0	0
22	0	0	0		0		0		0		0	0	0
23	0	0	0	0			0		0	0		0	0
24	0	0	0	0			0		0		0	0	0
25	0	0	0		0	0	0		0			0	0
26	0	0	0		0	0	0			0		0	0
27	0	0	0		0	0		0	0			0	0
28	0	0	0		0	0		0		0		0	0
29	0	0		0		0		0	0	0		0	0
30	0	0		0			0		0	0	0	0	0

CAVITY No.	1	2	3	4	5	6	7	8	9	10	11	12	13
31	0	0	0			0		0		0	0	0	0
32	0	0		0	0		0			0	0	0	0
33	0	0	0			0	0	0			0	0	0
34	0	0	0		0	0		0			0	0	0
35	0	0	0		0	0			0	0		0	0
36	0	0	0		0	0			0		0	0	0
37	0	0	0		0		0	0	0			0	0
38	0	0	0		0		0	0		0		0	0
39	0	0		0	0	0			0	0		0	0
40	0	0			0	0			0	0	0	0	0
41	0	0		0	0			0		0	0	0	0
42	0	0	0		0		0			0	0	0	0
43	0	0	0			0		0	0		0	0	0
44	0	0		0	0		0		0	0		0	0
45	0	0	0		0		0	0			0	0	0
46	0	0	0		0		0		0	0		0	0
47	0	0	0		0			0	0	0		0	0
48	0	0	0			0	0	0	0			0	0
49	0	0		0	0			0	0	0		0	0
50	0	0		0		0			0	0	0	0	0
51	0	0	0		0			0		0	0	0	0
52	0	0			0		0	0	0		0	0	0
53	0	0		0	0			0	0		0	0	0
54	0	0	0			0	0		0		0	0	0
55	0	0		0		0	0	0		0		0	0
56	0	0	0			0	0	0		0		0	0
57	0	0	0			0	0		0	0		0	0
58	0	0	0			0		0	0	0		0	0
59	0	0		0	0		0	0	0			0	0
60	0	0	0			0			0	0	0	0	0

CAVITY No.	1	2	3	4	5	6	7	8	9	10	11	12	13
61	0	0			0	0	0			0	0	0	0
62	0	0		0			0	0	0		0	0	0
63	0	0	0		0			0	0		0	0	0
64	0	0		0	0		0		0		0	0	0
65	0	0		0		0	0	0			0	0	0
66	0	0			0	0	0	0	0			0	0
67	0	0		0	0	0	0		0			0	0
68	0	0		0	0	0	0			0		0	0
69	0	0			0	0	0		0	0		0	0
70	0	0			0		0	0		0	0	0	0
71	0	0		0		0	0			0	0	0	0
72	0	0			0	0		0	0		0	0	0
73	0	0			0	0	0		0		0	0	0
74	0	0		0	0	0			0		0	0	0
75	0	0		0	0		0	0			0	0	0
76	0	0			0		0	0	0	0		0	0
77	0	0		0		0	0		0	0		0	0
78	0	0		0	0	0		0	0			0	0
79	0	0		0		0	0	0	0			0	0
80	0	0		0			0	0		0	0	0	0
81	0	0	0			0	0			0	0	0	0
82	0	0		0		0		0	0		0	0	0
83	0	0		0		0	0		0		0	0	0
84	0	0			0	0	0	0			0	0	0
8 5	0	0		0	0	0		0			0	0	0
86	0	0		0			0	0	0	0		0	0
87	0	0			0	0		0	0	0		0	0
88	0	0		0	0		0	0		0		0	0
89	0	0			0	0	0	0		0		0	0
90	0	0			0	0		0		0	0	0	0

NAPOMENA: GORE PRIKAZANI KOD JE ONAJ KOJI SE TREBA POJAVITI NA GOTOVOM ARTIKLU. KRUŽIĆI PREDSTAVLJAJU UGRAVIRANE TOČKICE

RAZMAK IZMEĐU TOČKICA 2.8mm

KORISTITI ZRCALNU SLIKU KODA ZA GRAVIRANJE!!!


PRIMJER KODA NA GOTOVOM ARTIKLU

KOD BR.: 65

RAZMAK IZMEĐU TOČKICA: 4.94°

N00000


					KOE)			
				Kom.	Naziv	dijela	Poz.	Materijal	Dimenzija
					Datum	lme i prezime		a	a
				Konstr	18.01.19.	GOLEC			
				Crtao	18.01.19.	GOLEC			
				Pregl.					
				Stroj:			Nazi	<i>r</i> :	
				H	IEYE - 5	" DG	1	EMERALD	450ml
а				Proces	: puhano —	puhano (BB)	Kupa	c: GO	MEL
Index	Revizija	Datum	Izmienio	Mierilo	: 1:1		Broi	nacrta:06	-01B



Volumen (PK + DPK + GRLO - JEZ) = 189.6ml O.C. = 44.0% Težina = 320g Hot glass density: 2.43

					010	00			
					SKL	.02	_		
				Kom.	Naziv	dijela	Poz.	Materijal	Dimenzija
					Datum	lme i prezime			
				Konstr.	18.01.19.	GOLEC		- 6	
				Crtao	18.01.19.	GOLEC		©L\	CC1
				Pregl.					ك
				Stroj:			Naziv	:	
				1	HEYE - 5" DG			emera	LD 450ml
a	Changed O.C. from 44.5%->44.0%	25.01.19.	GOLEC	Proces	: puhano - p	uhano (BB)	Kupa	: GOME	L
Index	Revizija	Datum	Izmjenio	Mjerilo:	: 1:1		Broj n	acrta:	06-03B






Vol. RAL: 601.9ml Vol. DK: 2.3ml 603.3ml


> DUBINA GRAVURE: 0.3mm ENGRAVING DEEP 0.3mm


P00000

NETOLERIRANE MJERE: ±0.05

		Proces:	puhano - p	uhano (BB)	Kupa	: GOME	L
		HE	Heye - IS - 5" DG				ALD 450ml
		Stroj:			Naziv		
		Pregl.					
		Crtao	18.01.19. GOLEC			\Box	ra*
		Konstr.				•	F
			Datum	lme i prezime		4	
<u>'</u>		Kom.	Neziv	dijela	Poz.	Materijal	Dimenzija
			FAZONA	KALUPA			








Vol. PK: 179.9ml Vol. DPK: 3.8ml 183.7ml

TOLERANCIJA VOLUMENA: ±0.5ml VOLUME TOLERANCE: ±0.5ml

Q00000


Index	Revizija	Datum	Izmjenio	Mjerilo:	1:1		Broj n	acrta:	06-03A
a	Changed #29->#28, changed #32.6-> #33	25.01.19.	GOLEC	Proces:	s: puhano - puhano (BB)		Kupa	: GOME	L
				1	Heye -IS- 5" DG			emera	LD 450ml
				Stroj:			Naziv:		
				Pregl.					
				Crtao				©L\u	CC*
				Konstr.	18.01.19.	GOLEC			
					Detum	lme i prezime			
				Kom.	Naziv	dijela	Poz.	Materijal	Dimenzija
					FAZONA PI	REDKALUPA			

NETOLERIRANE MJERE: ±0.05




N8// N5/ polirano


6 rupa Ø8mm sa konusom 1° po strani na cijeloj duž 1° po strani na cijeloj duzini 6 holes Ø8mm with angle 1° on whole length




6 zazora širine 8mm dubine 0.05-0.08mm 6 slots 8mm wide 0.05-0.08mm deep

PROFILE DETAIL DETALJ FAZONE M1:1





GRAVIRATI: EMERALD 450ml redni broj OM



0stre rubove koji nisu u dodiru sa staklom zaobliti s R=0.8~mmNetolerirane mjere: $0.0 = \pm 0.1$

 $0.00 = \pm 0.05$

Sharp edges which are not in contact with glass, rounded with radius $R=0.8\ mm$


Untoleranced dimensions: $0.0 = \pm 0.1 mm$ $0.00 = \pm 0.05 mm$


P00000


					DNO PF	REDKALUPA		SIVI LIJEV	
				Kom.	Naziv	dîjela	Poz.	Materijal	Dimenzija
					Datum	lme i prezime		a	a
				Konstr.	18.01.19.	GOLEC		- 61	9
				Crtao	18.01.19.	GOLEC		Θ	261
				Pregl.					
				Stroj:			Naziv	<i>r</i> :	
				HEYE -IS- 5" DG				EMERAL	D 450ml
а				Proces:	puhano -	puhano (BB)	Kupo	ic: GOMEL	
Index	Revizija	Datum	Izmienio	Mierilo:	1.1		Broi	nacrta:	06-04


DETALJ FAZONE PROFILE DETAIL M5:1

Netolerirane mjere: ±0.05mm
Untoleranced dimensions: ±0.05mm












KORAK: 9.4mm GLODALO: Ø12.7 KUT NAVOJA: 6°29' KUT GLODALA: 6°29' 4 NAVOJA


P00000

					FAZON	A GRLA			
				Kom.	Naziv	dijela	Poz.	Materijal	Dimenzija
					Datum	lme i prezime		a.	1
				Konstr.	18.01.19.	Golec			,
				Crtao	18.01.19.	Golec		\Box	26
				Pregl.					
				Stroj:			Naziv		
				H	HEYE - IS - 5" DG			EMERAL	.D 450ml
				Proces	: puhano — p	ouhano (BB)	Kupo	ic: GOMEL	
Index	Revizija	Datum	Izmjenio	Mierilo:	1:1		Broi	nacrta:	06-05A










Skinuti oštre bridove sa R=0.8mm


Netolerirane mjere: ± 0.1 mm

P00000

Index	Revizija	Datum	Izmjenio		•	. ,	Broj	nacrta:	06-07
				Proces:	puhano -	puhano (BB)	Kupa	ic: GOMEI	-
				HE	EYE - IS -	5" DG		EMERA	LD 450ml
				Stroj:			Naziv	/:	
				Pregl.					ركاد
				Crtao	18.01.19.	GOLEC			− □ †
				Konstr.	18.01.19.	GOLEC			
					Datum	lme i prezime		8	}
				Kom.	Naziv	dijela	Poz.	Materijal	Dimenzija
					JEZG	RENIK		SIVI LIJEV	









P00000

Netolerirane mjere $0.0=\pm0.1$ mm $0.00=\pm0.05$ mm


Oštre rubove koji nisu u dodiru sa staklom skinuti sa R=0.8mm


					VODICA	JEZGRENIKA		SIVI LIJEV	
				Kom.	Naziv	dîjela	Poz.	Materijal	Dimenzija
					Datum	lme i prezime		Ø	A
				Konstr.	18.01.19.	Golec			
						Golec		©L\	261
				Pregl.					
				Stroj:			Naziv		
				н	EYE - IS	- 5" DG		EMERA	LD 450ml
				Proces: puhano - puh		puhano (BB)	Kupo	ic: GOMEL	
Index	Revizija	Datum	Izmjenio	Mjerilo:	1:1		Broj	nacrta:	06-08
	·								





SECTION "A-A" PRESJEK "A-A"







P00000


Netolerirane mjere: $0.0 = \pm 0.1$ $0.00 = \pm 0.05$


Oštre rubove koji nisu u dodiru sa staklom zaobliti sa R0.8mm!

Index	Revizija	Datum	Izmjenio	Mjerilo:	1:1		Broj	nacrta:	06-09
а				Proces:	puhano -	puhano (BB)	Kupa	ic: GOMEL	
				HE	YE -IS-	5" DG	- 1	EMERAL	D 450ml
				Stroj:	•		Naziv	/ :	
				Pregl.	egl.				لاك
				Crtao	18.01.19.	GOLEC			-
				Konstr.	18.01.19.	GOLEC)
					Datum	lme i prezime		a)
				Kom.	Naziv	dîjela	Poz.	Materijal	Dimenzija
					ČAHURA	ZA KAP		SIVI LIJEV	









P00000

Oštre rubove koji nisu u dodiru sa staklom skinuti sa R=0.8 ! Netolerirane mjere: 0.0= ±0.1 0.00= ±0.05

					VF	PLOČA		Č1530	
				Kom.	Naziv	dijela	Poz.	Materijal	Dimenzija
					Datum	lme i prezime		670	a
				Konstr.	18.01.19.	GOLEC			,
				Crtao	18.01.19.	GOLEC			261
				Pregl.					<u> </u>
				Stroj:			Naziv		
				HEYE -IS- 5" DG			EMERALD 450ml		
٥				Proces: puhano - puhano (BB)			Kupac: GOMEL		
Index	Revizija	Datum	Izmjenio	Mjerilo: 1:1			Broj nacrta: 06-16		