

Број цртежа: негласки и урзз Рђм А.Д. 14.01.2019г.

# DETALJ TOČKICE KODA M10:1





TABELA: 16049A - 9 TOČAKA - KOD NA PETI

CAVITY No.	1	2	3	4	5	6	7	8	9	10	11	12	13
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													

CAVITY No.	1	2	3	4	5	6	7	8	9	10	11	12	13
31													
32													
33													
34													
35													
36													
37													
38													
39													
40													
41													
42													
43													
44													
45													
46													
47													
48													
49													
50													
51													
52													
53													
54													
55													
56													
57													
58													
59													
60													

CAVITY No.	1	2	3	4	5	6	7	8	9	10	11	12	13
61													
62													
63													
64													
65													
66													
67													
68													
69													
70													
71													
72													
73													
74													
75													
76													
77													
78													
79													
80													
81													
82													
83													
84													
85													
86													
87													
88													
89													
90													

NAPOMENA: GORE PRIKAZANI KOD JE ONAJ KOJI SE TREBA POJAVITI  
NA GOTOVOM ARTIKLU.  
KRUŽIĆI PREDSTAVLJAJU UGRAVIRANE TOČKICE


RAZMAK IZMEĐU TOČKICA 2.8mm

KORISTITI ZRCALNU SLIKU KODA ZA GRAVIRANJE!!!

PRIMJER KODA NA GOTOVOM ARTIKLU  
KOD BR.: 65

RAZMAK IZMEĐU TOČKICA: 4.7°


P10020



KOD				KOD	
Naziv dijela		Materijal		Dimenzije	
Kom.:		Datum:	10.11.18.	Ime i prezime:	
Kontrola:		Crtao:	30.11.18.	GOLEC	
Progl:		Šifra:			
HEYE - 5" DG				KOD: 440ml	
Proces: puhanje - puhanje (P)				Kupac: GOMEL	
Mjerilo: 1:1				Bla: naziv: 06-018	

Согласовано: на гласки и чрчз Грм А. Д. 14. фебруарно 14. 01. 2019г.

OK  
14/1/19.




Volumen (PK + DPK + GRLO - JEZ) = 188.3ml  
O.C. = 43.0%  
Težina = 320g  
Hot glass density: 2.43

P10020




					BOLP					
					Kam.	Nar. dila		Pos.	Masaža	Dimenzije
						Datum	Ispr. / posebne			
					Korisnik:	22.11.18.	GOLF			
					Ordn:	22.11.18.	GOLF			
					Proj.					
					Vid.					
					HEYS - 6" D2					
									KOPF 440ml	
4	Charged bank ready: charged from 65.5 - 64, charged C.C. 61.2 - 60.8				11.01.18	OCLEC	Proizak: pehano - pehano (80)		7/2000	GMSL
Index	Narizja				Datum	Isprizak	Isprizak: 1:1		Snaj narizja	20-08

Согласовано: издателски уред Грција А.Д. Јабуковина 14.01.2019г.



Profil glodala za gravuru u peti  
Heel engraving cutter profile  
M10:1


Profil glodala za tvornički znak  
Trade mark engraving cutter  
M10:1



FEMALE HALF  
Ženska polovica

OK  
14/1/19

Vol. KAL: 584.4ml  
Vol. DK: 7.5ml  
591.9ml



Detail A  
Scale: 5:1



Detail B  
Scale: 5:1

DUBINA GRAVURE: 0.3mm  
ENGRAVING DEEP 0.3mm

P10020


NETOLERIRANE MJERE:  $\pm 0.05$

FAZONA KALIPA				Prost.	Materijal	Obradba
Kom.	Ime / opis	Datum	Izve / primio			
Konst.	26.12.18	GOLEO				
Orto	26.12.18	GOLEO				
Prod						
Rev						
HEYE - 95 - 8" DG				Nivo: 100% 400ml		
Prosta: pishano - pishano (80)				Ispis: GOREL		
Mjesta: 1:1				Boj sacre: 08-014		
Indek	Ime / opis	Datum	Izve / primio			




Согласовано: нагласки урз рђу А.Д. Јастребно 14.01.2012.


PRESJEK C-C  
SECTION C-C  
M 5:1




Platnica 20x60x3  
MAT: C1880



PRESJEK B-B  
SECTION B-B




PRESJEK A-A  
SECTION A-A



POGLED P  
VIEW P

14 rupa Ø7mm  
na svakoj polovici  
14 holes Ø7mm  
on each half




8 rupa Ø8mm  
na svakoj polovici  
8 holes Ø8mm  
on each half

ENGRAVE:  
GRAVIRATI: KOFF 440ml  
redni broj OM

Pogoditi na ženskoj polovici od -0.1/0.12  
kod dna do -0.20/0.22mm u vrhu  
Milling on female half from -0.1/0.12  
at bottom to -0.20/0.22mm to neck

Ovalno pogloditi 0.8/45°  
Oval milling 0.8/45°



metalizirano  
hard welded  
30-35HRC  
(3x3)

metalizirano  
hard welded  
30-35HRC (2.5x2)

metalizirano  
hard welded  
30-35HRC  
(3x3)

Ležati glodati na muškoj polovici  
od 0.0 na -0.17/-0.21mm u sredini  
Bore milling on male half from  
0.0 to -0.17/-0.21mm in the middle

INVERT = 85.7mm  
H = 66.7mm  
MONTAŽA: 2101200016

Oštre rubove kopiti ruku u dodiru  
sa staklom zaobiti s R=0.8 mm  
Netolerirane mjere: 0.0± ±0.1  
0.00± ±0.05



KALUP				SM LUTV	
Kom.	Naziv dijela	Faz.	Material	Dimenzija	
Konstr.	03.12.18.	GOLEC			
Priloz	03.12.18.	GOLEC			
Priloz					
Stroj					
HEYER - 5" DG				Naziv	KOFF 440ml
Proces polena = ručno (BR)				Rupoc	GOMEL
Index				Dvoj. razmat. 06-01	

P10020




PRESJEK A-A  
SECTION A-A


N8/ N5 polirano  
polish



DETALJ FAZONE  
CAVITY DETAIL  
M1:1



DETALJ RECKE  
KNURLES DETAIL  
M3:1



P10020

GRUPA				Serijski broj	
Naziv dijela				Materijal	
Dimenzije				Dimenzije	
Kontrola				Kontrola	
Dizajn				Dizajn	
Proizvodnja				Proizvodnja	
Serijski broj				Serijski broj	
HEYE - 5" DG				KOFF 440ml	
Proces: puhanje - puhanje (SR)				Kupac: GOMEI	
Mjerilo: 1:1				Broj nacrti: 06-02	
Index	Revizija	Datum	Izjava		

Oštre rubove koji nisu u dodiru sa  
staklom skinuti sa R=0.8mm

Netolerirane mjere 0.0=  $\pm 0.1\text{mm}$   
0.00=  $\pm 0.05\text{mm}$

Согласовано: нагальний чорно-білий 14.07.2019г.




Согласовано: нагласки урџ Врши А.Д. Габријелкич 14.01.2019г.

21  
14/1/19.

Vol. PK: 175.9ml  
Vol. DPIK: 4.7ml  
180.6ml

TOLERANCIJA VOLUMENA:  $\pm 0.5\text{ml}$   
VOLUME TOLERANCE:  $\pm 0.5\text{ml}$



NETOLERIRANE MJERE:  $\pm 0.05$

P10020


					FAZONA PREDKUPA				
					Kom.	Nastavak	Poz.	Masa	Dimenzije
						Datum	Ime i prezime		
					Kreir:	28.11.18.	GOLEO		
					Odob:	28.11.18.	GOLEO		
					Prep:				
					Ime:	HEVIE 45- 8" DG			
								KODP 440ml	
a	Changepd entry/pack: 990-188, 994, 9-188, 41, 7-41, 2				11.01.18	GOLEO	Proizak: 1-paketa - paketa (280)	Tipak: OCMEL	
Indeks	Naziv				Datum	Izdavanje	Ispis: 1:1	Broj naziva: 00-0A	

*Netolerirane mjere*  $0,0\pm\pm0,1\text{mm}$   
 $0,00\pm\pm0,05\text{mm}$

Сопровождение: нагласный 3РФ 14.01.2019


N8 / N5 polirano

6 rupa Ø6mm  
6 holes Ø6mm




6 zazora širine 8mm  
dubine 0.05-0.08mm  
6 slots 8mm wide  
0.05-0.08mm deep


PROFILE DETAIL  
DETALJ FAZONE  
M1:1



SECTION "A-A"  
PRESJEK "A-A"



ENGRAVE  
GRAVIRATI : KOFF 440ml redni broj 0M



Oštre rubove koji nisu u dodiru  
sa staklom zaobliti s  $R=0.8$  mm  
Netolerirane mjere:  $0.0 = \pm 0.1$   
 $0.00 = \pm 0.05$

Sharp edges which are not in contact with  
glass, rounded with radius  $R=0.8$  mm  
Untoleranced dimensions:  $0.0 = \pm 0.1$  mm  
 $0.00 = \pm 0.05$  mm

P10020


DNO PREDKALUPA				SMA LUEV	
Kom.	Naziv	djelo	Poz.	Material	Dimenzija
	Datum	Ime i prezime			
Konati	30.11.18.	GOLEC			
Ortisi	30.11.18.	GOLEC			
Pratit					
Struž:				Naziv	
HEYE JS-5" DG				KOFF 440ml	
Proces: puhanje - puhanje (BE)				Kupac: GOMEI	
Mjerilo: 1:1				Broj narudb. 05-24	

14.01.19



Untoleranced dimensions:  $\pm 0.05\text{mm}$

## M5:1



6/11/19



P10020

[illegible]






N8/ N5/ ~~polirano~~  
~~polish~~



DETAIL "A"  
DETALJ "A"  
M10:1



Oštre rubove koji nisu u dodiru sa staklom skinuti sa  $R=0.8\text{mm}$


Netolerirane mjere 0.0=  $\pm 0.1\text{mm}$   
0.00=  $\pm 0.05\text{mm}$

P10020

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Сопровождение: Назначение: УРФ 1000 А.В. Табуретные 14.01.2019г.

N8 / N5 / polirano  
polish




14/1/19

Skinuti oštne bridove  
sa R=0.8mm

Netolerirane mjere:  $\pm 0.1mm$

P10020

					JEZGRENK			SIVI LUEV	
					Kom.	Naziv dijela	Poz.	Materijal	Dimenzija
						Datum	Ime i prezime		
					Konstr.	30.11.18.	GOLEC		
					Crtao	30.11.18.	GOLEC		
					Pregl.				
					Stroj.	HEYE - IS - 5" DG		Naziv:	KOFF 440ml
a	Changed plunger cavity			11.01.19.	GOLEC	Proces: puhanje — puhanje (BB)		Kupac:	OMEL
Index	Revizija			Datum	Izmjenilo	Mjasta: 1:1		Broj nacrt:	06-07