Trento University ICPC Team Notebook (2015-16)

Contents

1 Graphs

1.1 Max-flow

```cpp
// Adjacency list implementation of Dinic's blocking flow algorithm.
// This is very fast in practice, and only loses to push-relabel flow.
//
// Running time:
//     O(|V|^2 |E|)
//
// INPUT:
//     - graph, constructed using AddEdge()
//     - source and sink
//
// OUTPUT:
//     - maximum flow value
//     - To obtain actual flow values, look at edges with capacity > 0
//       (zero capacity edges are residual edges).

#include<cstdio>
#include<vector>
#include<queue>
using namespace std;
```

```cpp
typedef long long LL;

struct Edge {
  int u, v;
  LL cap, flow;
  Edge() {}
  Edge(int u, int v, LL cap): u(u), v(v), cap(cap), flow(0) {}
};

struct Dinic {
  int N;
  vector<Edge> E;
  vector<vector<int>> g;
  vector<int> d, pt;

  Dinic(int N): N(N), E(0), g(N), d(N), pt(N) {}

  void AddEdge(int u, int v, LL cap) {
    if (u != v) {
      E.emplace_back(Edge(u, v, cap));
      g[u].emplace_back(E.size() - 1);
      E.emplace_back(Edge(v, u, 0));
      g[v].emplace_back(E.size() - 1);
    }
  }

  bool BFS(int S, int T) {
    queue<int> q({S});
    fill(d.begin(), d.end(), N + 1);
    d[S] = 0;
    while(!q.empty()) {
      int u = q.front(); q.pop();
      if (u == T) break;
      for (int k: g[u]) {
        Edge &e = E[k];
        if (e.flow < e.cap && d[e.v] > d[e.u] + 1) {
          d[e.v] = d[e.u] + 1;
          q.emplace(e.v);
        }
      }
    }
    return d[T] != N + 1;
  }

  LL DFS(int u, int T, LL flow = -1) {
    if (u == T || flow == 0) return flow;
    for (int &i = pt[u]; i < g[u].size(); ++i) {
      Edge &e = E[g[u][i]];
      Edge &oe = E[g[u][i]^1];
      if (d[e.v] == d[e.u] + 1) {
        LL amt = e.cap - e.flow;
        if (flow != -1 && amt > flow) amt = flow;
        if (LL pushed = DFS(e.v, T, amt)) {
          e.flow += pushed;
          oe.flow -= pushed;
          return pushed;
        }
      }
    }
    return 0;
  }

  LL MaxFlow(int S, int T) {
    LL total = 0;
    while (BFS(S, T)) {
      fill(pt.begin(), pt.end(), 0);
      while (LL flow = DFS(S, T))
        total += flow;
    }
    return total;
  }
};

// BEGIN CUT
// The following code solves SPOJ problem #4110: Fast Maximum Flow (FASTFLOW)

int main()
{
  int N, E;
  scanf("%d%d", &N, &E);
  Dinic dinic(N);
  for(int i = 0; i < E; i++)
  {
    int u, v;
    LL cap;
    scanf("%d%d%lld", &u, &v, &cap);
    dinic.AddEdge(u - 1, v - 1, cap);
    dinic.AddEdge(v - 1, u - 1, cap);
  }
  printf("%lld\n", dinic.MaxFlow(0, N - 1));
  return 0;
}
```

```
// END CUT
```

1.2   Min-cost max-flow

```
// Implementation of min cost max flow algorithm using adjacency
// matrix (Edmonds and Karp 1972).  This implementation keeps track of
// forward and reverse edges separately (so you can set cap[i][j] !=
// cap[j][i]).  For a regular max flow, set all edge costs to 0.
//
// Running time, O(|V|^2) cost per augmentation
//     max flow:              O(|V|^3) augmentations
//     min cost max flow:  O(|V|^4 * MAX_EDGE_COST) augmentations
//
// INPUT:
//     - graph, constructed using AddEdge()
//     - source
//     - sink
//
// OUTPUT:
//     - (maximum flow value, minimum cost value)
//     - To obtain the actual flow, look at positive values only.

#include <cmath>
#include <vector>
#include <iostream>

using namespace std;

typedef vector<int> VI;
typedef vector<VI> VVI;
typedef long long L;
typedef vector<L> VL;
typedef vector<VL> VVL;
typedef pair<int, int> PII;
typedef vector<PII> VPII;

const L INF = numeric_limits<L>::max() / 4;

struct MinCostMaxFlow {
  int N;
  VVL cap, flow, cost;
  VI found;
  VL dist, pi, width;
  VPII dad;

  MinCostMaxFlow(int N) :
    N(N), cap(N, VL(N)), flow(N, VL(N)), cost(N, VL(N)),
    found(N), dist(N), pi(N), width(N), dad(N) {}

  void AddEdge(int from, int to, L cap, L cost) {
    this->cap[from][to] = cap;
    this->cost[from][to] = cost;
  }

  void Relax(int s, int k, L cap, L cost, int dir) {
    L val = dist[s] + pi[s] - pi[k] + cost;
    if (cap && val < dist[k]) {
      dist[k] = val;
      dad[k] = make_pair(s, dir);
      width[k] = min(cap, width[s]);
    }
  }

  L Dijkstra(int s, int t) {
    fill(found.begin(), found.end(), false);
    fill(dist.begin(), dist.end(), INF);
    fill(width.begin(), width.end(), 0);
    dist[s] = 0;
    width[s] = INF;

    while (s != -1) {
      int best = -1;
      found[s] = true;
      for (int k = 0; k < N; k++) {
        if (found[k]) continue;
        Relax(s, k, cap[s][k] - flow[s][k], cost[s][k], 1);
        Relax(s, k, flow[k][s], -cost[k][s], -1);
        if (best == -1 || dist[k] < dist[best]) best = k;
      }
      s = best;
    }

    for (int k = 0; k < N; k++)
      pi[k] = min(pi[k] + dist[k], INF);
    return width[t];
  }
```

```
  pair<L, L> GetMaxFlow(int s, int t) {
    L totflow = 0, totcost = 0;
    while (L amt = Dijkstra(s, t)) {
      totflow += amt;
      for (int x = t; x != s; x = dad[x].first) {
        if (dad[x].second == 1) {
          flow[dad[x].first][x] += amt;
          totcost += amt * cost[dad[x].first][x];
        } else {
          flow[x][dad[x].first] -= amt;
          totcost -= amt * cost[x][dad[x].first];
        }
      }
    }
    return make_pair(totflow, totcost);
  }
};

// BEGIN CUT
// The following code solves UVA problem #10594: Data Flow

int main() {
  int N, M;

  while (scanf("%d%d", &N, &M) == 2) {
    VVL v(M, VL(3));
    for (int i = 0; i < M; i++)
      scanf("%Ld%Ld%Ld", &v[i][0], &v[i][1], &v[i][2]);
    L D, K;
    scanf("%Ld%Ld", &D, &K);

    MinCostMaxFlow mcmf(N+1);
    for (int i = 0; i < M; i++) {
      mcmf.AddEdge(int(v[i][0]), int(v[i][1]), K, v[i][2]);
      mcmf.AddEdge(int(v[i][1]), int(v[i][0]), K, v[i][2]);
    }
    mcmf.AddEdge(0, 1, D, 0);

    pair<L, L> res = mcmf.GetMaxFlow(0, N);

    if (res.first == D) {
      printf("%Ld\n", res.second);
    } else {
      printf("Impossible.\n");
    }
  }

  return 0;
}

// END CUT
```

1.3   Min-cost matching

```
//////////////////////////////////////////////////////////////////////
// Min cost bipartite matching via shortest augmenting paths
//
// This is an O(n^3) implementation of a shortest augmenting path
// algorithm for finding min cost perfect matchings in dense
// graphs.  In practice, it solves 1000x1000 problems in around 1
// second.
//
//   cost[i][j] = cost for pairing left node i with right node j
//   Lmate[i] = index of right node that left node i pairs with
//   Rmate[j] = index of left node that right node j pairs with
//
// The values in cost[i][j] may be positive or negative.  To perform
// maximization, simply negate the cost[][] matrix.
//////////////////////////////////////////////////////////////////////

#include <algorithm>
#include <cstdio>
#include <cmath>
#include <vector>

using namespace std;

typedef vector<double> VD;
typedef vector<VD> VVD;
typedef vector<int> VI;

double MinCostMatching(const VVD &cost, VI &Lmate, VI &Rmate) {
  int n = int(cost.size());

  // construct dual feasible solution
  VD u(n);
  VD v(n);
```

```cpp
  for (int i = 0; i < n; i++) {
    u[i] = cost[i][0];
    for (int j = 1; j < n; j++) u[i] = min(u[i], cost[i][j]);
  }
  for (int j = 0; j < n; j++) {
    v[j] = cost[0][j] - u[0];
    for (int i = 1; i < n; i++) v[j] = min(v[j], cost[i][j] - u[i]);
  }

  // construct primal solution satisfying complementary slackness
  Lmate = VI(n, -1);
  Rmate = VI(n, -1);
  int mated = 0;
  for (int i = 0; i < n; i++) {
    for (int j = 0; j < n; j++) {
      if (Rmate[j] != -1) continue;
      if (fabs(cost[i][j] - u[i] - v[j]) < 1e-10) {
        Lmate[i] = j;
        Rmate[j] = i;
        mated++;
        break;
      }
    }
  }

  VD dist(n);
  VI dad(n);
  VI seen(n);

  // repeat until primal solution is feasible
  while (mated < n) {

    // find an unmatched left node
    int s = 0;
    while (Lmate[s] != -1) s++;

    // initialize Dijkstra
    fill(dad.begin(), dad.end(), -1);
    fill(seen.begin(), seen.end(), 0);
    for (int k = 0; k < n; k++)
      dist[k] = cost[s][k] - u[s] - v[k];

    int j = 0;
    while (true) {

      // find closest
      j = -1;
      for (int k = 0; k < n; k++) {
        if (seen[k]) continue;
        if (j == -1 || dist[k] < dist[j]) j = k;
      }
      seen[j] = 1;

      // termination condition
      if (Rmate[j] == -1) break;

      // relax neighbors
      const int i = Rmate[j];
      for (int k = 0; k < n; k++) {
        if (seen[k]) continue;
        const double new_dist = dist[j] + cost[i][k] - u[i] - v[k];
        if (dist[k] > new_dist) {
          dist[k] = new_dist;
          dad[k] = j;
        }
      }
    }

    // update dual variables
    for (int k = 0; k < n; k++) {
      if (k == j || !seen[k]) continue;
      const int i = Rmate[k];
      v[k] += dist[k] - dist[j];
      u[i] -= dist[k] - dist[j];
    }
    u[s] += dist[j];

    // augment along path
    while (dad[j] >= 0) {
      const int d = dad[j];
      Rmate[j] = Rmate[d];
      Lmate[Rmate[j]] = j;
      j = d;
    }
    Rmate[j] = s;
    Lmate[s] = j;

    mated++;
  }

  double value = 0;
  for (int i = 0; i < n; i++)
    value += cost[i][Lmate[i]];

  return value;
}
```

1.4 Max bipartite matchine

```cpp
// This code performs maximum bipartite matching.
//
// Running time: O(|E| |V|) -- often much faster in practice
//
//   INPUT: w[i][j] = edge between row node i and column node j
//   OUTPUT: mr[i] = assignment for row node i, -1 if unassigned
//           mc[j] = assignment for column node j, -1 if unassigned
//           function returns number of matches made

#include <vector>

using namespace std;

typedef vector<int> VI;
typedef vector<VI> VVI;

bool FindMatch(int i, const VVI &w, VI &mr, VI &mc, VI &seen) {
  for (int j = 0; j < w[i].size(); j++) {
    if (w[i][j] && !seen[j]) {
      seen[j] = true;
      if (mc[j] < 0 || FindMatch(mc[j], w, mr, mc, seen)) {
        mr[i] = j;
        mc[j] = i;
        return true;
      }
    }
  }
  return false;
}

int BipartiteMatching(const VVI &w, VI &mr, VI &mc) {
  mr = VI(w.size(), -1);
  mc = VI(w[0].size(), -1);

  int ct = 0;
  for (int i = 0; i < w.size(); i++) {
    VI seen(w[0].size());
    if (FindMatch(i, w, mr, mc, seen)) ct++;
  }
  return ct;
}
```

1.5 Global min-cut

```cpp
// Adjacency matrix implementation of Stoer-Wagner min cut algorithm.
//
// Running time:
//     O(|V|^3)
//
// INPUT:
//     - graph, constructed using AddEdge()
//
// OUTPUT:
//     - (min cut value, nodes in half of min cut)

#include <cmath>
#include <vector>
#include <iostream>

using namespace std;

typedef vector<int> VI;
typedef vector<VI> VVI;

const int INF = 1000000000;

pair<int, VI> GetMinCut(VVI &weights) {
  int N = weights.size();
  VI used(N), cut, best_cut;
  int best_weight = -1;

  for (int phase = N-1; phase >= 0; phase--) {
    VI w = weights[0];
    VI added = used;
    int prev, last = 0;
    for (int i = 0; i < phase; i++) {
```

```cpp
      prev = last;
      last = -1;
      for (int j = 1; j < N; j++)
        if (!added[j] && (last == -1 || w[j] > w[last])) last = j;
      if (i == phase-1) {
        for (int j = 0; j < N; j++) weights[prev][j] += weights[last][j];
        for (int j = 0; j < N; j++) weights[j][prev] = weights[prev][j];
        used[last] = true;
        cut.push_back(last);
        if (best_weight == -1 || w[last] < best_weight) {
          best_cut = cut;
          best_weight = w[last];
        }
      } else {
        for (int j = 0; j < N; j++)
          w[j] += weights[last][j];
        added[last] = true;
      }
    }
  }
  return make_pair(best_weight, best_cut);
}

// BEGIN CUT
// The following code solves UVA problem #10989: Bomb, Divide and Conquer
int main() {
  int N;
  cin >> N;
  for (int i = 0; i < N; i++) {
    int n, m;
    cin >> n >> m;
    VVI weights(n, VI(n));
    for (int j = 0; j < m; j++) {
      int a, b, c;
      cin >> a >> b >> c;
      weights[a-1][b-1] = weights[b-1][a-1] = c;
    }
    pair<int, VI> res = GetMinCut(weights);
    cout << "Case #" << i+1 << ": " << res.first << endl;
  }
}
// END CUT
```

1.6   Topological sort (C++)

```cpp
// This function uses performs a non-recursive topological sort.
//
// Running time: O(|V|^2).  If you use adjacency lists (vector<map<int> >),
//               the running time is reduced to O(|E|).
//
//   INPUT:   w[i][j] = 1 if i should come before j, 0 otherwise
//   OUTPUT:  a permutation of 0,...,n-1 (stored in a vector)
//            which represents an ordering of the nodes which
//            is consistent with w
//
// If no ordering is possible, false is returned.

#include <iostream>
#include <queue>
#include <cmath>
#include <vector>

using namespace std;

typedef double T;
typedef vector<T> VT;
typedef vector<VT> VVT;

typedef vector<int> VI;
typedef vector<VI> VVI;

bool TopologicalSort (const VVI &w, VI &order){
  int n = w.size();
  VI parents (n);
  queue<int> q;
  order.clear();

  for (int i = 0; i < n; i++){
    for (int j = 0; j < n; j++)
      if (w[j][i]) parents[i]++;
      if (parents[i] == 0) q.push (i);
  }

  while (q.size() > 0){
    int i = q.front();
    q.pop();
    order.push_back (i);
```

```cpp
    for (int j = 0; j < n; j++) if (w[i][j]){
      parents[j]--;
      if (parents[j] == 0) q.push (j);
    }
  }

  return (order.size() == n);
}
```

1.7   Dijkstra and Floyd's algorithm (C++)

```cpp
#include <iostream>
#include <queue>
#include <cmath>
#include <vector>

using namespace std;

typedef double T;
typedef vector<T> VT;
typedef vector<VT> VVT;

typedef vector<int> VI;
typedef vector<VI> VVI;

// This function runs Dijkstra's algorithm for single source
// shortest paths.  No negative cycles allowed!
//
// Running time: O(|V|^2)
//
//   INPUT:    start, w[i][j] = cost of edge from i to j
//   OUTPUT:   dist[i] = min weight path from start to i
//             prev[i] = previous node on the best path from the
//                       start node

void Dijkstra (const VVT &w, VT &dist, VI &prev, int start){
  int n = w.size();
  VI found (n);
  prev = VI(n, -1);
  dist = VT(n, 1000000000);
  dist[start] = 0;

  while (start != -1){
    found[start] = true;
    int best = -1;
    for (int k = 0; k < n; k++) if (!found[k]){
      if (dist[k] > dist[start] + w[start][k]){
        dist[k] = dist[start] + w[start][k];
        prev[k] = start;
      }
      if (best == -1 || dist[k] < dist[best]) best = k;
    }
    start = best;
  }
}

// This function runs the Floyd-Warshall algorithm for all-pairs
// shortest paths.  Also handles negative edge weights.  Returns true
// if a negative weight cycle is found.
//
// Running time: O(|V|^3)
//
//   INPUT:   w[i][j] = weight of edge from i to j
//   OUTPUT:  w[i][j] = shortest path from i to j
//            prev[i][j] = node before j on the best path starting at i

bool FloydWarshall (VVT &w, VVI &prev){
  int n = w.size();
  prev = VVI (n, VI(n, -1));

  for (int k = 0; k < n; k++){
    for (int i = 0; i < n; i++){
      for (int j = 0; j < n; j++){
        if (w[i][j] > w[i][k] + w[k][j]){
          w[i][j] = w[i][k] + w[k][j];
          prev[i][j] = k;
        }
      }
    }
  }

  // check for negative weight cycles
  for(int i=0;i<n;i++)
    if (w[i][i] < 0) return false;
  return true;
}
```

1.8 Strongly connected components

```cpp
#include <vector>
#include <iostream>
#include <cmath>

using namespace std;
using vi = vector<int>;
using vvi = vector<vector<int>>;
const int UNVISITED = -1;

struct SCC {
        vvi AdjList;
        vi dfs_num, dfs_low, S, visited, scc;
        int num_scc, dfsNumberCounter, V;
        SCC(int V) : dfs_num(V, UNVISITED), dfs_low(V, 0), V(V),
                        visited(V, 0), scc(V), num_scc(0), AdjList(V, vi()),
                        dfsNumberCounter(0) {}
        void tarjanSCC(int u) {
                dfs_low[u] = dfs_num[u] = dfsNumberCounter++;
                S.push_back(u);
                visited[u] = 1;
                for (int j = 0; j < (int)AdjList[u].size(); j++) {
                        int v = AdjList[u][j];
                        if (dfs_num[v] == UNVISITED)
                                tarjanSCC(v);
                        if (visited[v])
                                dfs_low[u] = min(dfs_low[u], dfs_low[v]);
                }
                if (dfs_low[u] == dfs_num[u]) {

                        while (1) {
                                int v = S.back(); S.pop_back(); visited[v] = 0;
                                scc[v] = num_scc;
                                if (u == v) {
                                        num_scc++;
                                        break;
                                }
                        }
                }
        }

        void addEdge(int u, int v){
                AdjList[u].push_back(v);
        }
        void run() {
                for (int i = 0; i < V; i++)
                        if (dfs_num[i] == UNVISITED)
                                tarjanSCC(i);
        }
};
```

1.9 Eulerian path

```cpp
struct Edge;
typedef list<Edge>::iterator iter;

struct Edge
{
        int next_vertex;
        iter reverse_edge;

        Edge(int next_vertex)
                :next_vertex(next_vertex)
                { }
};

const int max_vertices = ;
int num_vertices;
list<Edge> adj[max_vertices];          // adjacency list

vector<int> path;

void find_path(int v)
{
        while(adj[v].size() > 0)
        {
                int vn = adj[v].front().next_vertex;
                adj[vn].erase(adj[v].front().reverse_edge);
                adj[v].pop_front();
                find_path(vn);
        }
        path.push_back(v);
}
```

```cpp
void add_edge(int a, int b)
{
        adj[a].push_front(Edge(b));
        iter ita = adj[a].begin();
        adj[b].push_front(Edge(a));
        iter itb = adj[b].begin();
        ita->reverse_edge = itb;
        itb->reverse_edge = ita;
}
```

1.10 Kruskal's algorithm

```cpp
/*
Uses Kruskal's Algorithm to calculate the weight of the minimum spanning
forest (union of minimum spanning trees of each connected component) of
a possibly disjoint graph, given in the form of a matrix of edge weights
(-1 if no edge exists). Returns the weight of the minimum spanning
forest (also calculates the actual edges - stored in T). Note: uses a
disjoint-set data structure with amortized (effectively) constant time per
union/find. Runs in O(E*log(E)) time.
*/

#include <iostream>
#include <vector>
#include <algorithm>
#include <queue>

using namespace std;

typedef int T;

struct edge
{
  int u, v;
  T d;
};

struct edgeCmp
{
  int operator()(const edge& a, const edge& b) { return a.d > b.d; }
};

int find(vector <int>& C, int x) { return (C[x] == x) ? x : C[x] = find(C, C[x]); }

T Kruskal(vector <vector <T> >& w)
{
  int n = w.size();
  T weight = 0;

  vector <int> C(n), R(n);
  for(int i=0; i<n; i++) { C[i] = i; R[i] = 0; }

  vector <edge> T;
  priority_queue <edge, vector <edge>, edgeCmp> E;

  for(int i=0; i<n; i++)
    for(int j=i+1; j<n; j++)
      if(w[i][j] >= 0)
        {
          edge e;
          e.u = i; e.v = j; e.d = w[i][j];
          E.push(e);
        }

  while(T.size() < n-1 && !E.empty())
  {
    edge cur = E.top(); E.pop();

    int uc = find(C, cur.u), vc = find(C, cur.v);
    if(uc != vc)
    {
      T.push_back(cur); weight += cur.d;

      if(R[uc] > R[vc]) C[vc] = uc;
      else if(R[vc] > R[uc]) C[uc] = vc;
      else { C[vc] = uc; R[uc]++; }
    }
  }

  return weight;
}

int main()
{
  int wa[6][6] = {
    { 0, -1, 2, -1, 7, -1 },
```

```
         { -1, 0, -1, 2, -1, -1 },
         { 2, -1, 0, -1, 8, 6 },
         { -1, 2, -1, 0, -1, -1 },
         { 7, -1, 8, -1, 0, 4 },
         { -1, -1, 6, -1, 4, 0 } };

    vector <vector <int> > w(6, vector <int>(6));

    for(int i=0; i<6; i++)
        for(int j=0; j<6; j++)
            w[i][j] = wa[i][j];

    cout << Kruskal(w) << endl;
    cin >> wa[0][0];
}
```

2 Geometry

2.1 Convex hull

```
// Compute the 2D convex hull of a set of points using the monotone chain
// algorithm.  Eliminate redundant points from the hull if REMOVE_REDUNDANT is
// #defined.
//
// Running time: O(n log n)
//
//   INPUT:    a vector of input points, unordered.
//   OUTPUT:   a vector of points in the convex hull, counterclockwise, starting
//             with bottommost/leftmost point

#include <cstdio>
#include <cassert>
#include <vector>
#include <algorithm>
#include <cmath>
// BEGIN CUT
#include <map>
// END CUT

using namespace std;

#define REMOVE_REDUNDANT

typedef double T;
const T EPS = 1e-7;
struct PT {
  T x, y;
  PT() {}
  PT(T x, T y) : x(x), y(y) {}
  bool operator<(const PT &rhs) const { return make_pair(y,x) < make_pair(rhs.y,rhs.x); }
  bool operator==(const PT &rhs) const { return make_pair(y,x) == make_pair(rhs.y,rhs.x); }
};

T cross(PT p, PT q) { return p.x*q.y-p.y*q.x; }
T area2(PT a, PT b, PT c) { return cross(a,b) + cross(b,c) + cross(c,a); }

#ifdef REMOVE_REDUNDANT
bool between(const PT &a, const PT &b, const PT &c) {
  return (fabs(area2(a,b,c)) < EPS && (a.x-b.x)*(c.x-b.x) <= 0 && (a.y-b.y)*(c.y-b.y) <= 0);
}
#endif

void ConvexHull(vector<PT> &pts) {
  sort(pts.begin(), pts.end());
  pts.erase(unique(pts.begin(), pts.end()), pts.end());
  vector<PT> up, dn;
  for (int i = 0; i < pts.size(); i++) {
    while (up.size() > 1 && area2(up[up.size()-2], up.back(), pts[i]) >= 0) up.pop_back();
    while (dn.size() > 1 && area2(dn[dn.size()-2], dn.back(), pts[i]) <= 0) dn.pop_back();
    up.push_back(pts[i]);
    dn.push_back(pts[i]);
  }
  pts = dn;
  for (int i = (int) up.size() - 2; i >= 1; i--) pts.push_back(up[i]);

#ifdef REMOVE_REDUNDANT
  if (pts.size() <= 2) return;
  dn.clear();
  dn.push_back(pts[0]);
  dn.push_back(pts[1]);
  for (int i = 2; i < pts.size(); i++) {
    if (between(dn[dn.size()-2], dn[dn.size()-1], pts[i])) dn.pop_back();
    dn.push_back(pts[i]);
  }
  if (dn.size() >= 3 && between(dn.back(), dn[0], dn[1])) {
```

```
    dn[0] = dn.back();
    dn.pop_back();
  }
  pts = dn;
#endif
}

// BEGIN CUT
// The following code solves SPOJ problem #26: Build the Fence (BSHEEP)

int main() {
  int t;
  scanf("%d", &t);
  for (int caseno = 0; caseno < t; caseno++) {
    int n;
    scanf("%d", &n);
    vector<PT> v(n);
    for (int i = 0; i < n; i++) scanf("%lf%lf", &v[i].x, &v[i].y);
    vector<PT> h(v);
    map<PT,int> index;
    for (int i = n-1; i >= 0; i--) index[v[i]] = i+1;
    ConvexHull(h);

    double len = 0;
    for (int i = 0; i < h.size(); i++) {
      double dx = h[i].x - h[(i+1)%h.size()].x;
      double dy = h[i].y - h[(i+1)%h.size()].y;
      len += sqrt(dx*dx+dy*dy);
    }

    if (caseno > 0) printf("\n");
    printf("%.2f\n", len);
    for (int i = 0; i < h.size(); i++) {
      if (i > 0) printf(" ");
      printf("%d", index[h[i]]);
    }
    printf("\n");
  }
}

// END CUT
```

2.2 Miscellaneous geometry

```
// C++ routines for computational geometry.

#include <iostream>
#include <vector>
#include <cmath>
#include <cassert>

using namespace std;

double INF = 1e100;
double EPS = 1e-12;

struct PT {
  double x, y;
  PT() {}
  PT(double x, double y) : x(x), y(y) {}
  PT(const PT &p) : x(p.x), y(p.y)    {}
  PT operator + (const PT &p)  const { return PT(x+p.x, y+p.y); }
  PT operator - (const PT &p)  const { return PT(x-p.x, y-p.y); }
  PT operator * (double c)     const { return PT(x*c,   y*c  ); }
  PT operator / (double c)     const { return PT(x/c,   y/c  ); }
};

double dot(PT p, PT q)     { return p.x*q.x+p.y*q.y; }
double dist2(PT p, PT q)   { return dot(p-q,p-q); }
double cross(PT p, PT q)   { return p.x*q.y-p.y*q.x; }
ostream &operator<<(ostream &os, const PT &p) {
  os << "(" << p.x << "," << p.y << ")";
}

// rotate a point CCW or CW around the origin
PT RotateCCW90(PT p)   { return PT(-p.y,p.x); }
PT RotateCW90(PT p)    { return PT(p.y,-p.x); }
PT RotateCCW(PT p, double t) {
  return PT(p.x*cos(t)-p.y*sin(t), p.x*sin(t)+p.y*cos(t));
}

// project point c onto line through a and b
// assuming a != b
PT ProjectPointLine(PT a, PT b, PT c) {
  return a + (b-a)*dot(c-a, b-a)/dot(b-a, b-a);
}
```

```cpp
// project point c onto line segment through a and b
PT ProjectPointSegment(PT a, PT b, PT c) {
  double r = dot(b-a,b-a);
  if (fabs(r) < EPS) return a;
  r = dot(c-a, b-a)/r;
  if (r < 0) return a;
  if (r > 1) return b;
  return a + (b-a)*r;
}

// compute distance from c to segment between a and b
double DistancePointSegment(PT a, PT b, PT c) {
  return sqrt(dist2(c, ProjectPointSegment(a, b, c)));
}

// compute distance between point (x,y,z) and plane ax+by+cz=d
double DistancePointPlane(double x, double y, double z,
                          double a, double b, double c, double d)
{
  return fabs(a*x+b*y+c*z-d)/sqrt(a*a+b*b+c*c);
}

// determine if lines from a to b and c to d are parallel or collinear
bool LinesParallel(PT a, PT b, PT c, PT d) {
  return fabs(cross(b-a, c-d)) < EPS;
}

bool LinesCollinear(PT a, PT b, PT c, PT d) {
  return LinesParallel(a, b, c, d)
      && fabs(cross(a-b, a-c)) < EPS
      && fabs(cross(c-d, c-a)) < EPS;
}

// determine if line segment from a to b intersects with
// line segment from c to d
bool SegmentsIntersect(PT a, PT b, PT c, PT d) {
  if (LinesCollinear(a, b, c, d)) {
    if (dist2(a, c) < EPS || dist2(a, d) < EPS ||
      dist2(b, c) < EPS || dist2(b, d) < EPS) return true;
    if (dot(c-a, c-b) > 0 && dot(d-a, d-b) > 0 && dot(c-b, d-b) > 0)
      return false;
    return true;
  }
  if (cross(d-a, b-a) * cross(c-a, b-a) > 0) return false;
  if (cross(a-c, d-c) * cross(b-c, d-c) > 0) return false;
  return true;
}

// compute intersection of line passing through a and b
// with line passing through c and d, assuming that unique
// intersection exists; for segment intersection, check if
// segments intersect first
PT ComputeLineIntersection(PT a, PT b, PT c, PT d) {
  b=b-a; d=c-d; c=c-a;
  assert(dot(b, b) > EPS && dot(d, d) > EPS);
  return a + b*cross(c, d)/cross(b, d);
}

// compute center of circle given three points
PT ComputeCircleCenter(PT a, PT b, PT c) {
  b=(a+b)/2;
  c=(a+c)/2;
  return ComputeLineIntersection(b, b+RotateCW90(a-b), c, c+RotateCW90(a-c));
}

// determine if point is in a possibly non-convex polygon (by William
// Randolph Franklin); returns 1 for strictly interior points, 0 for
// strictly exterior points, and 0 or 1 for the remaining points.
// Note that it is possible to convert this into an *exact* test using
// integer arithmetic by taking care of the division appropriately
// (making sure to deal with signs properly) and then by writing exact
// tests for checking point on polygon boundary
bool PointInPolygon(const vector<PT> &p, PT q) {
  bool c = 0;
  for (int i = 0; i < p.size(); i++){
    int j = (i+1)%p.size();
    if ((p[i].y <= q.y && q.y < p[j].y ||
      p[j].y <= q.y && q.y < p[i].y) &&
      q.x < p[i].x + (p[j].x - p[i].x) * (q.y - p[i].y) / (p[j].y - p[i].y))
      c = !c;
  }
  return c;
}

// determine if point is on the boundary of a polygon
bool PointOnPolygon(const vector<PT> &p, PT q) {
  for (int i = 0; i < p.size(); i++)
    if (dist2(ProjectPointSegment(p[i], p[(i+1)%p.size()], q), q) < EPS)
      return true;
    return false;
}
```

```cpp
// compute intersection of line through points a and b with
// circle centered at c with radius r > 0
vector<PT> CircleLineIntersection(PT a, PT b, PT c, double r) {
  vector<PT> ret;
  b = b-a;
  a = a-c;
  double A = dot(b, b);
  double B = dot(a, b);
  double C = dot(a, a) - r*r;
  double D = B*B - A*C;
  if (D < -EPS) return ret;
  ret.push_back(c+a+b*(-B+sqrt(D+EPS))/A);
  if (D > EPS)
    ret.push_back(c+a+b*(-B-sqrt(D))/A);
  return ret;
}

// compute intersection of circle centered at a with radius r
// with circle centered at b with radius R
vector<PT> CircleCircleIntersection(PT a, PT b, double r, double R) {
  vector<PT> ret;
  double d = sqrt(dist2(a, b));
  if (d > r+R || d+min(r, R) < max(r, R)) return ret;
  double x = (d*d-R*R+r*r)/(2*d);
  double y = sqrt(r*r-x*x);
  PT v = (b-a)/d;
  ret.push_back(a+v*x + RotateCCW90(v)*y);
  if (y > 0)
    ret.push_back(a+v*x - RotateCCW90(v)*y);
  return ret;
}

// This code computes the area or centroid of a (possibly nonconvex)
// polygon, assuming that the coordinates are listed in a clockwise or
// counterclockwise fashion.  Note that the centroid is often known as
// the "center of gravity" or "center of mass".
double ComputeSignedArea(const vector<PT> &p) {
  double area = 0;
  for(int i = 0; i < p.size(); i++) {
    int j = (i+1) % p.size();
    area += p[i].x*p[j].y - p[j].x*p[i].y;
  }
  return area / 2.0;
}

double ComputeArea(const vector<PT> &p) {
  return fabs(ComputeSignedArea(p));
}

PT ComputeCentroid(const vector<PT> &p) {
  PT c(0,0);
  double scale = 6.0 * ComputeSignedArea(p);
  for (int i = 0; i < p.size(); i++){
    int j = (i+1) % p.size();
    c = c + (p[i]+p[j])*(p[i].x*p[j].y - p[j].x*p[i].y);
  }
  return c / scale;
}

// tests whether or not a given polygon (in CW or CCW order) is simple
bool IsSimple(const vector<PT> &p) {
  for (int i = 0; i < p.size(); i++) {
    for (int k = i+1; k < p.size(); k++) {
      int j = (i+1) % p.size();
      int l = (k+1) % p.size();
      if (i == l || j == k) continue;
      if (SegmentsIntersect(p[i], p[j], p[k], p[l]))
        return false;
    }
  }
  return true;
}

int main() {

  // expected: (-5,2)
  cerr << RotateCCW90(PT(2,5)) << endl;

  // expected: (5,-2)
  cerr << RotateCW90(PT(2,5)) << endl;

  // expected: (-5,2)
  cerr << RotateCCW(PT(2,5),M_PI/2) << endl;

  // expected: (5,2)
  cerr << ProjectPointLine(PT(-5,-2), PT(10,4), PT(3,7)) << endl;

  // expected: (5,2) (7.5,3) (2.5,1)
  cerr << ProjectPointSegment(PT(-5,-2), PT(10,4), PT(3,7)) << " "
       << ProjectPointSegment(PT(7.5,3), PT(10,4), PT(3,7)) << " "
       << ProjectPointSegment(PT(-5,-2), PT(2.5,1), PT(3,7)) << endl;
```

```
// expected: 6.78903
cerr << DistancePointPlane(4,-4,3,2,-2,5,-8) << endl;

// expected: 1 0 1
cerr << LinesParallel(PT(1,1), PT(3,5), PT(2,1), PT(4,5)) << " "
     << LinesParallel(PT(1,1), PT(3,5), PT(2,0), PT(4,5)) << " "
     << LinesParallel(PT(1,1), PT(3,5), PT(5,9), PT(7,13)) << endl;

// expected: 0 0 1
cerr << LinesCollinear(PT(1,1), PT(3,5), PT(2,1), PT(4,5)) << " "
     << LinesCollinear(PT(1,1), PT(3,5), PT(2,0), PT(4,5)) << " "
     << LinesCollinear(PT(1,1), PT(3,5), PT(5,9), PT(7,13)) << endl;

// expected: 1 1 1 0
cerr << SegmentsIntersect(PT(0,0), PT(2,4), PT(3,1), PT(-1,3)) << " "
     << SegmentsIntersect(PT(0,0), PT(2,4), PT(4,3), PT(0,5)) << " "
     << SegmentsIntersect(PT(0,0), PT(2,4), PT(2,-1), PT(-2,1)) << " "
     << SegmentsIntersect(PT(0,0), PT(2,4), PT(5,5), PT(1,7)) << endl;

// expected: (1,2)
cerr << ComputeLineIntersection(PT(0,0), PT(2,4), PT(3,1), PT(-1,3)) << endl;

// expected: (1,1)
cerr << ComputeCircleCenter(PT(-3,4), PT(6,1), PT(4,5)) << endl;

vector<PT> v;
v.push_back(PT(0,0));
v.push_back(PT(5,0));
v.push_back(PT(5,5));
v.push_back(PT(0,5));

// expected: 1 1 1 0 0
cerr << PointInPolygon(v, PT(2,2)) << " "
     << PointInPolygon(v, PT(2,0)) << " "
     << PointInPolygon(v, PT(0,2)) << " "
     << PointInPolygon(v, PT(5,2)) << " "
     << PointInPolygon(v, PT(2,5)) << endl;

// expected: 0 1 1 1 1
cerr << PointOnPolygon(v, PT(2,2)) << " "
     << PointOnPolygon(v, PT(2,0)) << " "
     << PointOnPolygon(v, PT(0,2)) << " "
     << PointOnPolygon(v, PT(5,2)) << " "
     << PointOnPolygon(v, PT(2,5)) << endl;

// expected: (1,6)
//           (5,4) (4,5)
//           blank line
//           (4,5) (5,4)
//           blank line
//           (4,5) (5,4)
vector<PT> u = CircleLineIntersection(PT(0,6), PT(2,6), PT(1,1), 5);
for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
u = CircleLineIntersection(PT(0,9), PT(9,0), PT(1,1), 5);
for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
u = CircleCircleIntersection(PT(1,1), PT(10,10), 5, 5);
for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
u = CircleCircleIntersection(PT(1,1), PT(8,8), 5, 5);
for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
u = CircleCircleIntersection(PT(1,1), PT(4.5,4.5), 10, sqrt(2.0)/2.0);
for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
u = CircleCircleIntersection(PT(1,1), PT(4.5,4.5), 5, sqrt(2.0)/2.0);
for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;

// area should be 5.0
// centroid should be (1.1666666, 1.166666)
PT pa[] = { PT(0,0), PT(5,0), PT(1,1), PT(0,5) };
vector<PT> p(pa, pa+4);
PT c = ComputeCentroid(p);
cerr << "Area: " << ComputeArea(p) << endl;
cerr << "Centroid: " << c << endl;

    return 0;
}
```

2.3 3D geometry

```
public class Geom3D {
  // distance from point (x, y, z) to plane aX + bY + cZ + d = 0
  public static double ptPlaneDist(double x, double y, double z,
      double a, double b, double c, double d) {
    return Math.abs(a*x + b*y + c*z + d) / Math.sqrt(a*a + b*b + c*c);
  }

  // distance between parallel planes aX + bY + cZ + d1 = 0 and
  // aX + bY + cZ + d2 = 0
  public static double planePlaneDist(double a, double b, double c,
```

```
      double d1, double d2) {
    return Math.abs(d1 - d2) / Math.sqrt(a*a + b*b + c*c);
  }

  // distance from point (px, py, pz) to line (x1, y1, z1)-(x2, y2, z2)
  // (or ray, or segment; in the case of the ray, the endpoint is the
  // first point)
  public static final int LINE = 0;
  public static final int SEGMENT = 1;
  public static final int RAY = 2;
  public static double ptLineDistSq(double x1, double y1, double z1,
      double x2, double y2, double z2, double px, double py, double pz,
      int type) {
    double pd2 = (x1-x2)*(x1-x2) + (y1-y2)*(y1-y2) + (z1-z2)*(z1-z2);

    double x, y, z;
    if (pd2 == 0) {
      x = x1;
      y = y1;
      z = z1;
    } else {
      double u = ((px-x1)*(x2-x1) + (py-y1)*(y2-y1) + (pz-z1)*(z2-z1)) / pd2;
      x = x1 + u * (x2 - x1);
      y = y1 + u * (y2 - y1);
      z = z1 + u * (z2 - z1);
      if (type != LINE && u < 0) {
        x = x1;
        y = y1;
        z = z1;
      }
      if (type == SEGMENT && u > 1.0) {
        x = x2;
        y = y2;
        z = z2;
      }
    }

    return (x-px)*(x-px) + (y-py)*(y-py) + (z-pz)*(z-pz);
  }

  public static double ptLineDist(double x1, double y1, double z1,
      double x2, double y2, double z2, double px, double py, double pz,
      int type) {
    return Math.sqrt(ptLineDistSq(x1, y1, z1, x2, y2, z2, px, py, pz, type));
  }
}
```

3 Math

3.1 Number theory (modular, Chinese remainder, linear Diophantine)

```
// This is a collection of useful code for solving problems that
// involve modular linear equations.  Note that all of the
// algorithms described here work on nonnegative integers.

#include <iostream>
#include <vector>
#include <algorithm>

using namespace std;

typedef vector<int> VI;
typedef pair<int, int> PII;

// return a % b (positive value)
int mod(int a, int b) {
      return ((a%b) + b) % b;
}

// computes gcd(a,b)
int gcd(int a, int b) {
      while (b) { int t = a%b; a = b; b = t; }
      return a;
}

// computes lcm(a,b)
int lcm(int a, int b) {
      return a / gcd(a, b)*b;
}

// (a^b) mod m via successive squaring
int powermod(int a, int b, int m)
```

```
{
        int ret = 1;
        while (b)
        {
                if (b & 1) ret = mod(ret*a, m);
                a = mod(a*a, m);
                b >>= 1;
        }
        return ret;
}

// returns g = gcd(a, b); finds x, y such that d = ax + by
int extended_euclid(int a, int b, int &x, int &y) {
        int xx = y = 0;
        int yy = x = 1;
        while (b) {
                int q = a / b;
                int t = b; b = a%b; a = t;
                t = xx; xx = x - q*xx; x = t;
                t = yy; yy = y - q*yy; y = t;
        }
        return a;
}

// finds all solutions to ax = b (mod n)
VI modular_linear_equation_solver(int a, int b, int n) {
        int x, y;
        VI ret;
        int g = extended_euclid(a, n, x, y);
        if (!(b%g)) {
                x = mod(x*(b / g), n);
                for (int i = 0; i < g; i++)
                        ret.push_back(mod(x + i*(n / g), n));
        }
        return ret;
}

// computes b such that ab = 1 (mod n), returns -1 on failure
int mod_inverse(int a, int n) {
        int x, y;
        int g = extended_euclid(a, n, x, y);
        if (g > 1) return -1;
        return mod(x, n);
}

// Chinese remainder theorem (special case): find z such that
// z % m1 = r1, z % m2 = r2.  Here, z is unique modulo M = lcm(m1, m2).
// Return (z, M).  On failure, M = -1.
PII chinese_remainder_theorem(int m1, int r1, int m2, int r2) {
        int s, t;
        int g = extended_euclid(m1, m2, s, t);
        if (r1%g != r2%g) return make_pair(0, -1);
        return make_pair(mod(s*r2*m1 + t*r1*m2, m1*m2) / g, m1*m2 / g);
}

// Chinese remainder theorem: find z such that
// z % m[i] = r[i] for all i.  Note that the solution is
// unique modulo M = lcm_i (m[i]).  Return (z, M). On
// failure, M = -1. Note that we do not require the a[i]'s
// to be relatively prime.
PII chinese_remainder_theorem(const VI &m, const VI &r) {
        PII ret = make_pair(r[0], m[0]);
        for (int i = 1; i < m.size(); i++) {
                ret = chinese_remainder_theorem(ret.second, ret.first, m[i], r[i]);
                if (ret.second == -1) break;
        }
        return ret;
}

// computes x and y such that ax + by = c
// returns whether the solution exists
bool linear_diophantine(int a, int b, int c, int &x, int &y) {
        if (!a && !b)
        {
                if (c) return false;
                x = 0; y = 0;
                return true;
        }
        if (!a)
        {
                if (c % b) return false;
                x = 0; y = c / b;
                return true;
        }
        if (!b)
        {
                if (c % a) return false;
                x = c / a; y = 0;
                return true;
        }
        int g = gcd(a, b);
        if (c % g) return false;
```

```
        x = c / g * mod_inverse(a / g, b / g);
        y = (c - a*x) / b;
        return true;
}
int main() {
        // expected: 2
        cout << gcd(14, 30) << endl;

        // expected: 2 -2 1
        int x, y;
        int g = extended_euclid(14, 30, x, y);
        cout << g << " " << x << " " << y << endl;

        // expected: 95 451
        VI sols = modular_linear_equation_solver(14, 30, 100);
        for (int i = 0; i < sols.size(); i++) cout << sols[i] << " ";
        cout << endl;

        // expected: 8
        cout << mod_inverse(8, 9) << endl;

        // expected: 23 105
        //           11 12
        PII ret = chinese_remainder_theorem(VI({ 3, 5, 7 }), VI({ 2, 3, 2 }));
        cout << ret.first << " " << ret.second << endl;
        ret = chinese_remainder_theorem(VI({ 4, 6 }), VI({ 3, 5 }));
        cout << ret.first << " " << ret.second << endl;

        // expected: 5 -15
        if (!linear_diophantine(7, 2, 5, x, y)) cout << "ERROR" << endl;
        cout << x << " " << y << endl;
        return 0;
}
```

3.2 Systems of linear equations, matrix inverse, determinant

```
// Gauss-Jordan elimination with full pivoting.
//
// Uses:
//   (1) solving systems of linear equations (AX=B)
//   (2) inverting matrices (AX=I)
//   (3) computing determinants of square matrices
//
// Running time: O(n^3)
//
// INPUT:    a[][] = an nxn matrix
//           b[][] = an nxm matrix
//
// OUTPUT:   X     = an nxm matrix (stored in b[][])
//           A^{-1} = an nxn matrix (stored in a[][])
//           returns determinant of a[][]

#include <iostream>
#include <vector>
#include <cmath>

using namespace std;

const double EPS = 1e-10;

typedef vector<int> VI;
typedef double T;
typedef vector<T> VT;
typedef vector<VT> VVT;

T GaussJordan(VVT &a, VVT &b) {
  const int n = a.size();
  const int m = b[0].size();
  VI irow(n), icol(n), ipiv(n);
  T det = 1;

  for (int i = 0; i < n; i++) {
    int pj = -1, pk = -1;
    for (int j = 0; j < n; j++) if (!ipiv[j])
      for (int k = 0; k < n; k++) if (!ipiv[k])
        if (pj == -1 || fabs(a[j][k]) > fabs(a[pj][pk])) { pj = j; pk = k; }
    if (fabs(a[pj][pk]) < EPS) { cerr << "Matrix is singular." << endl; exit(0); }
    ipiv[pk]++;
    swap(a[pj], a[pk]);
    swap(b[pj], b[pk]);
    if (pj != pk) det *= -1;
    irow[i] = pj;
    icol[i] = pk;
```

```
        T c = 1.0 / a[pk][pk];
        det *= a[pk][pk];
        a[pk][pk] = 1.0;
        for (int p = 0; p < n; p++) a[pk][p] *= c;
        for (int p = 0; p < m; p++) b[pk][p] *= c;
        for (int p = 0; p < n; p++) if (p != pk) {
            c = a[p][pk];
            a[p][pk] = 0;
            for (int q = 0; q < n; q++) a[p][q] -= a[pk][q] * c;
            for (int q = 0; q < m; q++) b[p][q] -= b[pk][q] * c;
        }
    }

    for (int p = n-1; p >= 0; p--) if (irow[p] != icol[p]) {
        for (int k = 0; k < n; k++) swap(a[k][irow[p]], a[k][icol[p]]);
    }

    return det;
}

int main() {
    const int n = 4;
    const int m = 2;
    double A[n][n] = { {1,2,3,4},{1,0,1,0},{5,3,2,4},{6,1,4,6} };
    double B[n][m] = { {1,2},{4,3},{5,6},{8,7} };
    VVT a(n), b(n);
    for (int i = 0; i < n; i++) {
        a[i] = VT(A[i], A[i] + n);
        b[i] = VT(B[i], B[i] + m);
    }

    double det = GaussJordan(a, b);

    // expected: 60
    cout << "Determinant: " << det << endl;

    // expected: -0.233333 0.166667 0.133333 0.0666667
    //            0.166667 0.166667 0.333333 -0.333333
    //            0.233333 0.833333 -0.133333 -0.0666667
    //            0.05 -0.75 -0.1 0.2
    cout << "Inverse: " << endl;
    for (int i = 0; i < n; i++) {
        for (int j = 0; j < n; j++)
            cout << a[i][j] << ' ';
        cout << endl;
    }

    // expected: 1.63333 1.3
    //           -0.166667 0.5
    //           2.36667 1.7
    //           -1.85 -1.35
    cout << "Solution: " << endl;
    for (int i = 0; i < n; i++) {
        for (int j = 0; j < m; j++)
            cout << b[i][j] << ' ';
        cout << endl;
    }
}
```

3.3   Fast Fourier transform

```
#include <cassert>
#include <cstdio>
#include <cmath>

struct cpx
{
    cpx(){}
    cpx(double aa):a(aa),b(0){}
    cpx(double aa, double bb):a(aa),b(bb){}
    double a;
    double b;
    double modsq(void) const
    {
        return a * a + b * b;
    }
    cpx bar(void) const
    {
        return cpx(a, -b);
    }
};

cpx operator +(cpx a, cpx b)
{
    return cpx(a.a + b.a, a.b + b.b);
}

cpx operator *(cpx a, cpx b)
```

```
{
    return cpx(a.a * b.a - a.b * b.b, a.a * b.b + a.b * b.a);
}

cpx operator /(cpx a, cpx b)
{
    cpx r = a * b.bar();
    return cpx(r.a / b.modsq(), r.b / b.modsq());
}

cpx EXP(double theta)
{
    return cpx(cos(theta),sin(theta));
}

const double two_pi = 4 * acos(0);

// in:     input array
// out:    output array
// step:   {SET TO 1} (used internally)
// size:   length of the input/output {MUST BE A POWER OF 2}
// dir:    either plus or minus one (direction of the FFT)
// RESULT: out[k] = \sum_{j=0}^{size - 1} in[j] * exp(dir * 2pi * i * j * k / size)
void FFT(cpx *in, cpx *out, int step, int size, int dir)
{
    if(size < 1) return;
    if(size == 1)
    {
        out[0] = in[0];
        return;
    }
    FFT(in, out, step * 2, size / 2, dir);
    FFT(in + step, out + size / 2, step * 2, size / 2, dir);
    for(int i = 0 ; i < size / 2 ; i++)
    {
        cpx even = out[i];
        cpx odd = out[i + size / 2];
        out[i] = even + EXP(dir * two_pi * i / size) * odd;
        out[i + size / 2] = even + EXP(dir * two_pi * (i + size / 2) / size) * odd;
    }
}

// Usage:
// f[0...N-1] and g[0..N-1] are numbers
// Want to compute the convolution h, defined by
// h[n] = sum of f[k]g[n-k]  (k = 0, ..., N-1).
// Here, the index is cyclic; f[-1] = f[N-1], f[-2] = f[N-2], etc.
// Let F[0...N-1] be FFT(f), and similarly, define G and H.
// The convolution theorem says H[n] = F[n]G[n] (element-wise product).
// To compute h[] in O(N log N) time, do the following:
//   1. Compute F and G (pass dir = 1 as the argument).
//   2. Get H by element-wise multiplying F and G.
//   3. Get h by taking the inverse FFT (use dir = -1 as the argument)
//      and *dividing by N*. DO NOT FORGET THIS SCALING FACTOR.

int main(void)
{
    printf("If rows come in identical pairs, then everything works.\n");

    cpx a[8] = {0, 1, cpx(1,3), cpx(0,5), 1, 0, 2, 0};
    cpx b[8] = {1, cpx(0,-2), cpx(0,1), 3, -1, -3, 1, -2};
    cpx A[8];
    cpx B[8];
    FFT(a, A, 1, 8, 1);
    FFT(b, B, 1, 8, 1);

    for(int i = 0 ; i < 8 ; i++)
    {
        printf("%7.2lf%7.2lf", A[i].a, A[i].b);
    }
    printf("\n");
    for(int i = 0 ; i < 8 ; i++)
    {
        cpx Ai(0,0);
        for(int j = 0 ; j < 8 ; j++)
        {
            Ai = Ai + a[j] * EXP(j * i * two_pi / 8);
        }
        printf("%7.2lf%7.2lf", Ai.a, Ai.b);
    }
    printf("\n");

    cpx AB[8];
    for(int i = 0 ; i < 8 ; i++)
        AB[i] = A[i] * B[i];
    cpx aconvb[8];
    FFT(AB, aconvb, 1, 8, -1);
    for(int i = 0 ; i < 8 ; i++)
        aconvb[i] = aconvb[i] / 8;
    for(int i = 0 ; i < 8 ; i++)
    {
        printf("%7.2lf%7.2lf", aconvb[i].a, aconvb[i].b);
```

```
      }
      printf("\n");
      for(int i = 0 ; i < 8 ; i++)
      {
        cpx aconvbi(0,0);
        for(int j = 0 ; j < 8 ; j++)
        {
          aconvbi = aconvbi + a[j] * b[(8 + i - j) % 8];
        }
        printf("%7.2lf%7.2lf", aconvbi.a, aconvbi.b);
      }
      printf("\n");

      return 0;
    }
```

3.4 Simplex algorithm

```
// Two-phase simplex algorithm for solving linear programs of the form
//
//     maximize     c^T x
//     subject to   Ax <= b
//                  x >= 0
//
// INPUT: A -- an m x n matrix
//        b -- an m-dimensional vector
//        c -- an n-dimensional vector
//        x -- a vector where the optimal solution will be stored
//
// OUTPUT: value of the optimal solution (infinity if unbounded
//         above, nan if infeasible)
//
// To use this code, create an LPSolver object with A, b, and c as
// arguments.  Then, call Solve(x).

#include <iostream>
#include <iomanip>
#include <vector>
#include <cmath>
#include <limits>

using namespace std;

typedef long double DOUBLE;
typedef vector<DOUBLE> VD;
typedef vector<VD> VVD;
typedef vector<int> VI;

const DOUBLE EPS = 1e-9;

struct LPSolver {
  int m, n;
  VI B, N;
  VVD D;

  LPSolver(const VVD &A, const VD &b, const VD &c) :
    m(b.size()), n(c.size()), N(n + 1), B(m), D(m + 2, VD(n + 2)) {
    for (int i = 0; i < m; i++) for (int j = 0; j < n; j++) D[i][j] = A[i][j];
    for (int i = 0; i < m; i++) { B[i] = n + i; D[i][n] = -1; D[i][n + 1] = b[i]; }
    for (int j = 0; j < n; j++) { N[j] = j; D[m][j] = -c[j]; }
    N[n] = -1; D[m + 1][n] = 1;
  }

  void Pivot(int r, int s) {
    double inv = 1.0 / D[r][s];
    for (int i = 0; i < m + 2; i++) if (i != r)
      for (int j = 0; j < n + 2; j++) if (j != s)
        D[i][j] -= D[r][j] * D[i][s] * inv;
    for (int j = 0; j < n + 2; j++) if (j != s) D[r][j] *= inv;
    for (int i = 0; i < m + 2; i++) if (i != r) D[i][s] *= -inv;
    D[r][s] = inv;
    swap(B[r], N[s]);
  }

  bool Simplex(int phase) {
    int x = phase == 1 ? m + 1 : m;
    while (true) {
      int s = -1;
      for (int j = 0; j <= n; j++) {
        if (phase == 2 && N[j] == -1) continue;
        if (s == -1 || D[x][j] < D[x][s] || D[x][j] == D[x][s] && N[j] < N[s]) s = j;
      }
      if (D[x][s] > -EPS) return true;
      int r = -1;
      for (int i = 0; i < m; i++) {
        if (D[i][s] < EPS) continue;
        if (r == -1 || D[i][n + 1] / D[i][s] < D[r][n + 1] / D[r][s] ||
```

```
            (D[i][n + 1] / D[i][s]) == (D[r][n + 1] / D[r][s]) && B[i] < B[r]) r = i;
      }
      if (r == -1) return false;
      Pivot(r, s);
    }
  }

  DOUBLE Solve(VD &x) {
    int r = 0;
    for (int i = 1; i < m; i++) if (D[i][n + 1] < D[r][n + 1]) r = i;
    if (D[r][n + 1] < -EPS) {
      Pivot(r, n);
      if (!Simplex(1) || D[m + 1][n + 1] < -EPS) return -numeric_limits<DOUBLE>::infinity();
      for (int i = 0; i < m; i++) if (B[i] == -1) {
        int s = -1;
        for (int j = 0; j <= n; j++)
          if (s == -1 || D[i][j] < D[i][s] || D[i][j] == D[i][s] && N[j] < N[s]) s = j;
        Pivot(i, s);
      }
    }
    if (!Simplex(2)) return numeric_limits<DOUBLE>::infinity();
    x = VD(n);
    for (int i = 0; i < m; i++) if (B[i] < n) x[B[i]] = D[i][n + 1];
    return D[m][n + 1];
  }
};

int main() {

  const int m = 4;
  const int n = 3;
  DOUBLE _A[m][n] = {
    { 6, -1, 0 },
    { -1, -5, 0 },
    { 1, 5, 1 },
    { -1, -5, -1 }
  };
  DOUBLE _b[m] = { 10, -4, 5, -5 };
  DOUBLE _c[n] = { 1, -1, 0 };

  VVD A(m);
  VD b(_b, _b + m);
  VD c(_c, _c + n);
  for (int i = 0; i < m; i++) A[i] = VD(_A[i], _A[i] + n);

  LPSolver solver(A, b, c);
  VD x;
  DOUBLE value = solver.Solve(x);

  cerr << "VALUE: " << value << endl; // VALUE: 1.29032
  cerr << "SOLUTION:"; // SOLUTION: 1.74194 0.451613 1
  for (size_t i = 0; i < x.size(); i++) cerr << " " << x[i];
  cerr << endl;
  return 0;
}
```

3.5 Prime numbers

```
// O(sqrt(x)) Exhaustive Primality Test
#include <cmath>
#define EPS 1e-7
typedef long long LL;
bool IsPrimeSlow (LL x)
{
  if(x<=1) return false;
  if(x<=3) return true;
  if (!(x%2) || !(x%3)) return false;
  LL s=(LL)(sqrt((double)(x))+EPS);
  for(LL i=5;i<=s;i+=6)
  {
    if (!(x%i) || !(x%(i+2))) return false;
  }
  return true;
}
// Primes less than 1000:
//     2    3    5    7   11   13   17   19   23   29   31   37
//    41   43   47   53   59   61   67   71   73   79   83   89
//    97  101  103  107  109  113  127  131  137  139  149  151
//   157  163  167  173  179  181  191  193  197  199  211  223
//   227  229  233  239  241  251  257  263  269  271  277  281
//   283  293  307  311  313  317  331  337  347  349  353  359
//   367  373  379  383  389  397  401  409  419  421  431  433
//   439  443  449  457  461  463  467  479  487  491  499  503
//   509  521  523  541  547  557  563  569  571  577  587  593
//   599  601  607  613  617  619  631  641  643  647  653  659
//   661  673  677  683  691  701  709  719  727  733  739  743
//   751  757  761  769  773  787  797  809  811  821  823  827
//   829  839  853  857  859  863  877  881  883  887  907  911
```

```
//     919     929     937     941     947     953     967     971     977     983     991     997

// Other primes:
//     The largest prime smaller than 10 is 7.
//     The largest prime smaller than 100 is 97.
//     The largest prime smaller than 1000 is 997.
//     The largest prime smaller than 10000 is 9973.
//     The largest prime smaller than 100000 is 99991.
//     The largest prime smaller than 1000000 is 999983.
//     The largest prime smaller than 10000000 is 9999991.
//     The largest prime smaller than 100000000 is 99999989.
//     The largest prime smaller than 1000000000 is 999999937.
//     The largest prime smaller than 10000000000 is 9999999967.
//     The largest prime smaller than 100000000000 is 99999999977.
//     The largest prime smaller than 1000000000000 is 999999999989.
//     The largest prime smaller than 10000000000000 is 9999999999971.
//     The largest prime smaller than 100000000000000 is 99999999999973.
//     The largest prime smaller than 1000000000000000 is 999999999999989.
//     The largest prime smaller than 10000000000000000 is 9999999999999937.
//     The largest prime smaller than 100000000000000000 is 99999999999999997.
//     The largest prime smaller than 1000000000000000000 is 999999999999999989.
```

3.6   Ternary Search

```
///Ternary search.
//Find maximum of function f in interval [l, r] with error at most EPS.
#include <vector>
#include <iostream>
#include <cmath>
using namespace std;

template <class func>
double ternary_search(long double l, long double r, long double EPS, func f) {
        while (r - l > EPS) {
                double m1 = l + (r - l) / 3,
                m2 = r - (r - l) / 3;
                if (f (m1) < f (m2))
                        l = m1;
                else
                        r = m2;
        }
        return (r + l) / 2;
}
```

4   Data structures

4.1   Binary Indexed Tree

```
#include <iostream>
using namespace std;

#define LOGSZ 17

int tree[(1<<LOGSZ)+1];
int N = (1<<LOGSZ);

// add v to value at x
void set(int x, int v) {
  while(x <= N) {
    tree[x] += v;
    x += (x & -x);
  }
}

// get cumulative sum up to and including x
int get(int x) {
  int res = 0;
  while(x) {
    res += tree[x];
    x -= (x & -x);
  }
  return res;
}

// get largest value with cumulative sum less than or equal to x;
// for smallest, pass x-1 and add 1 to result
int getind(int x) {
  int idx = 0, mask = N;
  while(mask && idx < N) {
    int t = idx + mask;
```

```
    if(x >= tree[t]) {
      idx = t;
      x -= tree[t];
    }
    mask >>= 1;
  }
  return idx;
}
```

4.2   Union-find set

```
#include <iostream>
#include <vector>
using namespace std;
int find(vector<int> &C, int x) { return (C[x] == x) ? x : C[x] = find(C, C[x]); }
void merge(vector<int> &C, int x, int y) { C[find(C, x)] = find(C, y); }
int main()
{
        int n = 5;
        vector<int> C(n);
        for (int i = 0; i < n; i++) C[i] = i;
        merge(C, 0, 2);
        merge(C, 1, 0);
        merge(C, 3, 4);
        for (int i = 0; i < n; i++) cout << i << " " << find(C, i) << endl;
        return 0;
}
```

4.3   KD-tree

```
// ----------------------------------------------------------------
// A straightforward, but probably sub-optimal KD-tree implmentation
// that's probably good enough for most things (current it's a
// 2D-tree)
//
//  - constructs from n points in O(n lg^2 n) time
//  - handles nearest-neighbor query in O(lg n) if points are well
//    distributed
//  - worst case for nearest-neighbor may be linear in pathological
//    case
//
// Sonny Chan, Stanford University, April 2009
// ----------------------------------------------------------------

#include <iostream>
#include <vector>
#include <limits>
#include <cstdlib>

using namespace std;

// number type for coordinates, and its maximum value
typedef long long ntype;
const ntype sentry = numeric_limits<ntype>::max();

// point structure for 2D-tree, can be extended to 3D
struct point {
    ntype x, y;
    point(ntype xx = 0, ntype yy = 0) : x(xx), y(yy) {}
};

bool operator==(const point &a, const point &b)
{
    return a.x == b.x && a.y == b.y;
}

// sorts points on x-coordinate
bool on_x(const point &a, const point &b)
{
    return a.x < b.x;
}

// sorts points on y-coordinate
bool on_y(const point &a, const point &b)
{
    return a.y < b.y;
}

// squared distance between points
ntype pdist2(const point &a, const point &b)
{
    ntype dx = a.x-b.x, dy = a.y-b.y;
    return dx*dx + dy*dy;
}
```

```cpp
}

// bounding box for a set of points
struct bbox
{
    ntype x0, x1, y0, y1;

    bbox() : x0(sentry), x1(-sentry), y0(sentry), y1(-sentry) {}

    // computes bounding box from a bunch of points
    void compute(const vector<point> &v) {
        for (int i = 0; i < v.size(); ++i) {
            x0 = min(x0, v[i].x);   x1 = max(x1, v[i].x);
            y0 = min(y0, v[i].y);   y1 = max(y1, v[i].y);
        }
    }

    // squared distance between a point and this bbox, 0 if inside
    ntype distance(const point &p) {
        if (p.x < x0) {
            if (p.y < y0)        return pdist2(point(x0, y0), p);
            else if (p.y > y1)   return pdist2(point(x0, y1), p);
            else                 return pdist2(point(x0, p.y), p);
        }
        else if (p.x > x1) {
            if (p.y < y0)        return pdist2(point(x1, y0), p);
            else if (p.y > y1)   return pdist2(point(x1, y1), p);
            else                 return pdist2(point(x1, p.y), p);
        }
        else {
            if (p.y < y0)        return pdist2(point(p.x, y0), p);
            else if (p.y > y1)   return pdist2(point(p.x, y1), p);
            else                 return 0;
        }
    }
};

// stores a single node of the kd-tree, either internal or leaf
struct kdnode
{
    bool leaf;      // true if this is a leaf node (has one point)
    point pt;       // the single point of this is a leaf
    bbox bound;     // bounding box for set of points in children

    kdnode *first, *second; // two children of this kd-node

    kdnode() : leaf(false), first(0), second(0) {}
    ~kdnode() { if (first) delete first; if (second) delete second; }

    // intersect a point with this node (returns squared distance)
    ntype intersect(const point &p) {
        return bound.distance(p);
    }

    // recursively builds a kd-tree from a given cloud of points
    void construct(vector<point> &vp)
    {
        // compute bounding box for points at this node
        bound.compute(vp);

        // if we're down to one point, then we're a leaf node
        if (vp.size() == 1) {
            leaf = true;
            pt = vp[0];
        }
        else {
            // split on x if the bbox is wider than high (not best heuristic...)
            if (bound.x1-bound.x0 >= bound.y1-bound.y0)
                sort(vp.begin(), vp.end(), on_x);
            // otherwise split on y-coordinate
            else
                sort(vp.begin(), vp.end(), on_y);

            // divide by taking half the array for each child
            // (not best performance if many duplicates in the middle)
            int half = vp.size()/2;
            vector<point> vl(vp.begin(), vp.begin()+half);
            vector<point> vr(vp.begin()+half, vp.end());
            first = new kdnode();   first->construct(vl);
            second = new kdnode();  second->construct(vr);
        }
    }
};

// simple kd-tree class to hold the tree and handle queries
struct kdtree
{
    kdnode *root;

    // constructs a kd-tree from a points (copied here, as it sorts them)
    kdtree(const vector<point> &vp) {
        vector<point> v(vp.begin(), vp.end());
```

```cpp
        root = new kdnode();
        root->construct(v);
    }
    ~kdtree() { delete root; }

    // recursive search method returns squared distance to nearest point
    ntype search(kdnode *node, const point &p)
    {
        if (node->leaf) {
            // commented special case tells a point not to find itself
//          if (p == node->pt) return sentry;
//          else
                return pdist2(p, node->pt);
        }

        ntype bfirst = node->first->intersect(p);
        ntype bsecond = node->second->intersect(p);

        // choose the side with the closest bounding box to search first
        // (note that the other side is also searched if needed)
        if (bfirst < bsecond) {
            ntype best = search(node->first, p);
            if (bsecond < best)
                best = min(best, search(node->second, p));
            return best;
        }
        else {
            ntype best = search(node->second, p);
            if (bfirst < best)
                best = min(best, search(node->first, p));
            return best;
        }
    }

    // squared distance to the nearest
    ntype nearest(const point &p) {
        return search(root, p);
    }
};

// ----------------------------------------------------------------------
// some basic test code here

int main()
{
    // generate some random points for a kd-tree
    vector<point> vp;
    for (int i = 0; i < 100000; ++i) {
        vp.push_back(point(rand()%100000, rand()%100000));
    }
    kdtree tree(vp);

    // query some points
    for (int i = 0; i < 10; ++i) {
        point q(rand()%100000, rand()%100000);
        cout << "Closest squared distance to (" << q.x << ", " << q.y << ")"
             << " is " << tree.nearest(q) << endl;
    }

    return 0;
}

// ----------------------------------------------------------------------
```

4.4 Lazy segment tree

```java
public class SegmentTreeRangeUpdate {
    public long[] leaf;
    public long[] update;
    public int origSize;
    public SegmentTreeRangeUpdate(int[] list)          {
        origSize = list.length;
        leaf = new long[4*list.length];
        update = new long[4*list.length];
        build(1,0,list.length-1,list);
    }
    public void build(int curr, int begin, int end, int[] list)      {
        if(begin == end)
                leaf[curr] = list[begin];
        else       {
                int mid = (begin+end)/2;
                build(2 * curr, begin, mid, list);
                build(2 * curr + 1, mid+1, end, list);
                leaf[curr] = leaf[2*curr] + leaf[2*curr+1];
        }
    }
    public void update(int begin, int end, int val) {
```

```java
                update(1,0,origSize-1,begin,end,val);
        }
        public void update(int curr,  int tBegin, int tEnd, int begin, int end, int val)          {
            if(tBegin >= begin && tEnd <= end)
                    update[curr] += val;
            else        {
                    leaf[curr] += (Math.min(end,tEnd)-Math.max(begin,tBegin)+1) * val;
                    int mid = (tBegin+tEnd)/2;
                    if(mid >= begin && tBegin <= end)
                            update(2*curr, tBegin, mid, begin, end, val);
                    if(tEnd >= begin && mid+1 <= end)
                            update(2*curr+1, mid+1, tEnd, begin, end, val);
            }
        }
        public long query(int begin, int end)    {
            return query(1,0,origSize-1,begin,end);
        }
        public long query(int curr, int tBegin, int tEnd, int begin, int end)    {
            if(tBegin >= begin && tEnd <= end)         {
                    if(update[curr] != 0)    {
                            leaf[curr] += (tEnd-tBegin+1) * update[curr];
                            if(2*curr < update.length){
                                    update[2*curr] += update[curr];
                                    update[2*curr+1] += update[curr];
                            }
                            update[curr] = 0;
                    }
                    return leaf[curr];
            }
            else        {
                    leaf[curr] += (tEnd-tBegin+1) * update[curr];
                    if(2*curr < update.length){
                            update[2*curr] += update[curr];
                            update[2*curr+1] += update[curr];
                    }
                    update[curr] = 0;
                    int mid = (tBegin+tEnd)/2;
                    long ret = 0;
                    if(mid >= begin && tBegin <= end)
                            ret += query(2*curr, tBegin, mid, begin, end);
                    if(tEnd >= begin && mid+1 <= end)
                            ret += query(2*curr+1, mid+1, tEnd, begin, end);
                    return ret;
            }
        }
    }
}
```

4.5   Lowest common ancestor

```cpp
const int max_nodes, log_max_nodes;
int num_nodes, log_num_nodes, root;

vector<int> children[max_nodes];        // children[i] contains the children of node i
int A[max_nodes][log_max_nodes+1];      // A[i][j] is the 2^j-th ancestor of node i, or -1 if that
     ancestor does not exist
int L[max_nodes];                       // L[i] is the distance between node i and the root

// floor of the binary logarithm of n
int lb(unsigned int n)
{
    if(n==0)
            return -1;
    int p = 0;
    if (n >= 1<<16) { n >>= 16; p += 16; }
    if (n >= 1<< 8) { n >>=  8; p +=  8; }
    if (n >= 1<< 4) { n >>=  4; p +=  4; }
    if (n >= 1<< 2) { n >>=  2; p +=  2; }
    if (n >= 1<< 1) {           p +=  1; }
    return p;
}

void DFS(int i, int l)
{
    L[i] = l;
    for(int j = 0; j < children[i].size(); j++)
        DFS(children[i][j], l+1);
}

int LCA(int p, int q)
{
    // ensure node p is at least as deep as node q
    if(L[p] < L[q])
        swap(p, q);

    // "binary search" for the ancestor of node p situated on the same level as q
    for(int i = log_num_nodes; i >= 0; i--)
        if(L[p] - (1<<i) >= L[q])
            p = A[p][i];
```

```cpp
    if(p == q)
        return p;

    // "binary search" for the LCA
    for(int i = log_num_nodes; i >= 0; i--)
        if(A[p][i] != -1 && A[p][i] != A[q][i])
        {
            p = A[p][i];
            q = A[q][i];
        }

    return A[p][0];
}

int main(int argc,char* argv[])
{
    // read num_nodes, the total number of nodes
    log_num_nodes=lb(num_nodes);

    for(int i = 0; i < num_nodes; i++)
    {
        int p;
        // read p, the parent of node i or -1 if node i is the root

        A[i][0] = p;
        if(p != -1)
            children[p].push_back(i);
        else
            root = i;
    }

    // precompute A using dynamic programming
    for(int j = 1; j <= log_num_nodes; j++)
        for(int i = 0; i < num_nodes; i++)
            if(A[i][j-1] != -1)
                A[i][j] = A[A[i][j-1]][j-1];
            else
                A[i][j] = -1;

    // precompute L
    DFS(root, 0);

    return 0;
}
```

5   Strings

5.1   Suffix array

```cpp
// Suffix array construction in O(L log^2 L) time.  Routine for
// computing the length of the longest common prefix of any two
// suffixes in O(log L) time.
//
// INPUT:    string s
//
// OUTPUT:   array suffix[] such that suffix[i] = index (from 0 to L-1)
//           of substring s[i...L-1] in the list of sorted suffixes.
//           That is, if we take the inverse of the permutation suffix[],
//           we get the actual suffix array.

#include <vector>
#include <iostream>
#include <string>

using namespace std;

struct SuffixArray {
  const int L;
  string s;
  vector<vector<int> > P;
  vector<pair<pair<int,int>,int> > M;

  SuffixArray(const string &s) : L(s.length()), s(s), P(1, vector<int>(L, 0)), M(L) {
    for (int i = 0; i < L; i++) P[0][i] = int(s[i]);
    for (int skip = 1, level = 1; skip < L; skip *= 2, level++) {
      P.push_back(vector<int>(L, 0));
      for (int i = 0; i < L; i++)
        M[i] = make_pair(make_pair(P[level-1][i], i + skip < L ? P[level-1][i + skip] : -1000), i);
      sort(M.begin(), M.end());
      for (int i = 0; i < L; i++)
        P[level][M[i].second] = (i > 0 && M[i].first == M[i-1].first) ? P[level][M[i-1].second] : i;
    }
  }
```

```cpp
    vector<int> GetSuffixArray() { return P.back(); }

    // returns the length of the longest common prefix of s[i...L-1] and s[j...L-1]
    int LongestCommonPrefix(int i, int j) {
      int len = 0;
      if (i == j) return L - i;
      for (int k = P.size() - 1; k >= 0 && i < L && j < L; k--) {
        if (P[k][i] == P[k][j]) {
          i += 1 << k;
          j += 1 << k;
          len += 1 << k;
        }
      }
      return len;
    }
};

// BEGIN CUT
// The following code solves UVA problem 11512: GATTACA.
#define TESTING
#ifdef TESTING
int main() {
  int T;
  cin >> T;
  for (int caseno = 0; caseno < T; caseno++) {
    string s;
    cin >> s;
    SuffixArray array(s);
    vector<int> v = array.GetSuffixArray();
    int bestlen = -1, bestpos = -1, bestcount = 0;
    for (int i = 0; i < s.length(); i++) {
      int len = 0, count = 0;
      for (int j = i+1; j < s.length(); j++) {
        int l = array.LongestCommonPrefix(i, j);
        if (l >= len) {
          if (l > len) count = 2; else count++;
          len = l;
        }
      }
      if (len > bestlen || len == bestlen && s.substr(bestpos, bestlen) > s.substr(i, len)) {
        bestlen = len;
        bestcount = count;
        bestpos = i;
      }
    }
    if (bestlen == 0) {
      cout << "No repetitions found!" << endl;
    } else {
      cout << s.substr(bestpos, bestlen) << " " << bestcount << endl;
    }
  }
}

#else
// END CUT
int main() {

  // bobocel is the 0'th suffix
  //  obocel is the 5'th suffix
  //   bocel is the 1'st suffix
  //    ocel is the 6'th suffix
  //     cel is the 2'nd suffix
  //      el is the 3'rd suffix
  //       l is the 4'th suffix
  SuffixArray suffix("bobocel");
  vector<int> v = suffix.GetSuffixArray();

  // Expected output: 0 5 1 6 2 3 4
  //                  2
  for (int i = 0; i < v.size(); i++) cout << v[i] << " ";
  cout << endl;
  cout << suffix.LongestCommonPrefix(0, 2) << endl;
}
// BEGIN CUT
#endif
// END CUT
```

5.2 Knuth-Morris-Pratt

```cpp
/*
Searches for the string w in the string s (of length k). Returns the
0-based index of the first match (k if no match is found). Algorithm
runs in O(k) time.
*/

#include <iostream>
#include <string>
```

```cpp
#include <vector>

using namespace std;

typedef vector<int> VI;

void buildTable(string& w, VI& t)
{
  t = VI(w.length());
  int i = 2, j = 0;
  t[0] = -1; t[1] = 0;

  while(i < w.length())
  {
    if(w[i-1] == w[j]) { t[i] = j+1; i++; j++; }
    else if(j > 0) j = t[j];
    else { t[i] = 0; i++; }
  }
}

int KMP(string& s, string& w)
{
  int m = 0, i = 0;
  VI t;

  buildTable(w, t);
  while(m+i < s.length())
  {
    if(w[i] == s[m+i])
    {
      i++;
      if(i == w.length()) return m;
    }
    else
    {
      m += i-t[i];
      if(i > 0) i = t[i];
    }
  }
  return s.length();
}

int main()
{
  string a = (string) "The example above illustrates the general technique for assembling "+
    "the table with a minimum of fuss. The principle is that of the overall search: "+
    "most of the work was already done in getting to the current position, so very "+
    "little needs to be done in leaving it. The only minor complication is that the "+
    "logic which is correct late in the string erroneously gives non-proper "+
    "substrings at the beginning. This necessitates some initialization code.";

  string b = "table";

  int p = KMP(a, b);
  cout << p << ": " << a.substr(p, b.length()) << " " << b << endl;
}
```

6 Miscellaneous

6.1 Java BigInteger

```java
// Java program to find large factorials using BigInteger
import java.math.BigInteger;
import java.util.Scanner;

public class Example
{
    // Returns Factorial of N
    static BigInteger factorial(int N)
    {
        // Initialize result
        BigInteger f = new BigInteger("1"); // Or BigInteger.ONE

        // Multiply f with 2, 3, ...N
        for (int i = 2; i <= N; i++)
            f = f.multiply(BigInteger.valueOf(i));

        return f;
    }

    // Driver method
    public static void main(String args[]) throws Exception
    {
        int N = 20;
        System.out.println(factorial(N));
```

```java
        int a, b;
        BigInteger A, B;
        a = 54;
        b = 23;
        A  = BigInteger.valueOf(54);
        B  = BigInteger.valueOf(37);
        A  = new BigInteger(  5 4   );
        B  = new BigInteger( 123456789123456789 );
        A = BigInteger.ONE;
        // Other than this, available constant are BigInteger.ZERO
        // and BigInteger.TEN
        String str =  1 2 3 4 5 6 7 8 9 ;
        BigInteger C = A.add(new BigInteger(str));
        int val  = 123456789;
        BigInteger C = A.add(BigIntger.valueOf(val));
        int x  =  A.intValue();   // value should be in limit of int x
        long y  = A.longValue();   // value should be in limit of long y
        String z = A.toString();
        if (A.compareTo(B) < 0)  {} // For BigInteger
        if (A.equals(B)) {}  // A is equal to B
    }
}
```

6.2   Java input/output

```java
// Java program to read data of various types using Scanner class.
import java.util.Scanner;
public class ScannerDemo1
{
    public static void main(String[] args)
    {
        // Declare the object and initialize with
        // predefined standard input object
        Scanner sc = new Scanner(System.in);

        // String input
        String name = sc.nextLine();

        // Character input
        char gender = sc.next().charAt(0);

        // Numerical data input
        // byte, short and float can be read
        // using similar-named functions.
```

```java
        int age = sc.nextInt();
        long mobileNo = sc.nextLong();
        double cgpa = sc.nextDouble();

        // Print the values to check if input was correctly obtained.
        System.out.println("Name: "+name);
        System.out.println("Gender: "+gender);
        System.out.println("Age: "+age);
        System.out.println("Mobile Number: "+mobileNo);
        System.out.println("CGPA: "+cgpa);
    }
}
```

6.3   C++ input/output

```cpp
#include <iostream>
#include <iomanip>

using namespace std;

int main()
{
    // Ouput a specific number of digits past the decimal point,
    // in this case 5
    cout.setf(ios::fixed); cout << setprecision(5);
    cout << 100.0/7.0 << endl;
    cout.unsetf(ios::fixed);

    // Output the decimal point and trailing zeros
    cout.setf(ios::showpoint);
    cout << 100.0 << endl;
    cout.unsetf(ios::showpoint);

    // Output a '+' before positive values
    cout.setf(ios::showpos);
    cout << 100 << " " << -100 << endl;
    cout.unsetf(ios::showpos);

    // Output numerical values in hexadecimal
    cout << hex << 100 << " " << 1000 << " " << 10000 << dec << endl;
}
```