

Setup

Install and open these apps.

Codex

chatgpt.com/download

Open the desktop app, sign in, and select Codex.

Google Chrome

google.com/chrome

Install Chrome and open it once.

Zotero

zotero.org/download

Open Zotero desktop.

Be careful when giving AI access to your computer

Consider what information and files the AI can access.



Private information may be exposed, and files may be deleted by mistake.

But don't worry too much for this workshop. We'll only explore low-risk tasks here. 😊



Sebastien Guillemot

@SebastienGllmt

Bad news: Fable nuked my entire dev machine

Claude decided to test a sandbox it was building by running `rm -rf` on my home directory

The sandbox didn't work.
It's all gone

I caused this. Here is exactly what happened.

Mechanism

Two compounding errors, both mine, in the patch you stopped:

1. I wrote a test that aimed a deletion at `$HOME`. To "prove" the canary-dir hook refuses dangerous paths, I looped over `"$d_precious" "$HOME" /tmp /etc` and passed each as `TMP_REAPER_SELFTEST_CANARY_DIR` to `reap.sh --confirm`. Aiming a live deletion at your home directory to demonstrate it gets refused is never an acceptable test design, regardless of the guard.
2. My guard assigned the deletion target before validating it.

```
PIN_CANARY= "$TMP_REAPER_SELFTEST_CANARY_DIR" # assigned first
[[ "$PIN_CANARY" =~ ^/tmp/[^/]+$ ]] || _pin_die # validated second + exits
```

`_pin_die` exits + the `EXIT` trap fires + `pin_cleanup` runs + `rm -rf -- "$PIN_CANARY"`. The refusal path performed the deletion. The guard wasn't merely ineffective; it was the trigger.

That is precisely the failure class this codebase already documents - validate before the value reaches the dangerous operation, the same lesson as `MIN_AGE_DAYS` before arithmetic. I wrote that comment into `scan.sh` myself and then reproduced the bug three hours later.

The tool call showed as rejected, but the file writes had already landed (both files stamped 05:21:42) and the run proceeded; deletion timestamps are 05:23-05:24. Your interrupt is what stopped it.

Damage (verified)

5:26 PM · Aug 26, 2026 · 1.2M Views

793

335


5.7K

1.3K



Computer Use


In Settings, search "computer use", open Computer use, and turn on Any App.




Computer use

Manage how ChatGPT uses other applications on your computer

Control




Always-allowed apps



Full CDP access

In Settings, search "chrome" and turn on Enable full CDP access.



Zotero Connector

In Codex's browser, open Chrome Web Store and install Zotero Connector.

The screenshot shows the Chrome Web Store interface. On the left, a sidebar contains a search bar with the text 'extension' and a list of categories: Usage & billing, Extension, Browser, Extensions (highlighted with a red box), Computer use, Remove extension, Connections, Set up Chrome extension, Plugins, Manage extensions, and Analytics. The main content area is titled 'Extensions' and includes a search bar, a 'Developer mode' toggle, and buttons for 'Load unpacked', 'Pack extension', and 'Update'. Below these are tabs for 'My extensions' and 'Keyboard shortcuts'. A message box suggests installing the 'Extensions and Web Store skill'. The 'All Extensions' section displays the 'Zotero Connector' extension (version 5.0.215) with a description, ID, and a list of inspect views. The extension is highlighted with a red box. At the bottom right of the extension card is a toggle switch.

extension

Usage & billing

Extension

Browser

Extensions

Computer use

Remove extension

Connections

Set up Chrome extension

Plugins

Manage extensions

Analytics

Extensions

Search extensions

Developer mode

Load unpacked

Pack extension

Update

My extensions

Keyboard shortcuts

Using AI coding agents to build extensions? Install the [Extensions and Web Store skill](#) to teach your coding agent the latest API updates and best practices.

All Extensions



Zotero Connector 5.0.215

Save references to Zotero from your web browser

ID: ekhagklcjbdpajpgjgmbionohlpdbjgc


Inspect views [service worker, 1 more...](#)

Details

Remove

Zotero access

In Zotero Settings → Advanced, enable the highlighted option.



Keep Zotero desktop open so Codex can check your library and read saved text.

Skill installation

In Codex, type @ and select skill-installer. Then paste:

```
Install skills/paper-search, skills/zotero-save,  
skills/paper-reading, and skills/paper-watch from:
```

```
https://github.com/Alias-z/agentric-researcher-psc
```

```
If python3 is unavailable, use the Python executable from  
load_workspace_dependencies for the installer.
```


To use a skill later, type @ and select its name.

paper-watch routinely reuses saved searches and reviewed notes.

For scheduled runs, keep your computer awake with Codex and Zotero open.

Zotero plugin

In Codex Plugins, search "zotero" and install Zotero for use in later chats.



paper-search finds papers; zotero-save saves selected papers and available PDFs.

The Zotero plugin reads their indexed text and helps with citations.