

SHARMA, RICHA (12/20/2021)

Exam Image



229 49th Street
Brooklyn, NY 11220-1708
Tel. (718) 788-3840
Fax. (718) 788-3871

Fermina M. Mazzella, MD
Laboratory Director
CLIA No: 33D1057336



Phys: **MEDRITE URGENT CARE-MYRTLE**

504 MYRTLE AVE
BROOKLYN, 11205
(718) 400-9633

PALADINO, THALITA PA

Accession: **2112112362**

Chart#: 97593

First reported on:

Coll. Date: 12/20/21

Coll. Time: 13:57

12/21/21 09:22

Patient: **SHARMA, RICHA**

DOB: 01/13/1999

Age: 23Y

Gender: F

Phone:

Fasting: U

Spec#

Recv. Date: 12/20/21

Recv. Time: 23:20

Final report date:

Print. Date: 12/21/21

Print. Time: 09:23

12/21/21 09:22

Test Name	In Range	Out of Range	Reference	Units
-----------	----------	--------------	-----------	-------

COVID-19

2019 NOVEL CORONAVIRUS COVID-19 RNA, QL RT-PCR

SARS-CoV-2 PCR

Not Detected

Not Detected

This test was performed using EUROrealTime SARS-CoV-2 test using a Nasopharyngeal/Pharyngeal swab on the BioRad platform.

This test was developed and its performance characteristics determined by Empire City Laboratories. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

