


# **Improved Web Design using CSS/Bootstrap**

**LAB # 03**



**Spring 2024**

**CSE-403L Database Management Systems Lab**

Submitted by: **Ali Asghar**

Registration No.: **21PWCSE2059**

Class Section: **C**

“On my honor, as student of University of Engineering and Technology, I have neither given nor received unauthorized assistance on this academic work.”

Submitted to:

**Engr. Sumayyea Salahuddin**

Date:

**23<sup>rd</sup> April 2024**

**Department of Computer Systems Engineering**  
**University of Engineering and Technology, Peshawar**

## Objectives:

This lab aims at the understanding of:

- The concept of Dynamic HTML
- Cascaded Style Sheets (CSS)
- Various attributes of CSS such as font, color, background, text, border, margin, and list
- User-Defined Selectors including Class and ID
- Span and Div Tags
- External Style Sheets and their benefits.

## Task 3.1:

1. How Dynamic HTML can be helpful for a SQL/NoSQL database? Write a short note on the paper.


**Ans:** DHTML refers to a combination of technologies used to create interactive and dynamic web pages. It includes HTML, CSS, and JavaScript. DHTML allows web developers to manipulate the content and behaviour of web pages dynamically, enhancing user experience and interactivity.

DHTML enables real-time updates and dynamic content rendering on web pages. For databases, this means displaying live data without requiring page reloads.


- SQL databases can benefit from DHTML by showing real-time query results or updating records instantly.
- NoSQL databases can use DHTML to display unstructured data in a more user-friendly format.

2. **Hands-On:** Understand and go through all the examples provided in this lab. Try each one in your favorite IDE. Check output in browser and try to make some changes from your own.

### Example 1:



### Example 2:



### Example 3:

```
1 <html>
2
3 <head>
4   <title>Working with Style Sheets using Text Attributes
5   <style type="text/css">
6     h1 {
7       font-family: arial, helvetica;
8       font-size: 26pt;
9       text-decoration: blink;
10      color: red;
11    }
12
13    p {
14      font-size: 12pt;
15      font-style: normal;
16      font-weight: bold;
17      color: #23238e;
18    }
19
20    h6 {
21      font-size: 12pt;
22      font-style: italic;
23      font-weight: bold;
24      color: #23238e;
```

# Silicon Chip Technologies

## Without text align, first line indent

A private limited company, which was founded in December 1989. The vision of this company is to provide any corporate client a single entity which addresses all their Software Development, Technical and User Documentation, Training and Manpower Recruitment needs.

## With text align (justify), first line indent

*A private limited company, which was founded in December 1989. The vision of this company is to provide any corporate client a single entity which addresses all their Software Development, Technical and User Documentation, Training and Manpower Recruitment needs.*

### Example 4:

```
1 <html>
2
3 <head>
4   <title>Use of Margin Attributes
5   <style type="text/css">
6     h1 {
7       font-family: arial, helvetica;
8       font-size: 26pt;
9       color: red;
10    }
11
12    p {
13      font-size: 12pt;
14      font-style: italic;
15      font-weight: bold;
16      color: #23238e;
17      text-align: justify;
18      margin-left: 15%;
19      margin-right: 15%;
20    }
21  </style>
22 </head>
23 <body>
```

# Silicon Chip Technologies

## Without text align, first line indent

*A private limited company, which was founded in December 1989. The vision of this company is to provide any corporate client a single entity which addresses all their Software Development, Technical and User Documentation, Training and Manpower Recruitment needs.*

## Example 5:

Ex5.html > html > body > p.answer

```
1 <html>
23 </head>
24
25 <body>
26   <p class="question">How to create sty
27     element? </p>
28
29   <p class="answer">The Style assignmer
30     the <STYLE>...</STYLE>
31     assignment is simple. Between <
32     to which styles are to be assigne
33     curly brackets in which specific
34     <STYLE> tag should be withi
35     element. </p>
36
37   <br>
38
39   <p class="question">What are the attr
40
41   <p class="answer">The attributes that
42     Color and Background attributes,
43     attributes, and List attributes.
44 </body>
45
```

Use of Margin Attributes

http://127.0.0.1:3000/Ex5.html

*How to create style sheet to alter an HTML element?*

The Style assignment process can be accomplished with the <STYLE>...</STYLE> tags. The syntax for making the assignment is simple. Between <STYLE> and </STYLE>, HTML tags to which styles are to be assigned are to be listed ad each tag with a pair of curly brackets in which specific style attributes are to be specified. This <STYLE> tag should be within <HEAD>...</HEAD> element.

*What are the attributes that can be specified?*

The attributes that can be specified are: Font attributes, Color and Background attributes, Text attributes, Border attributes, Margin attributes, and List attributes.

Port: 3000

## Example 6:

Ex5.html Ex6.html Task.htm

Working with Span

http://127.0.0.1:3000/Ex6.html


How to create STYLE SHEET to alter an HTML element?

The Style assignment process can be accomplished with the <STYLE>...</STYLE> tags. The syntax for making the assignment is simple. Between <STYLE> and </STYLE>, HTML tags to which styles are to be assigned are to be listed ad each tag with a pair of curly brackets in which specific style attributes are to be specified. This <STYLE> tag should be within <HEAD>...</HEAD> element.

What are the ATTRIBUTES that can be specified?

The attributes that can be specified are: Font attributes, Color and Background attributes, Text attributes, Border attributes, Margin attributes, and List attributes.

### Example 7:



3. **Hands-On:** Write the HTML code that generates the output web page shown in Figure 3.8 with following specification:

- a) Heading 1 has font value of Arial and Helvetica, size 26 pts, and red color.
- b) Each paragraph is 12 pts, bold, and italic. Take paragraph color value: #23238e
- c) Use groove border style and thick border width.




Figure 3.8 – Task 1 output

## Code:

```
Task3_1 > Task.html > html > body > p.border-effect
1  <html>
2
3  <head>
4      <title> Working with Style Sheets using Font Attributes </title>
5      <link rel="stylesheet" href="style.css">
6  </head>
7
8  <body>
9      <h1>Silicon Chip Technologies</h1>
10     <p class="border-effect">A private limited company, was founded in December 1989. The vi
11     User Documentation, Training and Manpower Recruitment needs.
12 </body>
13
14 </html>
```

```
Task3_1 > # style.css > .border-effect
1  h1{
2      font-family: Arial, Helvetica;
3      color: red;
4      font-size: 26pt;
5  }
6
7  .border-effect{
8
9      outline-width: 2pt;
10     outline-color: gray;
11     outline-style: solid;
12 }
```

## Output:



4. Evaluate yourself and write a note about your understanding of this lab.

**Ans:**


## Task 3.2:

**Code:**

```
Task.html ×
> Task.html > html > body
1  <html>
2  <head>
3    <title> Working with Style Sheets </title>
4  </head>
5
6  <style>
7    html {
8      margin-top: 5%;
9    }
10
11   h1 {
12     font-family: Garamond;
13     color: red;
14     font-size: 26pt;
15   }
16
17   ul {
18     list-style-type: square;
19   }
20 </style>
21
22 <body>
23   <h1>Sillicon Chip Technologies</h1>
24   <p>SCT provides Corporate training for the following products:</p>
```

```
20 </style>
21
22 <body>
23   <h1>Sillicon Chip Technologies</h1>
24   <p>SCT provides Corporate training for the following products:</p>
25
26   <ul>
27     <li> HTML</li>
28     <li> JavaScript</li>
29     <li> CGI</li>
30     <li> Java</li>
31     <li> Oracle</li>
32     <li> Developer 2000 </li>
33     <li> Oracle DBA</li>
34   </ul>
35 </body>
36 </html>
```

## Output:




## Task 3.3:

### Code:

```
<> Task.html x # style.css
<> Task.html > html > body > ul > li
1  <html>
2  <head>
3      <title> Working with style Sheets </title>
4      <link rel="stylesheet" href="style.css">
5  </head>
6  <body>
7      <h1>Sillicon Chip Technologies</h1>
8      <p>SCT provides Corporate training for the following products:</p>
9      <ul>
10         <li> HTML</li>
11         <li> JavaScript</li>
12         <li> CGI</li>
13         <li> Java</li>
14         <li> Oracle</li>
15         <li> Developer 2000 </li>
16         <li> Oracle DBA</li>
17     </ul>
18 </body>
19 </html>
```

```
<> Task.html # style.css X
# style.css > html
1  html{
2
3      margin-top: 5%;
4  }
5
6  h1{
7      font-family: Garamond;
8      color: red;
9      font-size: 26pt;
10 }
11
12 ul{
13     list-style-type: square;
14 }
```

## Output:




## Task 3.4:

### Code:

```
<> Task.html \# style.css <> Task.html D:\...Task3_4 X
D: > Uni > DBMS - Lab > Lab 03 > Task3_4 > <> Task.html > html > body > p#answer
1  <html>
2
3  <head>
4      <title> Use of Margin Attributes </title>
5      <style type="text/css">
6          p {
7              font-size: 12pt;
8              font-weight: bold;
9              text-align: justify;
10             margin-left: 10%;
11             margin-right: 10%;
12         }
13
14         #question {
15             color: brown;
16             font-style: italic;
17         }
18
19         #answer {
20             color: #23238e
21         }
22     </style>
23 </head>
24
25 <body>
26     <p id="question">How to create style sheet to alter an HTML
27         element? </p>
28
29     <p id="answer">The Style assignment process can be accomplished with
30         the <STYLE>...</STYLE> tags. The syntax for making the
31         assignment is simple. Between <STYLE> and </STYLE>, HTML tags
32         to which styles are to be assigned are to be listed ad each tag with a pair of
33         curly brackets in which specific style attributes are to be specified. This
34         <STYLE> tag should be within <HEAD>...</HEAD>
35         element. </p>
36
37     <br>
38
39     <p id="question">What are the attributes that can be specified? </p>
40
41     <p id="answer">The attributes that can be specified are: Font attributes,
42         Color and Background attributes, Text attributes, Border attributes, Margin
43         attributes, and List attributes. </p>
44 </body>
```

## Output:



## Task 3.5:

### Changes Done:

I changed each demo for a different application.

**Sign-In Demo:** I changed it as a sign-in page of game making company. I added its logo and some other changes as well.

**Cover Demo:** I changed it as a cover page for a computing company by name of parallel computing.

**Checkout Demo:** I changed it for a company by name of Electronic Fellows and add some items related to the online electronic shop.

**Blog Demo:** In this demo, I did minor changes.

Output:

### Sign-In Demo



## Sign in

Sign in to your game studio account.

☐ Remember me

Sign in

© 2020-2024

### Cover Demo

Parallel Computing

Home Projects Labs Roadmap Contact About

# Advancements in Parallel Computing Architectures

Exploring Multicore Processors and GPU Acceleration.

Learn more

A project initiated by [NexaParallel](#) by [Ali Asghar](#).

## Checkout Demo



### Payment form for Electronic Eellows

Enter the credentials in the form below for making a payment for Electronic Fellows.  
Kindly submit correct details to avoid inconvenience. Thank you.

#### Billing address

|                                              |                      |
|----------------------------------------------|----------------------|
| First name                                   | Last name            |
| <input type="text"/>                         | <input type="text"/> |
| Email                                        |                      |
| <input type="text" value="you@example.com"/> |                      |
| Address                                      |                      |
| <input type="text"/>                         |                      |

#### Your cart

3

|                                             |     |
|---------------------------------------------|-----|
| 120x 1k ohm Resistors                       | \$1 |
| A pack of 120 1k ohm Resistors              |     |
| 1x Arduino Uno                              | \$8 |
| Arduino Microcontroller board               |     |
| HC-05 Wireless Bluetooth Transceiver Module | \$5 |
| HC05 Bluetooth receiver for Arduino rasp    |     |

## Blog Demo

[Subscribe](#)

**TechByte News**



[Sign up](#)

[Game Dev](#) [Web Dev](#) [Content Writing](#) [Graphic Design](#) [AI & ML](#) [Digital Marketing](#) [Writing](#) [Animation](#) [Smartphones](#) [Health](#) [Style](#) [Travel](#)

## Title of a longer featured blog post

Multiple lines of text that form the lede, informing new readers quickly and efficiently about what's most interesting in this post's contents.

[Continue reading...](#)

World

Featured post

Design

Post title

## Task 3.6:

### Code:

```
my_cv.html X # style.css
D: > Uni > DBMS - Lab > Lab 03 > CV Task > my_cv.html > html > style > h3
1 <html>
2 <head>
3   <title>CV</title>
4   <!-- <link rel="stylesheet" href="style.css"> -->
5   <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
6 </head>
7 <style>
8 body {
9   color: #333; /* Dark gray color */
10  font-family: Arial, sans-serif;
11  font-size: 18px;
12 }
13
14 h3 {
15   font-size: 24px;
16   font-weight: bold;
17   color: #000000;
18   margin-bottom: 10px;
19 }
20
21 ul {
22   font-size: 18px;
23   margin-bottom: 10px;
```

```

25 </style>
26 <body>
27   <div class="Section">
28
29     <div class="well well-lg">
30       <h3>Ali Asghar</h3>
31       <p class = "text-info">Computer Systems Engineer | Indie Game Developer </p>
32
33       <p class = "text-info"><b><br>Address:</b> Street # 10, Board Tajabad, Peshawar, Pakistan, 25000</p>
34       <p class = "text-info"><b>Cell:</b> <a href="#">+92-3099163117</a></p>
35       <p class = "text-info"><b>Email:</b> <a href="#">aaliasghar8@gmail.com</a></p>
36       <p class = "text-info"><b>LinkedIn:</b> <a href="#"> https://www.linkedin.com/in/ali-a-6b1919119/</a>
37       <p class = "text-info"><b>GitHub:</b> <a href="#">https://github.com/Aliasgharshinwari</a></p>
38       <p class = "text-info"><b>Google Play Developer Account:</b> Limitless Games Studio</p>
39       <p class = "text-info"><b>iOS Appstore Developer Account:</b> Ali Asghar </p>
40     </div>
41     <div class="well well-lg">
42       <h3>Aim</h3>
43       <p class = "text-info">To seek and maintain full time position that offers professional challenges ut
44       interpersonal skills, excellent time management and problem-solving skills</p>
45     </div>
46

```

```

47 <div class="well well-lg">
48   <h3>Work History</h3>
49   <p class = "text-info"><b>2024 - 01:</b> I made a Web Server in Linux using C language (For Systems P
50   <p class = "text-info"><b>2024 - 02:</b> I made SAP-I (Simple As Possible) Computer using Verilog HDL
51   Organization and Architecture Lab).</p>
52   <p class = "text-info"><b>2023 - 06:</b> I started working on my first FPS game on Steam using Unity.
53   development.</p>
54   <p class = "text-info"><b>2023 - 01:</b> For my Object-Oriented Programming Lab, I made a digital ele
55   using Sebastian Lague's simulator (available on my GitHub).</p>
56   <p class = "text-info"><b>2020 - 05:</b> Made iOS Appstore Developer account by my own name.</p>
57   <p class = "text-info"><b>2020 - 04:</b> Made Google Play Developer account by name of Limitless Game
58   released my first game (Pegasus flight simulator).</p>
59   <p class = "text-info"><b>2017 - 07 -- Present:</b> Started Indie Game Development in Unity</p>
60
61 </div>
62
63 <div class="well well-lg">
64   <h3>Education</h3>
65   <p><b>2021 - 11 -- Present: Bachelor of Science: Computer Systems Engineering</b> </p>
66   <p class = "text-info">University of Engineering and Technology, Peshawar</p>
67   <p class = "text-info"><b>CGPA: 3.85/4.00 (96.50%)</b> </p>

```

```

69
70   <p><b>2019-09 <img alt="book icon" data-bbox="245 668 255 678"/> 2019-07: Faculty of Science (FSc): Engineering (Pre-Engineering) </b> </p>
71   <p class = "text-info">Islamia College, Peshawar</p>
72   <p class = "text-info"><b>FSc Marks: 1038/1100 (94.36%)</b> </p>
73   <br>
74
75   <p><b>2016-04 <img alt="book icon" data-bbox="245 730 255 740"/> 2019-08: Matric of Science (SSC): Science Group</b> </p>
76   <p class = "text-info">University Public School, Peshawar</p>
77   <p class = "text-info"><b>SSC Marks: 1028/1100 (93.45%)</b> </p>
78
79 </div>
80
81 <div class="well well-lg">
82   <h3>Skills</h3>
83   <ul class = "text-info">
84     <li>Mobile Game Development</li>
85     <li>Computer Programming</li>
86     <li>UI/UX Design</li>
87     <li>Computer Hardware Design</li>
88     <li>Problem Solving and Critical Thinking</li>

```

```

88         <li>Problem Solving and Critical Thinking</li>
89         <li>Code Debugging</li>
90         <li>Game Testing</li>
91         <li>App Store Optimization (ASO)</li>
92     </ul>
93 </div>
94
95 <div class="well well-lg">
96     <h3>Softwares Used</h3>
97     <ul class = "text-info">
98         <li>Unity 3D</li>
99         <li>Adobe Photoshop</li>
100        <li>Blender</li>
101        <li>MATLAB</li>
102        <li>ModelSim</li>
103        <li>Proteus Professional</li>
104    </ul>
105 </div>

```

```

108     <h3>Programming Languages</h3>
109     <ul class = "text-info">
110         <li>C#</li>
111         <li>C/C++</li>
112         <li>Python</li>
113         <li>Verilog</li>
114         <li>Bash Scripting in Linux</li>
115     </ul>
116 </div>
117
118 <div class="well well-lg">
119     <h3>Communication Languages</h3>
120     <ul class = "text-info">
121         <li>English (Read/Write/Speak)</li>
122         <li>Urdu (Read/Write/Speak)</li>
123         <li>Pashto (Read/Write/Speak)</li>
124     </ul>
125 </div>
126

```

```

127 <div class="well well-lg">
128     <h3>Online Courses & Certifications</h3>
129     <ul>
130         <li>Linux Fundamentals - Coursera</li>
131         <div class="progress">
132             <div class="progress-bar progress-bar-striped active" role="progressbar"
133                 aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:100%">
134                 100% Completed
135             </div>
136         </div>
137
138         <li>Programming for Everybody (Getting Started with Python) - Coursera</li>
139         <div class="progress">
140             <div class="progress-bar progress-bar-striped active" role="progressbar"
141                 aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:100%">
142                 100% Completed
143             </div>
144         </div>
145
146         <li>MATLAB Onramp - MathWorks</li>
147         <div class="progress">

```

```

149         aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:100%">
150         100% Completed
151     </div>
152 </div>
153
154 <li>Signal Processing Onramp - MathWorks</li>
155 <div class="progress">
156     <div class="progress-bar progress-bar-striped active" role="progressbar"
157         aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:100%">
158         100% Completed
159     </div>
160 </div>
161
162 <li>Intermediate Object-Oriented Programming for Unity Games (in progress) - Coursera</li>
163 <div class="progress">
164     <div class="progress-bar progress-bar-striped active" role="progressbar"
165         aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:40%">
166         40% Completed

```

```

167     </div>
168 </div>
169
170 <li>Digital Systems: From Logic Gates to Processors (in progress) - Coursera</li>
171 <div class="progress">
172     <div class="progress-bar progress-bar-striped active" role="progressbar"
173         aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:30%">
174         30% Completed
175     </div>
176 </div>
177
178 <li>Hardware Description Languages for FPGA Design (in progress) - Coursera</li>
179 <div class="progress">
180     <div class="progress-bar progress-bar-striped active" role="progressbar"
181         aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:10%">
182         10% Completed
183     </div>
184 </div>

```

```

184 </div>
185
186
187 </ul>
188 </div>
189
190 <div class="well well-lg " >
191     <h3 >References</h3>
192
193     <p><b>Engr. Abdullah Hamid</b></p>
194     <p class = "text-info">Lecturer Department of Computer Systems Engineering, UET Peshawar, Pakistan</p>
195     <p class = "text-info"><b>Cell:</b> <a href="#">+92-3339225987</a></p>
196     <p class = "text-info"><b>Email:</b> <a href="#">abdullahhamid@uetpeshawar.edu.pk</a></p>
197 </div>
198
199 </div>
200
201

```

**Output:**

