


Programming in PHP

LAB # 05



Spring 2024

CSE-403L Database Management Systems Lab

Submitted by: **Ali Asghar**

Registration No.: **21PWCSE2059**

Class Section: **C**

“On my honor, as student of University of Engineering and Technology, I have neither given nor received unauthorized assistance on this academic work.”

Submitted to:

Engr. Sumayyea Salahuddin

Date:

17th May 2024

Department of Computer Systems Engineering
University of Engineering and Technology, Peshawar

Objectives:

This lab aims at the understanding of:

- PHP Basics
- PHP Data Types
- PHP Expressions
- PHP Operators
- PHP Conditionals
- PHP Loops

Task 5.1:

Code:

```
Task5_1.php × Task5_2.php Task5_3_a.php Task5_4.php Task5_5.php
Task5_1.php
1  <?php
2      $test_var = 8.23;
3      $test_var_integer = (int)$test_var;
4      $test_var_string = (string)$test_var;
5      $test_var_boolean = (bool)$test_var;
6
7      echo "Type casted to integer: {$test_var_integer} <br/>";
8      echo "Type casted to string: {$test_var_string} <br/>";
9      echo "Type casted to boolean: {$test_var_boolean} <br/>";
10 ?>
11
```

Output:

```
DBMS Lab 05.pdf × localhost/Lab5/Task5_1.php × +
localhost/Lab5/Task5_1.php
Type casted to integer: 8
Type casted to string: 8.23
Type casted to boolean: 1
```

Task 5.2:

Code:

```
Task5_1.php Task5_2.php X Task5_3_a.php Task5_4.php Task5_5.php
Task5_2.php
1  <?php
2      // Define a floating-point variable
3      $var = 8.23;
4
5      // Define a binary string
6      $binary_value = '0b1010';
7
8      // Convert the binary string to an integer
9      $int_from_binary = intval($binary_value, 2);
10
11     // Convert the floating-point variable to an integer
12     $int_value = intval($var);
13
14     // Display the results
15     echo "int value: {$int_value} <br/>";
16     echo "int from binary: {$int_from_binary} <br/>";
17
18     // Define some string values
19     $float_str = '1234.56789';
20     $non_numeric_str = 'The122.34343';
21
22     // Convert the string to a floating-point value
23     $float_value = floatval($float_str);
24
```

Task5_1.php × Task5_2.php × Task5_3_a.php Task5_4.php Task5_5.php

Task5_2.php

```
1 <?php
21
22 // Convert the string to a floating-point value
23 $float_value = floatval($float_str);
24
25 // Convert a non-numeric string to a floating-point value
26 $non_numeric_float = floatval($non_numeric_str);
27
28 // Display the results
29 echo "float value: {$float_value} <br/>";
30 echo "non-numeric float: {$non_numeric_float} <br/>";
31
32 // Define integer and floating-point numbers
33 $number = 1234;
34 $float_number = 1234.56789;
35
36 // Convert the numbers to string values
37 $string_value = strval($number);
38 $float_string = strval($float_number);
39
40 // Display the results
41 echo "string value: {$float_value} <br/>";
42 echo "float string: {$float_string} <br/>";
43 ?>
```

Output:

DBMS Lab 05.pdf × localhost/Lab5/Task5_2.php × +

localhost/Lab5/Task5_2.php

```
int value: 8
int from binary: 10
float value: 1234.56789
non numeric float: 0
string value: 1234.56789
float string: 1234.56789
```

Task 5.3:

Code:

Using For Loop

```
Task5_3_a.php X
D: > wamp64 > www > Lab5 > Task5_3_a.php
1  <table border="1">
2  <?php
3
4      for ($i=0; $i <=10 ; $i++) {
5          echo "<tr>";
6          // echo "<td>".$i."</td>";
7          for ($j=0; $j <=10 ; $j++) {
8              if ($i == 0 && $j == 0) {
9                  echo "<td></td>";
10             }
11             else if ($i == 0) {
12                 echo "<td>".$j."</td>";
13             }
14             else if($j == 0){
15                 echo "<td>".$i."</td>";
16             }
17             else{
18                 $qoutient = $i/$j;
19                 $is_composite = false;
20                 echo "<td>".number_format($qoutient, 4)."<br/>";
21                 settype( $qoutient, "integer" );
22                 echo ( $qoutient % 2 == 0 ) ? "EVEN" : "ODD";
23                 echo "<br/>";
24                 if($qoutient > 1){
25                     for ($k=2; $k < $qoutient; $k++) {
26                         if($qoutient % $k == 0) {
27                             $is_composite = true;
28                             break;
29                         }
30                     }
31                     echo ( $is_composite == true) ? "COMPOSITE" : "PRIME";
32                 }
33                 else {
34                     echo "NEITHER";
35                 }
36                 echo "</td>";
37             }
38         }
39         echo "</tr>";
40     }
41     ?>
42 </table>
```

Using While Loop

```
_a.php Task5_3_b.php X Task5_3_c.php Task5_4.php new.php
Task5_3_b.php
1  <?php
2  $i = 0;
3  echo "<table border='1'>";
4
5  while ($i <= 10) {
6      echo "<tr>";
7
8      $j = 0;
9      while ($j <= 10) {
10         if ($i == 0 && $j == 0) {
11             echo "<td></td>";
12         } elseif ($i == 0) {
13             echo "<td>" . ($j) . "</td>";
14         } elseif ($j == 0) {
15             echo "<td>" . $i . "</td>";
16         } else {
17             $quotient = $i / $j;
18             $is_composite = false;
19
20             echo "<td>" . number_format($quotient, 4) . "<br/>";
21             settype($quotient, "integer");
22             echo ($quotient % 2 == 0) ? "EVEN" : "ODD";
23             echo "<br/>";
24             if ($quotient > 1) {
25                 for ($k = 2; $k < $quotient; $k++) {
26                     if ($quotient % $k == 0) {
27                         $is_composite = true;
28                         break;
29                     }
30                 }
31                 echo ($is_composite == true) ? "COMPOSITE" : "PRIME";
32             } else {
33                 echo "NEITHER";
34             }
35
36             echo "</td>";
37         }
38         $j++;
39     }
40
41     echo "</tr>";
42     $i++;
43 }
```

Using Foreach Loop

```
_a.php Task5_3_b.php Task5_3_c.php X Task5_4.php
Task5_3_c.php
1  <?php
2  echo "<table border='1'>";
3  echo "<tr>";
4  echo "<th></th>";
5  for ($j = 1; $j <= 10; $j++) {
6      echo "<th>{$j}</th>";
7  }
8  echo "</tr>";
9
10 for ($i = 1; $i <= 10; $i++) {
11     echo "<tr>";
12     echo "<th>{$i}</th>";
13
14     foreach (range(1, 10) as $j) {
15         $quotient = $i / $j;
16         $is_composite = false;
17
18         echo "<td>";
19         echo number_format($quotient, 4) . "<br/>";
20         settype($quotient, "integer");
21         echo ($quotient % 2 == 0) ? "EVEN" : "ODD";
22         echo "<br/>";
23
24         if ($quotient > 1) {
25             for ($k = 2; $k < $quotient; $k++) {
26                 if ($quotient % $k == 0) {
27                     $is_composite = true;
28                     break;
29                 }
30             }
31             echo ($is_composite == true) ? "COMPOSITE" : "PRIME";
32         } else {
33             echo "NEITHER";
34         }
35         echo "</td>";
36     }
37     echo "</tr>";
38 }
39 echo "</table>";
40 ?>
```

Output:

	1	2	3	4	5	6	7	8	9	10
1	1.0000 ODD NEITHER	0.5000 EVEN NEITHER	0.3333 EVEN NEITHER	0.2500 EVEN NEITHER	0.2000 EVEN NEITHER	0.1667 EVEN NEITHER	0.1429 EVEN NEITHER	0.1250 EVEN NEITHER	0.1111 EVEN NEITHER	0.1000 EVEN NEITHER
2	2.0000 EVEN PRIME	1.0000 ODD NEITHER	0.6667 EVEN NEITHER	0.5000 EVEN NEITHER	0.4000 EVEN NEITHER	0.3333 EVEN NEITHER	0.2857 EVEN NEITHER	0.2500 EVEN NEITHER	0.2222 EVEN NEITHER	0.2000 EVEN NEITHER
3	3.0000 ODD PRIME	1.5000 ODD NEITHER	1.0000 ODD NEITHER	0.7500 EVEN NEITHER	0.6000 EVEN NEITHER	0.5000 EVEN NEITHER	0.4286 EVEN NEITHER	0.3750 EVEN NEITHER	0.3333 EVEN NEITHER	0.3000 EVEN NEITHER
4	4.0000 EVEN COMPOSITE	2.0000 EVEN PRIME	1.3333 ODD NEITHER	1.0000 ODD NEITHER	0.8000 EVEN NEITHER	0.6667 EVEN NEITHER	0.5714 EVEN NEITHER	0.5000 EVEN NEITHER	0.4444 EVEN NEITHER	0.4000 EVEN NEITHER
5	5.0000 ODD PRIME	2.5000 EVEN PRIME	1.6667 ODD NEITHER	1.2500 ODD NEITHER	1.0000 ODD NEITHER	0.8333 EVEN NEITHER	0.7143 EVEN NEITHER	0.6250 EVEN NEITHER	0.5556 EVEN NEITHER	0.5000 EVEN NEITHER
6	6.0000 EVEN COMPOSITE	3.0000 ODD PRIME	2.0000 EVEN PRIME	1.5000 ODD NEITHER	1.2000 ODD NEITHER	1.0000 ODD NEITHER	0.8571 EVEN NEITHER	0.7500 EVEN NEITHER	0.6667 EVEN NEITHER	0.6000 EVEN NEITHER
7	7.0000 ODD PRIME	3.5000 ODD PRIME	2.3333 EVEN PRIME	1.7500 ODD NEITHER	1.4000 ODD NEITHER	1.1667 ODD NEITHER	1.0000 ODD NEITHER	0.8750 EVEN NEITHER	0.7778 EVEN NEITHER	0.7000 EVEN NEITHER
8	8.0000 EVEN COMPOSITE	4.0000 EVEN COMPOSITE	2.6667 EVEN PRIME	2.0000 EVEN PRIME	1.6000 ODD NEITHER	1.3333 ODD NEITHER	1.1429 ODD NEITHER	1.0000 ODD NEITHER	0.8889 EVEN NEITHER	0.8000 EVEN NEITHER
9	9.0000 ODD COMPOSITE	4.5000 EVEN COMPOSITE	3.0000 EVEN PRIME	2.2500 ODD PRIME	1.8000 ODD NEITHER	1.5000 ODD NEITHER	1.2857 ODD NEITHER	1.1250 ODD NEITHER	1.0000 ODD NEITHER	0.9000 EVEN NEITHER
10	10.0000 EVEN COMPOSITE	5.0000 ODD PRIME	3.3333 ODD PRIME	2.5000 EVEN PRIME	2.0000 EVEN PRIME	1.6667 ODD NEITHER	1.4286 ODD NEITHER	1.2500 ODD NEITHER	1.1111 ODD NEITHER	1.0000 ODD NEITHER

	1	2	3	4	5	6	7	8	9	10
1	1.0000 ODD NEITHER	0.5000 EVEN NEITHER	0.3333 EVEN NEITHER	0.2500 EVEN NEITHER	0.2000 EVEN NEITHER	0.1667 EVEN NEITHER	0.1429 EVEN NEITHER	0.1250 EVEN NEITHER	0.1111 EVEN NEITHER	0.1000 EVEN NEITHER
2	2.0000 EVEN PRIME	1.0000 ODD NEITHER	0.6667 EVEN NEITHER	0.5000 EVEN NEITHER	0.4000 EVEN NEITHER	0.3333 EVEN NEITHER	0.2857 EVEN NEITHER	0.2500 EVEN NEITHER	0.2222 EVEN NEITHER	0.2000 EVEN NEITHER
3	3.0000 ODD PRIME	1.5000 ODD NEITHER	1.0000 ODD NEITHER	0.7500 EVEN NEITHER	0.6000 EVEN NEITHER	0.5000 EVEN NEITHER	0.4286 EVEN NEITHER	0.3750 EVEN NEITHER	0.3333 EVEN NEITHER	0.3000 EVEN NEITHER
4	4.0000 EVEN COMPOSITE	2.0000 EVEN PRIME	1.3333 ODD NEITHER	1.0000 ODD NEITHER	0.8000 EVEN NEITHER	0.6667 EVEN NEITHER	0.5714 EVEN NEITHER	0.5000 EVEN NEITHER	0.4444 EVEN NEITHER	0.4000 EVEN NEITHER
5	5.0000 ODD PRIME	2.5000 EVEN PRIME	1.6667 ODD NEITHER	1.2500 ODD NEITHER	1.0000 ODD NEITHER	0.8333 EVEN NEITHER	0.7143 EVEN NEITHER	0.6250 EVEN NEITHER	0.5556 EVEN NEITHER	0.5000 EVEN NEITHER
6	6.0000 EVEN COMPOSITE	3.0000 ODD PRIME	2.0000 EVEN PRIME	1.5000 ODD NEITHER	1.2000 ODD NEITHER	1.0000 ODD NEITHER	0.8571 EVEN NEITHER	0.7500 EVEN NEITHER	0.6667 EVEN NEITHER	0.6000 EVEN NEITHER
7	7.0000 ODD PRIME	3.5000 ODD PRIME	2.3333 EVEN PRIME	1.7500 ODD NEITHER	1.4000 ODD NEITHER	1.1667 ODD NEITHER	1.0000 ODD NEITHER	0.8750 EVEN NEITHER	0.7778 EVEN NEITHER	0.7000 EVEN NEITHER
8	8.0000 EVEN COMPOSITE	4.0000 EVEN COMPOSITE	2.6667 EVEN PRIME	2.0000 EVEN PRIME	1.6000 ODD NEITHER	1.3333 ODD NEITHER	1.1429 ODD NEITHER	1.0000 ODD NEITHER	0.8889 EVEN NEITHER	0.8000 EVEN NEITHER
9	9.0000 ODD COMPOSITE	4.5000 EVEN COMPOSITE	3.0000 EVEN PRIME	2.2500 ODD PRIME	1.8000 ODD NEITHER	1.5000 ODD NEITHER	1.2857 ODD NEITHER	1.1250 ODD NEITHER	1.0000 ODD NEITHER	0.9000 EVEN NEITHER
10	10.0000 EVEN COMPOSITE	5.0000 ODD PRIME	3.3333 ODD PRIME	2.5000 EVEN PRIME	2.0000 EVEN PRIME	1.6667 ODD NEITHER	1.4286 ODD NEITHER	1.2500 ODD NEITHER	1.1111 ODD NEITHER	1.0000 ODD NEITHER

	1	2	3	4	5	6	7	8	9	10
1	1.0000 ODD NEITHER	0.5000 EVEN NEITHER	0.3333 EVEN NEITHER	0.2500 EVEN NEITHER	0.2000 EVEN NEITHER	0.1667 EVEN NEITHER	0.1429 EVEN NEITHER	0.1250 EVEN NEITHER	0.1111 EVEN NEITHER	0.1000 EVEN NEITHER
2	2.0000 EVEN PRIME	1.0000 ODD NEITHER	0.6667 EVEN NEITHER	0.5000 EVEN NEITHER	0.4000 EVEN NEITHER	0.3333 EVEN NEITHER	0.2857 EVEN NEITHER	0.2500 EVEN NEITHER	0.2222 EVEN NEITHER	0.2000 EVEN NEITHER
3	3.0000 ODD PRIME	1.5000 ODD NEITHER	1.0000 ODD NEITHER	0.7500 EVEN NEITHER	0.6000 EVEN NEITHER	0.5000 EVEN NEITHER	0.4286 EVEN NEITHER	0.3750 EVEN NEITHER	0.3333 EVEN NEITHER	0.3000 EVEN NEITHER
4	4.0000 EVEN COMPOSITE	2.0000 EVEN PRIME	1.3333 ODD NEITHER	1.0000 ODD NEITHER	0.8000 EVEN NEITHER	0.6667 EVEN NEITHER	0.5714 EVEN NEITHER	0.5000 EVEN NEITHER	0.4444 EVEN NEITHER	0.4000 EVEN NEITHER
5	5.0000 ODD PRIME	2.5000 EVEN PRIME	1.6667 ODD NEITHER	1.2500 ODD NEITHER	1.0000 ODD NEITHER	0.8333 EVEN NEITHER	0.7143 EVEN NEITHER	0.6250 EVEN NEITHER	0.5556 EVEN NEITHER	0.5000 EVEN NEITHER
6	6.0000 EVEN COMPOSITE	3.0000 ODD PRIME	2.0000 EVEN PRIME	1.5000 ODD NEITHER	1.2000 ODD NEITHER	1.0000 ODD NEITHER	0.8571 EVEN NEITHER	0.7500 EVEN NEITHER	0.6667 EVEN NEITHER	0.6000 EVEN NEITHER
7	7.0000 ODD PRIME	3.5000 ODD PRIME	2.3333 EVEN PRIME	1.7500 ODD NEITHER	1.4000 ODD NEITHER	1.1667 ODD NEITHER	1.0000 ODD NEITHER	0.8750 EVEN NEITHER	0.7778 EVEN NEITHER	0.7000 EVEN NEITHER
8	8.0000 EVEN COMPOSITE	4.0000 EVEN COMPOSITE	2.6667 EVEN PRIME	2.0000 EVEN PRIME	1.6000 ODD NEITHER	1.3333 ODD NEITHER	1.1429 ODD NEITHER	1.0000 ODD NEITHER	0.8889 EVEN NEITHER	0.8000 EVEN NEITHER
9	9.0000 ODD COMPOSITE	4.5000 EVEN COMPOSITE	3.0000 ODD PRIME	2.2500 EVEN PRIME	1.8000 ODD NEITHER	1.5000 ODD NEITHER	1.2857 ODD NEITHER	1.1250 ODD NEITHER	1.0000 ODD NEITHER	0.9000 EVEN NEITHER
10	10.0000 EVEN COMPOSITE	5.0000 ODD PRIME	3.3333 ODD PRIME	2.5000 EVEN PRIME	2.0000 EVEN PRIME	1.6667 ODD NEITHER	1.4286 ODD NEITHER	1.2500 ODD NEITHER	1.1111 ODD NEITHER	1.0000 ODD NEITHER

Task 5.4:

Code:


```

.php Task5_2.php Task5_3_a.php Task5_3_b.php Task5_3_c.php Task5_4.php
Task5_4.php
1 <?php
2 //Abstract class for polymorphism
3 abstract class Animal {
4     public $name;
5
6     abstract function makeSound();
7 }
8 //Inheritance Example 1
9 class Dog extends Animal {
10     public function makeSound() {
11         echo "Bark!\n";
12     }
13 }
14 //Inheritance Example 2
15 class Cat extends Animal {
16     public function makeSound() {
17         echo "Meow!\n";
18     }
19 }
20
21 // Creating objects
22 $dog = new Dog();
23 $cat = new Cat();
24

```

```
21 // Creating objects
22 $dog = new Dog();
23 $cat = new Cat();
24
25 // Setting properties
26 $dog->name = "Dog";
27 $cat->name = "Cat";
28
29 // Accessing properties and calling methods
30 echo $dog->name . "\n";
31 $dog->makeSound();
32 echo $cat->name . "\n";
33 $cat->makeSound();
34 ?>
```

Output:



Task 5.5:

Code:


```
3_a.php Task5_3_b.php Task5_3_c.php Task5_4.php new.php Task5_5.php X
Task5_5.php
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Image Gallery</title>
7     <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/boot
8     <style>
9         .thumbnail {
10             max-height: 200px;
11             margin-bottom: 20px;
12             cursor: pointer;
13         }
14     </style>
15 </head>
16 <body>
17     <div class="container">
18         <h1 class="mt-5 mb-3">Image Gallery</h1>
19         <div class="row">
20             <?php
21                 // $imageDirectory = "images";
22                 //echo $imageDirectory;
23                 $images = glob("images" . '/*.{jpg,jpeg,png,gif}', GLOB_BRACE);
24
25                 if (count($images) > 0) {
26                     foreach ($images as $image) {
27                         echo '<div class="col-md-3">';
28                         echo '';
30                     }
31                 } else {
32                     echo '<div class="col-md-12">';
33                     echo '<p>No images found.</p>';
34                     echo '</div>';
35                 }
36             ?>
37         </div>
38     </div>
39
40     <!-- Image Modal -->
41     <div class="modal fade" id="imageModal" tabindex="-1" role="dialog" aria-labelledby="ima
42         <div class="modal-dialog modal-lg" role="document">
43             <div class="modal-content">
```

```




49         </div>
50         <div class="modal-body">
51             <img src="" id="modalImage" class="img-fluid">
52         </div>
53     </div>
54 </div>
55 </div>
56
57 <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
58 <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.4/dist/umd/popper.min.js"></script>
59 <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
60 <script>
61     $('.thumbnail').click(function() {
62         var src = $(this).attr('src');
63         $('#modalImage').attr('src', src);
64     });
65 </script>
66 </body>
67 </html>
68

```

Output:



Task 5.6:




```
mysql> use testProject;
Database changed
mysql> show tables;
+-----+
| Tables_in_testproject |
+-----+
| cache                  |
| cache_locks            |
| department             |
| employee               |
| failed_jobs             |
| job_batches             |
| jobs                   |
| migrations              |
| password_reset_tokens  |
| sessions               |
| users                   |
+-----+
11 rows in set (0.01 sec)
```

```
mysql> select * from users;
+-----+-----+-----+-----+-----+-----+
| id | name      | email                | email_verified_at | password |
+-----+-----+-----+-----+-----+
| 1  | Ali Asghar | aaliasghar8@gmail.com | NULL              | $2y$12$MEbB96z9FLvqmV6AcQcrD.qVDJ6UF26tA./o02S
qS/PUAHLREKZae | NULL              | 2024-05-02 07:58:36 | 2024-05-02 07:58:36 |
| 2  | Didar Ali  | abc@abc.com          | NULL              | $2y$12$81nJDRbNJEVErCL5xoMbTelf/2meeyLFejSynTX
i800eXJASNmA4G | NULL              | 2024-05-02 08:39:09 | 2024-05-02 08:39:09 |
| 3  | Dildar     | jamal@gmail.com      | NULL              | $2y$12$FunSjA9bjGJSqFGd8cSe30UwRaY7tR1gDp0Zx6A
r.XI.f59wMuvvG | NULL              | 2024-05-08 17:57:05 | 2024-05-08 17:57:05 |
| 4  | Ali Asghar | alikhan@gmail.com    | NULL              | $2y$12$TiBefedUQnJB.72VEsn2Je8e.D.9H0VKsXhvCN1
Ecyx3gL244a17m | NULL              | 2024-05-09 06:21:17 | 2024-05-09 06:21:17 |
+-----+-----+-----+-----+-----+
4 rows in set (0.02 sec)
```


Task 5.7:

Code:

Controller Scripts:




```
0001_01_01_000000_create_employee_table.php  DepartmentController.php x  php: 0001_01_01_
3 namespace App\Http\Controllers;
4
5 class DepartmentController extends Controller
6 {
7     public function index()
8     {
9         $department = DB::table('department')->get();
10        return view('department', ['departments' => $department]);
11    }
12
13    public function store(Request $request)
14    {
15        $request->validate([
16            'department_name' => 'required|string|max:255',
17        ]);
18
19        $department = new Department();
20        $department->department_name = $request->department_name;
21        $department->save();
22
23        return redirect('/departments')->with('success', 'Department added successf
24    }
25 }
```



```
TP testProject Version control
Project D:\wamp64\www\testProject
app
Http
Controllers
Auth
    ConfirmPasswordController.php
    ForgotPasswordController.php
    LoginController.php
    RegisterController.php
    ResetPasswordController.php
    VerificationController.php
    Controller.php
    DepartmentController.php
    EmployeeController.php
    HomeController.php
    UserController.php
Models
    Department.php
    Employee.php
    User.php
Providers


EmployeeController.php x  php: 0001_01_01_000000_create_employee_table.php  DepartmentCr
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Employee;
6 use Illuminate\Http\Request;
7 use Illuminate\Support\Facades\DB;
8
9 class EmployeeController extends Controller
10 {
11     public function index()
12     {
13         $employees = DB::table('employee')->get();
14         return view('employee', ['employees' => $employees]);
15     }
16
17     public function store(Request $request)
18     {
19         $request->validate([
20             'employee_name' => 'required|string|max:255',
21             'employee_job' => 'required|string|max:255',
22             'd_id' => 'required|integer',
23         ]);
24     }
25 }
```

Models Scripts:



This screenshot shows the VS Code editor with the 'Department.php' file open. The left sidebar displays the project structure, including 'testProject' and its subdirectories 'app', 'Http', 'Controllers', 'Auth', and 'Models'. The 'Models' directory is expanded, showing 'Department.php', 'Employee.php', and 'User.php'. The main editor area shows the code for the 'Department' model, which extends the 'Model' class. The code includes namespace declarations, use statements for 'Illuminate\Http\Request' and 'Illuminate\Support\Facades\DB', and model properties like '\$table', '\$primaryKey', '\$incrementing', '\$keyType', and '\$fillable'.

```
3 namespace App\Models;
4
5 use Illuminate\Http\Request;
6 use Illuminate\Support\Facades\DB;
7
8 2 usages
9 class Department extends Model
10 {
11     protected $table = 'department'; // Specify the table name
12     // Other model properties and methods...
13     protected $primaryKey = 'depID';
14     public $incrementing = true;
15     protected $keyType = 'int';
16
17     protected $fillable = [
18         'department_name',
19     ];
20 }
21
```




This screenshot shows the VS Code editor with the 'Employee.php' file open. The left sidebar displays the project structure, including 'testProject' and its subdirectories 'app', 'Http', 'Controllers', 'Auth', and 'Models'. The 'Models' directory is expanded, showing 'Department.php', 'Employee.php', and 'User.php'. The main editor area shows the code for the 'Employee' model, which extends the 'Model' class. The code includes namespace declarations, use statements for 'Illuminate\Database\Eloquent\Model', and model properties like '\$table', '\$primaryKey', '\$incrementing', '\$keyType', and '\$fillable'.

```
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 3 usages
8 class Employee extends Model
9 {
10     protected $table = 'employee'; // Specify the table name
11     // Other model properties and methods...
12     protected $primaryKey = 'employeeID';
13     public $incrementing = true;
14     protected $keyType = 'int';
15
16     protected $fillable = [
17         'employee_name',
18         'employee_job',
19         'd_id'
20     ];
21 }


```


Migration Scripts:



The screenshot shows an IDE with a project named 'testProject'. The left sidebar displays a file explorer with a tree structure: Project > Controllers > UserController.php; Models > Department.php, Employee.php, User.php; Providers; bootstrap; config; database > factories; migrations > 0001_01_01_000000_create_department_table.php (selected), 0001_01_01_000000_create_employee_table.php, 0001_01_01_000000_create_users_table.php, 0001_01_01_000001_create_cache_table.php, 0001_01_01_000002_create_jobs_table.php; seeders > DatabaseSeeder.php; .gitignore; database.sqlite; node_modules library root; public; resources; src. The main editor window shows the code for '0001_01_01_000000_create_department_table.php'. The code is as follows:

```
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create( table: 'department', function (Blueprint $table) {
15             $table->id( column: 'depID');
16             $table->string( column: 'department_name');
17             $table->timestamps();
18         });
19     }
20
21     /**
22      * Reverse the migrations.
23      */
24     public function down(): void
25     {
26         Schema::dropIfExists( table: 'department');
27     }
28 };
29
30 class@anonymous -> up()
```



The screenshot shows the same IDE with the project 'testProject'. The left sidebar file explorer is identical to the previous screenshot. The main editor window shows the code for '0001_01_01_000000_create_employee_table.php'. The code is as follows:

```
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create( table: 'employee', function (Blueprint $table) {
15             $table->id( column: 'employeeID');
16             $table->string( column: 'employee_name');
17             $table->string( column: 'employee_job');
18             $table->unsignedBigInteger( column: 'd_id');
19             $table->foreign( columns: "d_id")->references( columns: "depID")->on( table: "de
20             $table->timestamps();
21         });
22     }
23
24     /**
25      * Reverse the migrations.
26      */
27     public function down(): void
28     {
29         Schema::dropIfExists( table: 'employee');
30     }
31 };
32
```

View Scripts:


This screenshot shows the VS Code editor with the 'department.blade.php' file open. The left sidebar displays the project structure, including folders like 'public', 'resources', 'css', 'js', 'sass', 'views', 'auth', 'layouts', and files like 'app.blade.php', 'department.blade.php', 'employee.blade.php', 'home.blade.php', 'welcome.blade.php', 'console.php', 'web.php', 'storage', 'tests', 'vendor', '.editorconfig', '.env', '.env.example', and '.gitattributes'. The main editor area shows the following code:

```
1 @extends('layouts.app')
2
3 @section('content')
4     <head>
5         <title>Departments</title>
6         <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
7     </head>
8
9     <div class="container">
10         <h2>Add Department</h2>
11         <form action="{{ route('departments.store') }}" method="POST">
12             @csrf
13             <div class="form-group">
14                 <label for="department_name">Name:</label>
15                 <input type="text" class="form-control" id="department_name" name="department_name">
16             </div>
17             <button type="submit" class="btn btn-primary">Add Department</button>
18         </form>
19
20         <h2>Departments List</h2>
21         <table class="table table-hover table-responsive">
22             <thead>
23                 <tr>
```

This screenshot shows the VS Code editor with the 'employee.blade.php' file open. The left sidebar displays the project structure, including folders like 'public', 'resources', 'css', 'js', 'sass', 'views', 'auth', 'layouts', and files like 'app.blade.php', 'department.blade.php', 'employee.blade.php', 'home.blade.php', 'welcome.blade.php', 'console.php', 'web.php', 'storage', 'tests', 'vendor', '.editorconfig', '.env', '.env.example', and '.gitattributes'. The main editor area shows the following code:

```
1 @extends('layouts.app')
2
3 @section('content')
4     <head>
5         <title>CV</title>
6         <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
7     </head>
8
9     <div class="container">
10         <h2>Add Employee</h2>
11         <form action="{{ route('employees.store') }}" method="POST">
12             @csrf
13             <div class="form-group">
14                 <label for="employee_name">Name:</label>
15                 <input type="text" class="form-control" id="employee_name" name="employee_name">
16             </div>
17             <div class="form-group">
18                 <label for="employee_job">Job:</label>
19                 <input type="text" class="form-control" id="employee_job" name="employee_job">
20             </div>
21             <div class="form-group">
22                 <label for="d_id">Department ID:</label>
23                 <input type="number" class="form-control" id="d_id" name="d_id">
24             </div>
25             <button type="submit" class="btn btn-primary">Add Employee</button>
```

Routing:



```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4
5 Route::get( url: '/', function () {
6     return view( view: 'home' );
7 });
8
9 Auth::routes();
10
11 Route::get( url: '/home', [App\Http\Controllers\HomeController::class, 'index'] )->name('home');
12 Route::get( url: '/employees', [App\Http\Controllers\EmployeeController::class, 'index'] )->name('employees');
13 Route::get( url: '/departments', [App\Http\Controllers\DepartmentController::class, 'index'] )->name('departments');
14 Route::post( url: '/employees', [App\Http\Controllers\EmployeeController::class, 'store'] )->name('employees.store');
15 Route::post( url: '/departments', [App\Http\Controllers\DepartmentController::class, 'store'] )->name('departments.store');
16 //Route::post('/departments', [App\Http\Controllers\DepartmentController::class, 'store'] )->name('departments.store');
17
```

Output:

